

Oral Health in White River Junction District Office and Vermont



Preventive and Access to Care, Risk Factors, and Outcomes

## White River Junction District Office

- Unless stated otherwise, all data are calculated for residents living within the area served by White River Junction District Office, including:
  - Barnard, Bethel, Bradford, Bridgewater, Chelsea, Corinth, Fairlee, Hartford (including Quechee, White River Junction, Wilder), Hartland, Norwich, Pomfret, Randolph, Rochester, Royalton, Sharon, Stockbridge, Strafford, Thetford, Turnbridge, Vershire, West Fairlee, Woodstock.

# Oral Health Data — White River Junction District Office

## Preventive and Access to Care: How many

White River Junction area residents are accessing oral health care? How many dentists are in the area? What percentage of the population on public water systems have fluoridated water?

**Risk Factors:** How many White River Junction area high school students have an increased risk of oral health problems due to risky behaviors?

Oral Health Outcomes: How are White River Junction area residents doing in terms of oral health outcomes?

# Preventive and Access to Care

#### **Indicators**

- □ Dental visits
- Number of dental providers
- □ Dental insurance
- Community water fluoridation

#### **Data Sources**

- Behavioral Risk Factor
   Surveillance Survey
   (BRFSS)
- □ Medicaid data
- □ 2013 Dentist Survey
- Water FluoridationReporting System (WFRS)

## Behavioral Risk Factor Surveillance Survey (BRFSS)


- □ Telephone survey of adults
- Typically between 6,000 and 7,000 Vermont adults (18 or older)
   are interviewed as part of the Vermont BRFSS each year
- □ Self-reported data
- Conducted by the Vermont Department of Health in collaboration with the Centers for Disease Control and Prevention (CDC)
- Additional information can be found on the VDH and CDC websites:
  - http://healthvermont.gov/research/brfss.aspx
  - http://www.cdc.gov/brfss/

## Access to Care - Dental Visits Among Adults (BRFSS)

In 2012 and 2014 (combined average), 74% of White River Junction area adults saw their dentist for any reason during the previous year.

The Healthy Vermonters 2020 goal is 85%.

# Percent of Adults Who Visited the Dentist in the Last Year (2012 and 2014 Combined Average)



Data Source: Behavioral Risk Factor Surveillance System (BRFSS)
Age-adjusted based on the proportional age breakdowns of the U.S. population in 2000.

## **Dental Insurance**

- 44% of Vermont adults reported they did not have dental insurance in 2012 (BRFSS).
- Some variation exists by district office, but there are not large differences.


## Medicaid Claims Data

- These data are not representative of all White River Junction area residents.
  - These data only include those who sought care, and does not include those who needed care but did not seek care.
  - These data do not include those who have commercial insurance or do not have dental insurance.

# Access to Care: Dental Services Among Medicaid-Eligible Children On or Before They were 18 Months Old

14% of White River Junction Medicaideligible children born in 2012 received any dental services by a dental provider by 18 months of age. This is lower than the state percentage of 22%.


#### Percent of Medicaid-Eligible Vermonters Born in 2012 who Received Any Dental Services by a Dental Provider by 18 Months of Age



# Access to Care: Dental Services Among Medicaid-Eligible Children Aged 1-5

37% of White River Junction Medicaideligible children aged 1-5 received any dental services by a dental provider in 2014. This is lower than the state percentage.

#### Percent of Medicaid-Eligible Vermonters Aged 1-5 Receiving Preventive Dental Services and Any Dental Services in 2014




# Access to Care: Dental Services Among Medicaid-Eligible Children Aged 6-18

61% of White River Junction Medicaid-eligible children aged 6-18 received any dental services by a dental provider in 2014.

The Healthy
Vermonters 2020
goal for the percent
of people in grades
K-12 who use the
dental care system
each year is 85%.

#### Percent of Medicaid-Eligible Vermonters Aged 6-18 Receiving Preventive Dental Services and Any Dental Services in 2014




# Access to Care: Dental Services Among Medicaid-Eligible Adults Aged 19-64

18% of White River Junction Medicaid-eligible adults aged 19-64 received any dental services by a dental provider in 2014.

The Healthy
Vermonters 2020
goal for the percent
of people age 18+
who use the dental
care system each
year is 85%.

#### Percent of Medicaid-Eligible Vermonters Aged 19-64 Receiving Preventive Dental Services and Any Dental Services in 2014




# 2013 Dentist Survey

- Completed by most dentists online with the license renewal in late summer 2013.
- Self-reported data.
- Followed-up via mail and phone calls.
- □ The final response rate was 99.5%.
- Included in this report are dentists who provide patient care in Vermont.
- □ Ten dentists who reported fewer than 2 patient care hours per week on the average were excluded.

#### Access to Care - Oral Health Care Providers

- In 2013 in White River
   Junction, there were
   19 full-time equivalent
   primary care dentists
   and 4 full-time
   equivalent specialists.
  - Primary care dentists include general practice and pediatric dentistry.
  - Specialist dentists include oral surgery, endodontics, orthodontics, periodontics, prosthodontics, and other specialties.

#### Full-Time Equivalent Dentists by Specialty and Age in White River Junction (2013)




#### Access to Care - Oral Health Care Providers

#### In 2013, White River Junction had a similar ratio of:

- primary care dentists per residents
   (40.3)
   compared to the state
   (38.0).
- specialist
   dentists per
   residents (8.0)
   compared to
   the state (8.4).


#### Primary Care Dentists and Specialists Full-Time Equivalency per 100,000 Residents by Age of Dentists (2013)



# Access to Care – Primary Care Dentists Accepting New Patients

- In 2013, 71% of primary care dentists in White River Junction were accepting new non-Medicaid patients and 44% were accepting new Medicaid patients (both percentages are lower than Vermont's).
- In 2013, 58% of primary care dentists in White River Junction were accepting 5 or more new non-Medicaid patients a month, but only 24% were accepting 5 or more new Medicaid patients a month (both percentages are lower than Vermont's).


# Percent of Primary Care Dentists Accepting New Patients in 2013



# Access to Care – Specialist Dentists Accepting New Patients

- In 2013, 60% of specialist dentists in White River Junction were accepting new non-Medicaid patients, but only 20% were accepting new Medicaid patients (both percentages are lower than Vermont).
- In 2013, 40% of specialist dentists in White River Junction were accepting 5 or more new non-Medicaid patients a month but 0% were accepting 5 or more new Medicaid patients a month, a higher percentage than the state (both percentages are lower than Vermont).

# Percent of Specialist Dentists Accepting New Patients in 2013




## Water Fluoridation Reporting System (WFRS)

- An online tool that helps states manage the quality of their water fluoridation programs.
- Helps describe the percentage of the U.S. population on community water systems who receive 0.70 ppm optimally fluoridated drinking water.
  - A community water system is a public water system that supplies water to the same population year-round.
- WFRS monitors the number and quality of water fluoridation systems, as well as the state population on public water supply systems.
- This system was developed by CDC in partnership with the Association of State and Territorial Dental Directors (ASTDD).


## Community Water Fluoridation

#### Percent of Population Served by Community Public Water Systems that have Optimally Fluoridated Water (2015)



Data source: Water Fluoridation Reporting System

43% of Orange County's and 30% of Windsor County's population served by community public water systems have optimally fluoridated water. Both percentages are lower than Vermont and the Healthy Vermonters 2020 goal of 65%.



#### **Vermont Towns:**

Fluoridation Status (Jan. 2015)

Community Water Fluoridation

No Community Water Fluoridation

# Risk Factors

#### **Indicators**

- Sugar-sweetened beverages
- □ Use of snuff/dip

#### **Data Sources**

Youth Risk BehaviorSurvey (YRBS)


# Youth Risk Behavior Survey (YRBS)

- A paper survey administered in Vermont middle and high schools every two years since 1993.
- The YRBS measures the prevalence of behaviors that contribute to the leading causes of death, disease, and injury among youth.
- □ Vermont surveys over 30,000 students at each administration.
- Weighted data is compiled to generate a representative state sample.

# Risk Factors — Sugar-sweetened Beverage Consumption Among High School Students (YRBS)

15% of White River Junction area students in grades 9-12 drank at least one soda daily.


Percent of Students in Grades 9-12 who Reported Drinking at Least One Can, Bottle, or Glass of Soda or Pop Every Day in the Past 7 days (2013)



Data Source: Youth Risk Behavior Survey (YRBS)
NOTE: The question instructed students not to include diet soda or pop.

16% of White River Junction area students in grades 9-12 drank at least one sugar-sweetened beverage daily (not including soda).

Percent of Students in Grades 9-12 who Drank a Can, Bottle or Glass of a Sugarsweetened Beverage (Not including Soda) Every Day in the past 7 Days (2013)




Data Source: Youth Risk Behavior Survey (YRBS)
NOTE: The question instructed students not to include soda or pop, diet drinks, or 100% fruit juice.

# Risk Factors – Snuff/dip Use Among High School Students (YRBS)

7% of White River Junction area students in grades 9-12 reported using chewing tobacco, snuff, or dip during the past 30 days.

# Percent of Students in Grades 9-12 who Used Snuff/dip During the Past 30 days (2013)



Data Source: Youth Risk Behavior Survey (YRBS)

# Oral Health Outcomes

#### **Indicators**

- □ Tooth loss
- Treated for extractions, endodontics or restorations
- Emergency Department visits


#### **Data Sources**

- Behavioral Risk FactorSurveillance Survey(BRFSS)
- □ Medicaid claims
- Vermont UniformHospital DischargeData Set (VUHDDS)

# Oral Health Outcomes: No Teeth Lost Among Adults Aged 18-64 (BRFSS)

66% of White River Junction area adults aged 18-64 did not have any tooth loss due to tooth decay or gum disease, in 2012 and 2014 (combined average).

# Percent of Adults Aged 18-64 With No Teeth Lost (2012 and 2014 combined average)



Data Source: Behavioral Risk Factor Surveillance System (BRFSS)

# Healthy Vermonters 2020 Goal: Tooth Loss Among Adults Aged 45-64 (BRFSS)

- 45% of White River Junction area adults aged 45-64 have had a tooth extracted due to tooth decay or gum disease, in 2012 and 2014 (combined average).
  - White River Junction is not significantly different than Vermont.
- The Healthy Vermonters 2020 goal for the percent of adults age 45-64 who have ever had a tooth extracted because of dental caries or periodontal disease is 45%.


# Percent of Adults 45-64 who Have Ever Had a Tooth Extracted (2012 and 2014 combined average) 80% 45% 40% White River Junction Vermont

Data Source: Behavioral Risk Factor Surveillance System (BRFSS)

# Oral Health Outcomes: Six or More Teeth Lost Among Adults Aged >=65 years (BRFSS)

36% of White River Junction area adults 65 and older have lost six or more teeth due to tooth decay or gum disease.

# Adults 65 and older who have lost six or more teeth (2012 and 2014 combined average)



Data Source: Behavioral Risk Factor Surveillance System (BRFSS)


# Oral Health Outcomes: Medicaid-Eligible Children Aged 1-5 Treated for Extractions, Endodontics or Restorations

For White River Junction area children, in 2014, 113 (8%) Medicaid-eligible children aged 1-5 years were treated for extractions, endodontics or restorations. Of those children, 26% were treated in a hospital setting for a total of \$118,856 paid claims and an average of \$4,098 per visit.

Number and Percent of Medicaid-Eligible White River Junction-Area Children Aged 1-5 Treated for Extractions, Endodontics or Restorations by Setting, including Amount Paid, in 2014

Setting	# of Children	% of Medicaid- Eligible Children	Total Amount Paid	Average Paid per Child
Office	86	6%	\$ 35,656	\$415
Hospital	29	2%	\$118,856	\$4,098
Any	113	8%	\$154,512	\$1,367

Percent of Medicaid-Eligible Vermonters Aged 1-5 Treated for Extractions, Endodontics or Restorations by Setting in 2014



Data Source: Medicaid Claims Data


# Oral Health Outcomes: Medicaid-Eligible Children Aged 6-18 Treated for Extractions, Endodontics or Restorations

For White River Junction area children, in 2014, 809 (23%) Medicaid-eligible children aged 6-18 years were treated for extractions, endodontics or restorations.

Number and Percent of Medicaid-Eligible White River Junction-Area Children Aged 6-18 Treated for Extractions, Endodontics or Restorations by Setting, including Amount Paid, in 2014

Setting	# of Children	% of Medicaid- Eligible Children	Total Amount Paid	Average Paid per Child
Office	788	22%	\$390,699	\$496
Hospital	28	1%	\$ 70,701	\$2,525
Any	809	23%	\$461,399	\$ <i>57</i> 0

Percent of Medicaid-Eligible Vermonters Aged 6-18 Treated for Extractions, Endodontics or Restorations by Setting in 2014



Data Source: Medicaid Claims Data


# Oral Health Outcomes: Medicaid-Eligible Adults Aged 19-64 Treated for Extractions, Endodontics or Restorations

For White River Junction area adults, in 2014, 773 (11%) Medicaid-eligible adults aged 19-64 years were treated for extractions, endodontics or restorations.

Number and Percent of Medicaid-Eligible White River Junction Area Children Aged 19-64 Treated for Extractions, Endodontics or Restorations by Setting, including Amount Paid, in 2014

Setting	# of Adults	% of Medicaid- Eligible Adults	Total Amount Paid	Average Paid per Adult
Office	749	11%	\$226,614	\$303
Hospital	36	0.5%	\$ 83,057	\$2,307
Any	773	11%	\$309,671	\$401

Percent of Medicaid-Eligible Vermonters Aged 19-64 Treated for Extractions, Endodontics or Restorations by Setting in 2014



Data Source: Medicaid Claims Data

#### Oral Health Outcomes: General Assistance Vouchers

□ In State Fiscal Year 2015, 30 White River Junction area residents utilized General Assistance Vouchers for dental services, for a total of \$25,260.

Number of Individuals who Utilized General Assistance (GA) Vouchers for Dental Services, including Amount Paid, in State Fiscal Year 2015

	Number of Individuals	Total Amount Paid	Average Paid per Individual
White River Junction	30	\$25,260	\$842
Vermont	1,392	\$933,695	\$671

# Vermont Uniform Hospital Discharge Data Set (VUHDDS)


- VUHDDS includes hospital discharge data from hospitals in Vermont, New Hampshire, Massachusetts, and New York. However, New Hampshire data for 2010-2013 were not available at the time of this report.
  - Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters and 60% for White River Junction area residents (based on the average percentage from 2005-2009).
- VUHDDS data are based on visits and not people. A person who is seen in the emergency department for disorders of teeth and jaw more than once in a year will be counted each time as a separate visit.
- These data only include those who sought care, and does not include those who needed care but did not seek care.

# For Emergency Department Visits for Disorders of Teeth and Jaw:

- the rate of visits has remained fairly steady for all Vermonters and White River Junction residents between 2005 and 2009. The large decrease in White River Junction between 2009 and 2013 is probably due in large part to missing NH data.
- White River Junction had a slightly higher rate (12 visits per 1,000 residents) than Vermont (11 visits per 1,000 residents) in 2009.

	Number of Visits		
	2005	2009	2013
White River Jct.	582	604	216
Vermont	5,903	6,944	6,155

# Rate of Emergency Department Visits for Disorders of Teeth and Jaw per 1,000 Residents (2005, 2009, 2013)\*




Data Source: Vermont Uniform Hospital Discharge Data Set

<sup>\*</sup> New Hampshire data for 2010-2013 are not available at the time of this report. Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters and 60% for White River Junction area residents (based on the average percentage from 2005-2009).

The rate of Emergency Department visits for Disorders of Teeth and Jaw per 1,000 residents are highest for 18-24 yearolds, followed by 25-34 year-olds.

# Emergency Department Visits for Disorders of Teeth and Jaw per 1,000 Residents by Age Group (2013)\*



Data Source: Vermont Uniform Hospital Discharge Data Set

<sup>\*</sup> New Hampshire data for 2010-2013 are not available at the time of this report. Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters and 60% for White River Junction area residents (based on the average percentage from 2005-2009).

Visits by 25-34 year-olds comprised 29% of all ED visits for disorders of Teeth and Jaw for White River Junction area residents, but this age group represents only 11% of White River Junction's population.


Number and Percent of Emergency Department Visits for Disorders of Teeth and Jaw by Age Group for White River Junction Area Residents (2013)\*

Age Group	# of Emergency Department Visits for Disorders of Teeth and Jaw for White River Junction Area Residents	% of Total Emergency Department Visits for Disorders of Teeth and Jaw for White River Junction Area Residents	% of White River Junction area population in this age group
18-24	60	28%	8%
25-34	63	29%	11%
35-49	58	27%	18%
0-1 <i>7</i> or 50+	35	16%	63%
Total	216	100%	100%

<sup>\*</sup> New Hampshire data for 2010-2013 are not available at the time of this report. Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters and 60% for White River Junction area residents (based on the average percentage from 2005-2009).

From 2005 to 2009, the rate of Emergency Department visits for Disorders of Teeth and law per 1,000 White River Junction area residents changed little for all age groups.

# Rate of Emergency Department Visits for Disorders of Teeth and Jaw per 1,000 White River Junction Area Residents (2005, 2009, 2013)\*




Data Source: Vermont Uniform Hospital Discharge Data Set

<sup>\*</sup> New Hampshire data for 2010-2013 are not available at the time of this report. Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters and 60% for White River Junction area residents (based on the average percentage from 2005-2009).

#### Oral Health Outcomes: Emergency Department Visits

For Emergency Department Visits for Disorders of Teeth and Jaw, the percent of visits where Medicaid was listed as their primary payer has increased from 2005 to 2013 in both White River Junction and Vermont.

# Percent of Emergency Department Visits for Disorders of Teeth and Jaw with Primary Payer listed as Medicaid (2005, 2009, 2013)



Data Source: Vermont Uniform Hospital Discharge Data Set

<sup>\*</sup> New Hampshire data for 2010-2013 are not available at the time of this report. Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters and 60% for White River Junction area residents (based on the average percentage from 2005-2009).

## Summary

## Preventive and Access to Care

- Compared to all Medicaid-eligible Vermonters, a lower percentage of Medicaid-eligible White River Junction area residents received dental care in 2014, across all age groups.
- Dental utilization rates for Medicaid-eligible White River Junction area residents were lowest for those under 19 months (14%), children aged 1-5 (37%), and adults (18%).

## Preventive and Access to Care

- In 2013, White River Junction had a similar ratio of primary care dentists and specialist dentists per residents, compared to the state ratios.
- White River Junction area dentists were less likely to accept new non-Medicaid and/or new Medicaid patients, compared to the state. The same pattern holds true for accepting 5 or more new patients a month.
  - The percentages for specialist dentists were very low, with only 20% accepting new Medicaid patients and 0% accepting 5 or more new Medicaid patients a month.

## Preventive and Access to Care

The percent of Orange County's and Windsor County's population served by community public water systems who have optimally fluoridated water is lower than the Healthy Vermonters 2020 goal.

#### **Risk Factors**

- The percent of White River Junction area high school students participating in the following risky behaviors is similar to all Vermont high school students, including:
  - consuming at least one soda daily,
  - consuming at least one other type of sugar-sweetened beverage daily, and
  - using snuff/dip.

#### **Oral Health Outcomes**

- Similar to all Vermonters, Medicaid-eligible White River Junction area residents are receiving treatment for extractions, endodontics, or restorations, including:
  - 8% of children aged 1-5 (26% of these in the hospital).
  - □ 23% of children aged 6-18.
  - □ 11% of adults aged 19-64.
  - a total amount paid for all of these visits for all ages of \$925,582.
- □ In State Fiscal Year 2015, 30 White River Junction area residents utilized General Assistance Vouchers for dental services, for a total of \$25,260.

#### **Oral Health Outcomes**

- The percent of White River Junction area adults who have lost teeth due to decay is similar to the percent of all Vermonters.
- The rate of Emergency Department visits for disorders of teeth and jaw per 1,000 residents was slightly higher for White River Junction area residents than all Vermonters in 2009.
  - Over half of these visits are by those aged 18-34.

## Questions?

- For more information about the Oral Health Program at the Vermont Department of Health,
  - please go to: <a href="http://healthvermont.gov/family/dental/services.aspx">http://healthvermont.gov/family/dental/services.aspx</a>,
  - or contact Robin Miller, RDH, MPH at Robin.N.Miller@vermont.gov.
- For more information about Oral Health data in Vermont, please contact:
  - Denise Kall, PhD at <u>Denise.Kall@vermont.gov</u>.

#### Data Notes - BRFSS

- Behavioral Risk Factor Surveillance System (BRFSS) Survey Questions used in the above analyses included:
- "How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontics.

  [Responses: Within the past year (anytime less than 12 months), Within the past 2 years (1 year but less than 2 years), Within the past 5 years (2 years but less than 5 years ago), 5 or more years ago, and Never]"
- "How many of your teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. [Responses:1 to 5, 6 or more but not all, All, and None]"
- □ For more information on the Behavioral Risk Factor Survey (BRFSS), please see: <a href="http://healthvermont.gov/research/brfss/brfss.aspx">http://healthvermont.gov/research/brfss/brfss.aspx</a>.

#### Data Notes - BRFSS

Confidence Intervals were used for statistical comparisons between the state and the various sub-geographies. A confidence interval represents the range in which a parameter estimate would fall, which is calculated based on the observed data. For this analysis, we used a 95% confidence interval, meaning that we are 95% confident that the true value of the parameter being examined falls within the specified confidence interval. Statistical significance is assessed by comparing the confidence intervals of different groups. If the confidence intervals from two groups, such as that for the state and a specific county, do not overlap we consider the estimates to be significantly different from one another.

#### Data Notes - BRFSS

- In U.S. data, age adjustment is used for comparison of regions with varying age breakdowns. In order to remain consistent with the methods of comparison at a national level, statistics in Vermont were age adjusted. The estimates were adjusted based on the proportional age breakdowns of the standard U.S. population in 2000. For more detailed information on age adjustment visit <a href="http://www.cdc.gov/nchs/data/statnt/statnt20.pdf">http://www.cdc.gov/nchs/data/statnt/statnt20.pdf</a>.
- Note that beginning in 2011 the CDC implemented changes to the BRFSS weighting methodology in order to more accurately represent the adult population. In 2011 and later, weights are calculated using an iterative proportional fitting (or "raking") methodology. This allows the weights to be calculated using a smaller sample size, adjusts for more demographic variables, and incorporates cell phone interview data into estimates. While these adjustments make the calculations more representative of the population, the changes in methodology also limit the ability to compare results from 2011 forward with those from previous years. The Vermont Department of Health recommends that comparisons between BRFSS data from 2011 forward and earlier years be made with caution. Statistical differences may be due to methodological changes, rather than changes in opinion or behavior.

#### Data Notes - Medicaid Claims Data

- This analysis was conducted using Vermont's Medicaid data, accessed through
   Vermont Healthcare Claims Uniform Reporting and Evaluating System (VHCURES).
- District office is based on the recipient's county of residence as of their last month of Medicaid eligibility within the timeframe
- For the analysis of those born in 2012 who received any dental services by a dental provider by 18 months of age:
  - This included only Vermonters who were Medicaid-eligible (including Medicaid Managed Care and Traditional Medicaid aid categories) and were enrolled in Medicaid for 95% or more of their lifetimes.
  - age was calculated as of date of service.
- For all other analyses using Medicaid Claims Data:
  - Vermonters who were Medicaid-eligible (including Medicaid Managed Care and Traditional Medicaid aid categories) and have been continuously enrolled in Medicaid for three consecutive months were included in the analysis.
  - Age was calculated as of December 31, 2014.

### Data Notes – Medicaid Claims Data

Vermonters can appear in more than one of these numbers.			
% of Medicaid-eligible Vermonters who had a preventive visit	This includes Vermonters who had paid claims for any one of the following preventive procedure codes (CPT between D1000 and D1999). If a Vermonter received one of these procedures more than once in this timeframe, he/she only appears in the number once.		
% of Medicaid-eligible Vermonters who received any dental services by a dental provider	This includes Vermonters who had paid dental claims for any one of the following dental procedure codes (CPT between D0120 and D9999) filed on a dental claim form (claim type L). If a Vermonter received one of these procedures more than once in this timeframe, he/she only appears in the number once.		
% of Medicaid-eligible Vermonters treated for extractions, endodontics or restorations	This includes Vermonters who had paid claims for any one of the following procedures: dental restorations (CPT between D2000 and D2999), endodontic procedures (CPT between D3000 and D3999), or dental extractions (CPT between D7111 and D7250). Preventative visits are not included. If a Vermonter received one of these procedures more than once in this timeframe, he/she only appears in the number once. A Vermonter can appear in both the office percentage and the hospital percentage for dental treatment. Each visit is counted as hospital or office visit, but never both for the same date of service.		
Number of Individuals who Utilized General Assistance (GA) Vouchers for Dental Services	This includes Vermonters who had claims for a State Category of Service Code for Dental between '0801' and '0899' and a funding source code C (General Assistance (GA) OVHA).		

Data Notes - Emergency Department Visits for Disorders of Teeth and Jaw for Vermont Residents from 2009 and 2013, by Principal Diagnosis

The Primary Diagnosis Clinical Classification Software (CCS) Category 136, Disorders of Teeth and Jaw, includes the following diagnoses:

Principal Diagnosis	2009		2013*
520: Diseases of tooth development and eruption		οi	67
521: Diseases of hard tissue of teeth		available	1,138
522: Diseases of pulp and periapical tissues		avai	2,026
523: Gingival and periodontal diseases		not (	126
524: Dentofacial anomalies, including malocclusion		are	133
525: Other diseases and conditions of the teeth and supporting structures		2013	2,529
526: Diseases of the jaw	181	ı for	38
78492: Jaw pain		NH data	99
Total	6,944	Z	6,156
Data Source: Vermont Uniform Hospital Discharge Data Set			

<sup>\*</sup> New Hampshire data for 2010-2013 are not available at the time of this report. Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters (based on the average percentage from 2005-2009), but varied by District Office.

#### Data Notes - Additional Information

- □ For more information on the Dental Provider Survey, see:

  <a href="http://healthvermont.gov/research/HlthCarePrvSrvys/HealthCareProviderSurveys.aspx">http://healthvermont.gov/research/HlthCarePrvSrvys/HealthCareProviderSurveys.aspx</a>
- For more information on the Youth Risk Behavior Survey, see:
   <a href="http://healthvermont.gov/research/yrbs.aspx">http://healthvermont.gov/research/yrbs.aspx</a>
- For more information on the Vermont Uniform Hospital Discharge Data Set, see:
   <a href="http://healthvermont.gov/research/hospital-utilization/">http://healthvermont.gov/research/hospital-utilization/</a>