

Table 4F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Barre	1,270	96.5	2.8	0.0	0.0	0.6	0.0	0.2
Bennington	783	92.7	2.6	1.3	2.0	0.6	0.0	0.8
Brattleb.	795	96.0	1.3	0.1	0.3	0.3	0.0	2.1
Burlington	2,420	86.1	9.0	0.1	0.1	2.6	0.0	2.1
Middlebury	787	96.3	0.5	0.1	0.0	0.9	0.0	2.2
Morrisv.	851	98.6	0.5	0.0	0.1	0.4	0.0	0.5
Newport	981	96.8	0.3	0.4	0.6	0.4	0.0	1.4
Rutland	1,435	93.2	0.8	0.2	0.2	0.5	0.0	5.2
Springfld	808	95.2	1.0	1.1	1.2	0.4	0.0	1.1
St.Albans	1,452	96.3	0.8	0.1	0.1	0.6	0.0	2.2
St.Johnsb.	952	98.1	0.4	0.0	0.1	0.4	0.0	0.9
WRJ	923	94.5	0.9	0.5	0.2	1.0	0.0	2.9
Unknown Local Ag.	45	*	*	*	*	*	*	*
Vermont	13,502	94.0	2.5	0.3	0.3	0.9	0.0	2.0
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Barre	1,270	30.6	18.6	50.9
Bennington	783	20.8	22.5	56.7
Brattleb.	795	27.2	21.0	51.8
Burlington	2,420	27.9	21.3	50.8
Middlebury	787	28.0	17.2	54.9
Morrisv.	851	24.0	22.3	53.7
Newport	981	24.8	20.1	55.1
Rutland	1,435	26.5	20.2	53.3
Springfld	808	24.8	19.9	55.3
St.Albans	1,452	25.3	21.1	53.7
St.Johnsb.	952	23.5	20.8	55.7
WRJ	923	29.6	19.1	51.4
Unknown Local Ag.	45	*	*	*
Vermont	13,502	26.4	20.5	53.2
Nation (Prior Year)	8,164,612	35.8	23.0	41.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Barre	209	8.1 (7)	10.0 (5)	1,247	3.7 (2)	3.1 (6)	11.0 (4)	637	13.7 (2)	12.6 (6)	982	6.7 (8)
Bennington	57	* *	* *	764	3.8 (3)	2.6 (5)	13.5 (10)	436	15.4 (4)	13.1 (7)	655	8.7 (11)
Brattleb.	114	9.6 (9)	11.4 (7)	772	4.0 (5)	2.5 (4)	11.8 (6)	417	17.3 (11)	13.7 (8)	618	6.1 (5)
Burlington	365	6.8 (4)	11.5 (8)	2,337	5.6 (11)	3.3 (8)	14.0 (12)	1,209	17.2 (10)	13.8 (9)	1,899	6.3 (6)
Middlebury	120	5.8 (2)	14.2 (10)	764	5.0 (9)	3.7 (9)	13.6 (11)	413	15.5 (5)	13.8 (9)	613	4.1 (1)
Morrisv.	112	6.3 (3)	7.1 (2)	832	3.4 (1)	4.7 (12)	10.7 (3)	451	15.1 (3)	12.4 (3)	607	5.1 (3)
Newport	148	7.4 (5)	11.5 (8)	960	5.6 (11)	4.6 (11)	10.2 (1)	540	13.3 (1)	10.7 (1)	766	6.0 (4)
Rutland	218	5.5 (1)	8.3 (4)	1,372	3.9 (4)	3.1 (6)	12.0 (7)	744	17.1 (9)	14.9 (12)	1,115	6.3 (6)
Springfld	112	8.0 (6)	8.0 (3)	795	4.8 (8)	2.0 (1)	12.8 (9)	444	16.2 (6)	12.4 (3)	671	8.6 (10)
St.Albans	209	11.5 (11)	6.2 (1)	1,395	4.2 (6)	3.7 (9)	12.0 (7)	753	16.9 (8)	14.2 (11)	1,170	5.0 (2)
St.Johnsb.	128	10.2 (10)	15.6 (11)	921	5.5 (10)	2.4 (3)	10.4 (2)	519	16.2 (6)	11.9 (2)	755	10.5 (12)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
WRJ	152	9.2 (8)	11.2 (6)	903	4.2 (6)	2.2 (2)	11.1 (5)	464	17.7 (12)	12.5 (5)		671	7.0 (9)
Unknown Local Ag.	4	* *	* *	45	* *	* *	* *	24	* *	* *		37	* *
Vermont	1,948	8.0	10.3	13,107	4.6	3.2	12.1	7,051	16.1	13.2		10,559	6.6
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,996	16.5	14.8		4,916,523	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2009 Pediatric Nutrition Surveillance (1)
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	206	75.2 (5)	137	27.7 (3)	120	11.7 (5)	0	* *	0	* *
Bennington	54	* *	84	* *	100	14.0 (2)	0	* *	0	* *
Brattleb.	112	72.3 (7)	94	* *	91	* *	0	* *	0	* *
Burlington	363	79.6 (3)	333	33.0 (1)	288	13.2 (3)	0	* *	0	* *
Middlebury	121	82.6 (2)	97	* *	66	* *	0	* *	0	* *
Morrisv.	109	89.0 (1)	92	* *	96	* *	0	* *	0	* *
Newport	143	65.7 (10)	88	* *	102	11.8 (4)	0	* *	0	* *
Rutland	213	66.2 (9)	166	21.7 (5)	145	11.0 (6)	0	* *	0	* *
Springfld	111	78.4 (4)	66	* *	89	* *	0	* *	0	* *
St.Albans	204	60.8 (11)	149	24.8 (4)	165	8.5 (7)	0	* *	0	* *
St.Johnsb.	126	74.6 (6)	78	* *	98	* *	0	* *	0	* *
WRJ	152	67.8 (8)	107	31.8 (2)	120	15.0 (1)	0	* *	0	* *
Unknown Local Ag.	4	* *	4	* *	6	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2009 Pediatric Nutrition Surveillance (1)
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Vermont	1,918	73.4	1,495	30.2	1,486	13.1	0	*	0	*	0	*		
Nation (Prior Year)	1,719,083	62.0	848,761	26.9	1,038,203	19.1	144,421	12.9	206,416	7.2	744,697	74.8	3,277,352	10.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Barre	703	8.3 (10)	10.8 (7)	3,755	4.4 (5)	3.4 (9)	12.2 (8)	1,857	14.3 (3)	14.6 (10)	2,770	7.3 (9)
Bennington	364	7.7 (7)	9.6 (4)	2,407	3.8 (2)	2.3 (2)	12.3 (9)	1,238	17.1 (8)	11.6 (6)	1,873	7.3 (9)
Brattleb.	434	6.9 (5)	11.1 (8)	2,275	4.0 (4)	2.8 (6)	11.3 (4)	1,161	16.2 (6)	12.9 (7)	1,772	5.2 (4)
Burlington	1,302	8.4 (11)	10.4 (6)	6,936	6.4 (13)	3.3 (8)	13.8 (12)	3,473	17.2 (9)	13.7 (8)	5,456	6.7 (7)
Middlebury	378	5.8 (1)	11.1 (8)	2,366	5.0 (11)	5.3 (13)	11.4 (5)	1,305	13.7 (2)	10.9 (2)	1,880	3.5 (1)
Morrisv.	425	5.9 (2)	11.8 (11)	2,532	3.5 (1)	3.7 (10)	11.8 (7)	1,315	17.3 (10)	13.9 (9)	1,863	6.3 (6)
Newport	448	6.5 (4)	9.4 (2)	2,862	5.9 (12)	4.3 (12)	11.0 (3)	1,587	13.0 (1)	11.0 (3)	2,302	6.1 (5)
Rutland	715	7.7 (7)	9.4 (2)	4,047	4.9 (10)	2.7 (5)	14.8 (13)	2,236	16.0 (4)	17.8 (12)	3,335	4.2 (2)
Springfld	381	6.0 (3)	10.2 (5)	2,382	4.8 (8)	2.3 (2)	11.7 (6)	1,277	16.1 (5)	11.3 (4)	1,907	7.6 (11)
St.Albans	753	9.8 (12)	8.6 (1)	4,474	4.8 (8)	3.7 (10)	12.9 (11)	2,384	16.7 (7)	15.0 (11)	3,630	4.8 (3)
St.Johnsb.	455	7.0 (6)	13.6 (12)	2,840	4.6 (7)	2.8 (6)	10.3 (1)	1,533	17.7 (11)	10.6 (1)	2,237	9.3 (12)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Vermont
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
WRJ	500	8.0 (9)	11.2 (10)	2,632	4.4 (5)	2.5 (4)	10.5 (2)	1,342	18.1 (12)	11.5 (5)		1,923	7.2 (8)
Unknown Local Ag.	11	* *	* *	106	3.8 (2)	0.9 (1)	12.3 (9)	58	* *	* *		84	* *
Vermont	6,869	7.6	10.5	39,614	4.9	3.3	12.3	20,766	16.2	13.3		31,032	6.2

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	888	67.9 (8)	713	25.0 (8)	615	9.3 (9)	0	* *	0	* *	0	* *
Bennington	495	62.8 (10)	503	18.7 (12)	468	10.9 (3)	0	* *	0	* *	0	* *
Brattleb.	562	70.3 (6)	485	25.6 (7)	415	6.7 (12)	0	* *	0	* *	0	* *
Burlington	1,637	71.2 (4)	1,474	29.9 (5)	1,268	10.6 (4)	0	* *	0	* *	0	* *
Middlebury	493	75.5 (1)	436	31.9 (3)	370	9.2 (10)	0	* *	0	* *	0	* *
Morrisv.	553	74.1 (2)	489	31.5 (4)	451	11.5 (2)	0	* *	0	* *	0	* *
Newport	591	65.3 (9)	515	26.2 (6)	491	9.4 (8)	0	* *	0	* *	0	* *
Rutland	943	61.6 (11)	785	21.0 (11)	709	8.7 (11)	0	* *	0	* *	0	* *
Springfld	534	69.5 (7)	424	21.5 (10)	425	9.9 (6)	0	* *	0	* *	0	* *
St.Albans	958	57.3 (12)	890	22.6 (9)	811	9.9 (6)	0	* *	0	* *	0	* *
St.Johnsb.	604	71.2 (4)	530	33.0 (2)	516	22.7 (1)	0	* *	0	* *	0	* *
WRJ	642	72.0 (3)	561	33.2 (1)	463	10.6 (4)	0	* *	0	* *	0	* *
Unknown Local Ag.	29	* *	23	* *	19	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2007 - 2009 Pediatric Nutrition Surveillance (1)
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)
Vermont	8,929	67.8	7,828	26.7	7,021	10.7	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

