Table 1C

2010 Pediatric Nutrition Surveillance Vermont

Children Aged < 5 Years

Summary of Demographic Indicators (2,3)

Total Records	Number
Individual Children	13,476
Total Records (All Visits)	20,462

Source of Data	Number	%
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other	13,476 0 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0
Total Excluded Unknown: 0 0.0 %	13,476	100.0

(1)

Page:

Race/Ethnic Distribution	Number	%
White, Not Hispanic	12,653	94.5
Black, Not Hispanic	343	2.6
Hispanic	25	*
American Indian/Alaska Native	29	*
Asian/Pacific Islander	141	1.1
Multiple Races	0	0.0
All Other	201	1.5
Total Excluded Unknown: 84 * %	13,392	100.0

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	2,355 1,255 2,787 2,542 4,537	17.5 9.3 20.7 18.9 33.7
Total	13,476	100.0

% of Pove	Number	%		
0-50			0	0.0
51-100			0	0.0
101-130			0	0.0
131-150			0	0.0
151-185			0	0.0
186-200			0	0.0
Over 200			0	0.0
Adjunctive	Eligibility		0	0.0
Total			0	0.0
Excluded Unknown:	13,476	100.0 %		

Program Participation	Number	%
WIC SNAP	0	0.0
Medicaid	Õ	0.0
TANF	0	0.0
Excluded Unknown:		
WIC	13,476	100.0
SNAP	13,476	
Medicaid	13,476	
TANF	13,476	100.0

Migrant S	tatus	Number	<u>%</u>
Yes		0	0.0
No		0	0.0
Total		0	0.0
Excluded Unknown	13,476 100.0 %		

- Reporting period is January 1 through December 31. Analyses based on one record per child.
- Excludes records with unknown data or errors.
- Records rejected if date of birth and date of visit unknown.



Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Health Indicators Children Aged < 5 Years (2)

S	Summary of Health	Indicators	(3)		
			Vermont Prevalence		nal nce ear)
		Number	%	Number	%
Birthweight (4) Low High	< 2500 g > 4000 g	2,306 2,306	7.2 9.9	1,961,342 1,961,342	8.9 6.4
Height and Weight Short Stature (5)	< 5th < 10th	13,037 13,037	4.9 9.4	8,451,215 8,451,215	6.0 10.8
Underweight (6)	< 5th < 10th	13,037 13,037	3.4 6.6	8,451,215 8,451,215	4.3 7.5
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	13,037 6,921 6,921	11.1 15.6 12.2	8,451,215 3,678,355 3,678,355	14.0 16.4 14.7
Anemia (7) Low Hb Low Hct Low Hb/Hct		10,319 41 10,360	6.7 * 6.7	5,201,886 538,293 5,524,196	15.1 11.6 14.9
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Mon	2,271 1,734 1,806	76.2 27.9 8.0	1,769,160 911,779 1,092,573	61.7 27.0 18.5	
Smoking in Household ≤ 2 Hours TV Viewing/ Day	(9)	0	*	4,355,723 1,022,933	10.2 77.3

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of B	Summary of Breastfeeding Indicators (3)												
	Vermon Prevalend	•	Nationa Prevalend (Prior Yea	e									
	Number	%	Number	%									
Breastfeeding Duration (4,5)													
Ever Breastfed	2,271	76.2	1,769,160	61.7									
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	2,221 2,182 2,044 1,886 1,607	74.0 72.0 65.8 61.2 54.2	1,499,573 1,164,141 947,758 826,300 704,088	58.7 56.4 53.6 50.9 44.6									
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	1,511 1,680 1,866 2,048 1,734	48.2 42.5 37.3 33.8 27.9	665,172 714,931 806,269 904,357 911,779										
Breastfed 9+ Months Breastfed 12+ Months	1,514 1,806	15.4 8.0	1,050,661 1,092,573	21.8 18.5									
Breastfed 18+ Months	1,646	0.5	862,440	10.1									
Exclusive Breastfeeding (6)													
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	0	*	317,037 420,655	9.9 5.3									

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

⁽⁵⁾ It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4C

2010 Pediatric Nutrition Surveillance (1)

Vermont

Comparison of Racial and Ethnic Distribution by Contributor to Nation Children Aged < 5 Years (2)

Page: Run Date: 3 / 25 / 11

	Comparison of Racial and Ethnic Distribution												
Contributor	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown					
	Analysis (3)	%	%	%	%	%	%	%					
Vermont	13,476	93.9	2.5	0.2	0.2	1.0	0.0	2.1					
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0					



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C

2010 Pediatric Nutrition Surveillance (1) Vermont

Comparison of Age Distribution by Contributor to Nation Children Aged < 5 Years (2)

Comparison of Age Distribution Contributor Number 0 - 11 Months 12 - 23 Months 24 - 59 Months Included in Analysis (3,4) % % % 26.8 20.7 52.5 Vermont 13,476 Nation 8,938,527 34.5 22.6 42.9 (Prior Year)



Page:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 6 Run Date: 3 / 25 / 11

Comparison of Growth and Anemia Indicators by Contributor to Nation Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3)												
		Birthweight (4)			Height and Weight						Δη	emia
		Low	High		Short Stature (5)	Under- weight (6)			≥ 2 Yrs Over- weight (6)		Low I	Hb/Hct (7)
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% >95th	Number	% 85th- <95th	% >95th	Number	%
Vermont	2,306	7.2	9.9	13,037	4.9	3.4	11.1	6,921	15.6	12.2	10,360	6.7
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	5 16.4	14.7	5,524,196	14.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children..

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours Viewing (7)	/Day	Smoking in Household			
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Vermont	2,271	76.2	1,734	27.9	1,806	8.0	0	*	0	*	0	*	0	*
Nation (Prior Year)	1,769,1	60 61.7	911,779	27.0	1,092,5	73 18.5	317,037	9.9	420,655	5.3	1,022,933	77.3	4,355,723	10.2



Page:

Run Date:

(2)

3 / 25 / 11

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁽⁷⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Children Aged < 5 Years (2)

Vermont
Growth and Anemia Indicators by Race/Ethnicity or Age

Page: 8 Run Date: 3 / 25 / 11

	Growth and Anemia Indicators by Race/Ethnicity or Age (3)											
	Bi	rthweight (4	!)			Hei	ght and W	/eight				
		Low %	High %		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Anemia Low Hb/Hct (7)	
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% <u>≥</u> 95th	Number	% 85th-<95th	% n <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	2,210	7.1	9.9	12,245	5.0	3.4	11.0	6,458	15.7	12.1	9,664	6.6
Black, Not Hispanic	49	*	*	330	6.1	2.1	13.9	191	15.7	14.1	281	10.7
Hispanic	1	*	*	23	*	*	*	13	*	*	22	*
American Indian/Alaska Native	3	*	*	28	*	*	*	18	*	*	25	*
Asian/Pacific Islander	12	*	*	138	2.2	9.4	11.6	91	*	*	122	9.0
Multiple Races	0	*	*	0	*	*	*	0	*	*	0	*
All Other	31	*	*	273	4.0	2.9	12.8	150	13.3	14.7	246	5.7
Total	2,306	7.2	9.9	13,037	4.9	3.4	11.1	6,921	15.6	12.2	10,360	6.7
Age												
0 - 11 Months	_	_	_	3,405	7.2	5.0	9.0	_	*	*	472	15.0
12 - 23 Months	-	_	_	2,711	5.0	3.1	10.9	_	*	*	2,862	8.7
24 - 35 Months	-	-	-	2,535	4.0	3.2	10.3	2,535	14.8	10.3	2,532	6.8
36 - 47 Months	-	-	-	2,300	4.3	2.4	12.6	2,300	15.7	12.6	2,332	4.8
48 - 59 Months	-	-	-	2,086	2.9	2.5	14.0	2,086	16.3	14.0	2,162	4.0
Total	-	-	_	13,037	4.9	3.4	11.1	6,921	15.6	12.2	10,360	6.7

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

(1)

Page:

(2)

Run Date:

3 / 25 / 11

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age Children Aged < 5 Years

Breastfeeding,	ΓV Viewir	g, and S	Smokin	g in Hous	sehold b	y Race/	Ethnicity	or Ag	e (4)	
			Breas	<2 Ho TV/Vio Viewing/[deo	Smoking in Household				
	Number E	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number E	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	2,173	75.8	1,663	27.4	1,686	7.6	0	*	0	*
Black, Not Hispanic	50	*	33	*	44	*	0	*	0	*
Hispanic	1	*	2	*	6	*	0	*	0	*
American Indian/Alaska Native	3	*	2	*	3	*	0	*	0	*
Asian/Pacific Islander	13	*	11	*	14	*	0	*	0	*
Multiple Races	0	*	0	*	0	*	0	*	0	*
All Other	31	*	23	*	53	*	0	*	0	*
Total	2,271	76.2	1,734	27.9	1,806	8.0	0	*	0	*
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	0	*
12 - 23 Months	-	-	-	-	-	-	0	*	0	*
24 - 35 Months	-	-	-	-	-	-	0	*	0	*
36 - 47 Months	-	-	-	-	-	-	0	*	0	*
48 - 59 Months	-	-	-	-	-	-	0	*	0	*
Total	2,271	76.2	1,734	27.9	1,806	8.0	0	*	0	*



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁶⁾ Children aged 2 years and older included in the analysis

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 10 Run Date: 3 / 25 / 11

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown					
	Analysis (5)	%	%	%	%	%	%	%					
2010	13,476	93.9	2.5	0.2	0.2	1.0	0.0	2.1					
2009	13,502	94.0	2.5	0.3	0.3	0.9	0.0	2.0					
2008	13,930	93.9	2.5	0.2	0.4	1.0	0.0	2.0					
2007	13,401	94.0	2.6	0.2	0.5	0.9	0.0	1.8					
2006	13,265	93.7	2.6	0.2	0.5	1.0	0.0	1.9					
2005	13,451	94.0	2.5	0.2	0.4	1.0	0.0	1.9					
2004	13,610	95.9	2.1	0.2	0.5	1.2	0.0	0.2					
2003	16,901	96.8	1.6	0.1	0.5	1.0	0.0	0.0					
2002	13,431	97.0	1.5	0.1	0.6	0.8	0.0	0.0					
2001	13,385	97.2	1.4	0.1	0.5	0.9	0.0	0.0					
2000	12,468	97.6	1.1	0.1	0.4	0.8	0.0	0.0					
1999	11,333	97.8	0.9	0.1	0.4	0.8	0.0	0.0					
1998	12,612	97.6	0.9	0.1	0.4	1.0	0.0	0.0					
1997	12,609	97.3	1.1	0.1	0.4	1.1	0.0	0.0					
1996	13,186	97.3	1.2	0.1	0.3	1.0	0.0	0.0					
1995	13,003	97.2	1.3	0.2	0.4	1.0	0.0	0.0					
1994	14,225	97.6	1.0	0.1	0.3	0.9	0.0	0.0					
1993	14,429	97.8	1.0	0.2	0.3	0.8	0.0	0.0					
1992	13,849	98.1	0.8	0.3	0.3	0.6	0.0	0.0					



⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 11 Run Date: 3 / 25 / 11

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
1991	12,313	98.5	0.8	0.2	0.1	0.4	0.0	0.0					
1990	13,804	98.4	0.8	0.3	0.0	0.4	0.0	0.0					
1989	12,905	98.6	0.7	0.2	0.0	0.4	0.0	0.0					
1988	12,117	98.6	0.8	0.1	0.1	0.4	0.0	0.0					
1987	14,299	98.6	0.5	0.1	0.1	0.4	0.0	0.3					
1986	15,807	98.6	0.5	0.1	0.1	0.3	0.0	0.4					
1985	16,262	98.7	0.4	0.1	0.1	0.3	0.0	0.4					
1984	18,606	98.8	0.4	0.1	0.1	0.3	0.0	0.2					
1983	16,526	98.7	0.4	0.1	0.2	0.4	0.0	0.3					
1982	14,646	98.6	0.4	0.0	0.2	0.3	0.0	0.6					
1981	11,543	97.7	0.2	0.0	0.2	0.3	0.0	1.5					
1980	4	*	*	*	*	*	*	*					



⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summa	ary of Trends in Age	Distribution (3)	
Year	Number Included in	0-11 Months	12-23 Months	24-59 Months
	Analysis (4)	%	%	%
2010	13,476	26.8	20.7	52.5
2009	13,502	26.4	20.5	53.2
2008	13,930	28.0	20.5	51.5
2007	13,401	28.9	19.9	51.2
2006	13,265	28.5	19.7	51.8
2005	13,451	29.2	20.2	50.6
2004	13,610	30.2	19.5	50.4
2003	16,901	28.5	20.1	51.4
2002	13,431	30.6	19.6	49.8
2001	13,385	31.2	18.7	50.0
2000	12,468	31.5	19.6	48.9
1999	11,333	31.0	19.5	49.5
1998	12,612	31.4	18.4	50.2
1997	12,609	29.8	19.1	51.1
1996	13,186	29.8	19.0	51.2
1995	13,003	29.1	18.8	52.1
1994	14,225	30.2	18.1	51.6
1993	14,429	29.8	19.0	51.1

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Records rejected if date of birth and date of visit unknown.

⁽⁴⁾ Excludes records with unknown data or errors.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summa	ary of Trends in Age	Distribution (3)	
Year	Number Included in	0-11 Months	12-23 Months	24-59 Months
	Analysis (4)	%	%	%
1992	13,849	31.5	19.8	48.7
1991	12,313	34.1	19.1	46.9
1990	13,804	31.5	19.1	49.4
1989	12,905	32.4	18.0	49.6
1988	12,117	31.2	18.6	50.2
1987	14,299	30.5	18.8	50.7
1986	15,807	30.0	18.9	51.1
1985	16,262	30.3	19.0	50.7
1984	18,606	28.4	20.1	51.5
1983	16,526	31.5	19.4	49.1
1982	14,646	31.9	19.7	48.4
1981	11,543	32.8	19.7	47.5
1980	4	*	*	*



Page:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 14 Run Date: 3/25/2011

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Hei	ght and W	/eight			Aner Low Hi	-	
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7)		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
2010	2,306	7.2	9.9	13,037	4.9	3.4	11.1	6,921	15.6	12.2	10,360	6.7	
2009	1,948	8.0	10.3	13,107	4.6	3.2	12.1	7,051	16.1	13.2	10,559	6.6	
2008	2,447	8.3	11.0	13,525	5.0	3.3	12.5	7,009	16.3	13.3	10,655	5.7	
2007	2,474	6.8	10.1	12,982	5.1	3.3	12.4	6,706	16.1	13.5	9,818	6.4	
2006	2,357	8.5	10.8	12,847	5.3	3.1	12.0	6,697	15.8	12.9	9,442	6.1	
2005	2,405	6.9	10.2	13,026	5.3	3.5	11.7	6,669	17.1	12.9	9,076	6.6	
2004	2,635	8.2	10.8	13,079	5.4	3.4	12.3	6,755	16.4	13.7	9,053	7.9	
2003	2,756	8.2	9.9	16,293	5.1	3.3	12.2	8,504	17.1	13.1	10,311	9.0	
2002	2,583	7.6	9.8	12,840	4.9	3.9	12.2	6,575	15.6	13.1	7,322	12.3	
2001	2,578	7.3	10.8	12,782	5.2	3.6	12.0	6,551	16.4	13.0	7,208	10.1	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 15 Run Date: 3/25/2011

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Hei	ght and W	/eight			Anem Low Hb	-	
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7)	WI ICE	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
2000	2,380	8.6	12.4	11,935	5.2	3.4	12.1	5,987	16.6	12.7	7,248	8.5	
1999	2,038	8.1	10.7	10,675	5.4	3.4	11.4	5,522	17.1	11.9	6,997	5.6	
1998	2,586	9.3	11.4	11,757	5.3	3.2	10.9	6,225	16.9	11.6	9,533	3.0	
1997	2,478	8.8	9.6	11,787	5.4	3.3	10.7	6,357	16.5	11.2	9,761	2.7	
1996	2,529	8.9	10.6	12,325	5.8	3.5	10.7	6,667	16.5	11.2	10,282	2.8	
1995	2,377	7.2	10.7	12,277	6.0	3.7	9.4	6,687	15.1	9.0	10,368	2.9	
1994	2,692	7.8	11.1	13,350	6.1	3.7	9.4	7,217	14.9	9.0	11,261	2.8	
1993	2,703	7.7	11.2	13,527	6.2	3.8	8.7	7,255	15.3	8.4	11,446	3.3	
1992	2,806	7.3	9.1	12,940	5.7	3.9	8.8	6,663	14.5	8.3	10,668	3.9	
1991	2,510	18.6	7.8	12,025	6.5	5.3	8.5	5,685	14.5	8.4	9,344	3.8	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 16 Run Date: 3/25/2011

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Hei	ght and W	/eight			Anen Low Hb	-	
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		>_2 Yrs Overweight (6)		(7)	WI ICE	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
1990	2,741	6.7	10.7	13,606	6.2	4.9	7.5	6,765	14.0	8.4	10,717	2.6	
1989	2,664	7.5	9.3	12,708	7.2	4.8	7.8	6,377	14.2	8.2	9,940	3.0	
1988	2,415	7.4	10.6	11,935	6.8	5.0	7.9	6,035	13.6	7.8	9,457	3.3	
1987	2,521	6.8	10.4	14,008	6.6	4.7	8.2	7,184	13.8	8.3	11,029	3.6	
1986	2,620	6.2	10.1	15,386	5.8	5.3	7.6	7,944	13.6	7.4	12,276	4.5	
1985	2,754	6.4	9.5	15,878	5.8	5.5	7.0	8,170	13.4	7.0	12,706	4.5	
1984	2,789	7.1	9.5	18,185	5.1	5.6	6.6	9,511	12.9	6.4	14,897	4.5	
1983	3,179	6.0	7.7	16,062	5.0	6.8	5.9	8,024	11.8	5.7	12,933	4.6	
1982	2,971	6.1	8.5	14,091	5.1	6.6	6.2	7,015	11.9	5.9	11,265	4.5	
1981	2,632	7.1	8.3	10,384	6.8	6.0	6.7	5,429	12.5	6.3	8,505	4.9	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 17 Run Date: 3/25/2011

	Summary of Trends in Growth and Anemia Indicators (3)													
	Birthweight (4) Height and Weight									Anem Low Hb				
Year		Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)			(7)	77 100		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	- % 85th-<95th	% ≥95th	Number	%		
1980	3	*	*	0	*	*	*	0	*	*	1	*		



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3))
				etfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2010	2,271	76.2	1,734	27.9	1,806	8.0
2009	1,918	73.4	1,495	30.2	1,486	13.1
2008	2,420	70.5	2,032	31.4	1,987	12.7
2007	2,443	70.4	1,760	30.9	1,694	15.5
2006	2,345	69.9	1,639	31.8	1,691	14.3
2005	2,382	66.3	1,751	33.6	1,837	16.7
2004	2,620	65.9	1,905	32.9	1,781	24.2
2003	2,728	63.7	1,960	34.7	1,950	22.1
2002	2,571	64.7	1,788	30.4	1,659	22.4
2001	2,554	63.3	1,859	30.0	1,711	23.7

⁽¹⁾ Reporting period is January 1 through December 31.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 3/25/2011

18


⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Summary of Trends in Breastfeeding (3)												
				etfeeding (4)									
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months							
2000	2,377	62.7	1,538	31.4	1,440	23.8							
1999	425	62.1	304	27.6	283	20.1							

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 3/25/2011

19

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

Table 14C 2010 Pediatric Nutrition Surveillance Vermont Children Aged < 5 Years

Page: 20 Run Date: 3 / 25 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



Table 15C 2010 Pediatric Nutrition Surveillance Vermont Children Aged < 5 Years

Page: 21 Run Date: 3 / 25 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



Page: 22 Run Date: 3/25/2011

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	G	rowth Inc	licators by F	Race/Ethn	icity and A	ge ⁽³⁾			
	Short St		Underw (5)		Obes (5)	e	<u>></u> :	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% <u>≥</u> 95th	Number	% 85th - <95th	% <u>></u> 95th
White, Not Hispanic									
0 - 11 Months	3,253	7.0	3,253	5.0	3,253	8.7	0	0.0	0.0
12 - 23 Months	2,534	5.1	2,534	3.1	2,534	10.9	0	0.0	0.0
24 - 59 Months	6,458	3.9	6,458	2.7	6,458	12.1	6,458	15.7	12.1
Total	12,245	5.0	12,245	3.4	12,245	11.0	6,458	15.7	12.1
Black, Not Hispanic									
0 - 11 Months	70	*	70	*	70	*	0	*	*
12 - 23 Months	69	*	69	*	69	*	0	*	*
24 - 59 Months	191	3.1	191	1.0	191	14.1	191	15.7	14.1
Total	330	6.1	330	2.1	330	13.9	191	15.7	14.1
Hispanic									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	13	*	13	*	13	*	13	*	*
Total	23	*	23	*	23	*	13	*	*
American Indian/Alaska Native									
0 - 11 Months	4	*	4	*	4	*	0	*	*
12 - 23 Months	6	*	6	*	6	*	0	*	*
24 - 59 Months	18	*	18	*	18	*	18	*	*
Total	28	*	28	*	28	*	18	*	*

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 3/25/2011

23

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	G	rowth Ind	licators by F	Race/Ethn	icity and A	ge ⁽³⁾			
	Short St (4)		Underw (5)		Obes		<u>></u> :	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% <u>></u> 95th
Asian/Pacific Islander									
0 - 11 Months	22	*	22	*	22	*	0	*	*
12 - 23 Months	25	*	25	*	25	*	0	*	*
24 - 59 Months	91	*	91	*	91	*	91	*	*
Total	138	2.2	138	9.4	138	11.6	91	*	*
Multiple Races									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other/Unknown									
0 - 11 Months	51	*	51	*	51	*	0	*	*
12 - 23 Months	72	*	72	*	72	*	0	*	*
24 - 59 Months	150	2.7	150	2.0	150	14.7	150	13.3	14.7
Total	273	4.0	273	2.9	273	12.8	150	13.3	14.7
Total All Race/Ethnic Groups									
0 - 11 Months	3,405	7.2	3,405	5.0	3,405	9.0	0	0.0	0.0
12 - 23 Months	2,711	5.0	2,711	3.1	2,711	10.9	0	0.0	0.0
24 - 59 Months	6,921	3.8	6,921	2.7	6,921	12.2	6,921	15.6	12.2
Total	13,037	4.9	13,037	3.4	13,037	11.1	6,921	15.6	12.2

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: Run Da

Page: 24 Run Date: 3 / 25 / 11

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	445	15.3	6 - 11 Months	4	*
12 - 17 Months	1,435	9.8	12 - 17 Months	15	*
18 - 23 Months	1,240	7.3	18 - 23 Months	14	*
24 - 35 Months	2,367	6.5	24 - 35 Months	31	*
36 - 59 Months	4,177	4.3	36 - 59 Months	58	*
Total	9,664	6.6	Total	122	9.0
Black, Not Hispanic	Not Hispanic		Multiple Races		
6 - 11 Months	11	*	6 - 11 Months	0	*
12 - 17 Months	36	*	12 - 17 Months	0	*
18 - 23 Months	35	*	18 - 23 Months	0	*
24 - 35 Months	71	*	24 - 35 Months	0	*
36 - 59 Months	128	8.6	36 - 59 Months	0	*
Total	281	10.7	Total	o	*
Hispanic			All Other/Unknown		
6 - 11 Months	1	*	6 - 11 Months	10	*
12 - 17 Months	3	*	12 - 17 Months	41	*
18 - 23 Months	4	*	18 - 23 Months	35	*
24 - 35 Months	1	*	24 - 35 Months	53	*
36 - 59 Months	13	*	36 - 59 Months	107	3.7
Total	22	*	Total	246	5.7
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	1	*	6 - 11 Months	472	15.0
12 - 17 Months	3	*	12 - 17 Months	1,533	10.0
18 - 23 Months	1	*	18 - 23 Months	1,329	7.2
24 - 35 Months	9	*	24 - 35 Months	2,532	6.8
36 - 59 Months	11	*	36 - 59 Months	4,494	4.5
Total	25	*	Total	10,360	6.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 25 Run Date: 3 / 25 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		> 2 Yrs Overweight (6)		Low HI	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
White, Not Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	2,210 1,865 2,349 2,388 2,268 2,287 2,551 2,676 2,524 2,510	7.1 8.1 8.2 6.7 8.4 7.0 8.1 8.1 7.6 7.3	9.9 10.5 11.1 10.1 11.1 10.4 11.0 10.2 9.9 10.7	12,245 12,313 12,710 12,205 12,030 12,249 12,545 15,782 12,457 12,424	5.0 4.6 5.1 5.2 5.3 5.2 5.2 5.1 5.0 5.2	3.4 3.2 3.3 3.3 3.1 3.5 3.4 3.2 3.9 3.6	11.0 11.9 12.3 12.3 11.9 11.7 12.3 12.3 12.3 12.1	6,458 6,580 6,514 6,232 6,227 6,254 6,460 8,218 6,368 6,367	15.7 16.3 16.5 16.3 15.9 17.2 16.5 17.3 15.7 16.3	12.1 12.9 13.1 13.6 12.8 12.9 13.6 13.1 13.1	9,664 9,889 9,947 9,159 8,783 8,494 8,662 10,012 7,113 7,029	6.6 6.3 5.4 6.1 5.8 6.1 7.6 8.8 12.3 10.0
Black, Not Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	49 34 40 36 35 48 36 40 27 31	* * * * * * * * *	* * * * * * * * * * *	330 333 336 337 336 318 269 264 198 173	6.1 4.8 3.9 6.5 4.8 8.8 11.5 7.2 2.0 4.0	2.1 3.3 2.1 3.6 2.7 4.7 4.1 8.3 7.1 5.8	13.9 16.5 17.3 16.3 13.4 10.7 12.6 8.3 12.6 10.4	191 199 198 206 203 177 158 154 110	15.7 14.1 12.6 15.0 17.2 19.2 15.8 9.7 6.4	14.1 16.1 18.2 12.6 13.3 11.9 12.7 8.4 15.5	281 290 290 286 267 226 192 146 112 84	10.7 14.1 12.8 13.6 13.9 19.0 21.4 15.8 15.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 26 Run Date: 3 / 25 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Anem	ia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low Hb	
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	1 5 6 3 4 0 5 2 1	* * * * * * * * * *	* * * * * * * * * * * *	23 35 31 30 25 24 21 14 9	* * * * * * * * * * * *	* * * * * * * * * * * * *	* * * * * * * * * * * * * *	13 23 18 16 13 13 9 9	* * * * * * * * * *	* * * * * * * * * * * * * *	22 29 26 26 20 22 13 8 6	* * * * * * * * * * * * * *
American Indian/Alaska Native	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	3 1 6 7 10 7 11 11 12	* * * * * * * * * *	* * * * * * * * * * * *	28 45 48 62 69 58 65 78 71 63	* * * * * * * * * * *	* * * * * * * * * * * *	*	18 28 31 40 44 34 38 41 39 34	* * * * * * * * * *	* * * * * * * * * * * * *	25 41 44 51 54 42 51 55 35 23	* * * * * * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 27 Run Date: 3 / 25 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Anei	mia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
Asian/Pacific Islander	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	12 8 17 15 21 17 25 27 19 23	* * * * * * * * * *	* * * * * * * * * * *	138 120 126 111 136 122 151 155 105	2.2 4.2 5.6 0.9 6.6 7.4 6.6 3.9 2.9 4.6	9.4 5.0 4.0 5.4 2.9 8.2 2.0 3.9 2.9 1.8	11.6 7.5 11.9 9.9 9.6 6.6 9.3 11.0 5.7 9.2	91 76 81 66 76 66 77 82 52 49	* * * * * * * * *	* * * * * * * * * * * *	122 103 112 92 100 95 113 90 56 60	9.0 7.8 8.0 * 5.0 *
Multiple Races	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	0 0 0 0 0 0 0 0	* * * * * * * * * *	* * * * * * * * * * * *	0 0 0 0 0 0 0 0	* * * * * * * * * * * *	* * * * * * * * * * * * *	* * * * * * * * * * * * *	0 0 0 0 0 0 0 0	* * * * * * * * * * *	* * * * * * * * * * * * *	0 0 0 0 0 0 0	* * * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 28 Run Date: 3 / 25 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Anen	nia
			Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Overweight (6)		Low Hi	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% <u>></u> 95th	Number	%
All Other/Unknown	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	31 35 29 25 19 46 7 0 0	* * * * * * * * * * *	* * * * * * * * * * *	273 261 274 237 251 255 28 0 0	4.0 3.8 2.6 3.0 3.6 2.7	2.9 3.1 2.2 3.8 3.2 2.4 *	12.8 15.7 14.2 15.2 15.9 13.7	150 145 167 146 134 125 13 0 0	13.3 12.4 15.6 16.4 13.4 15.2	14.7 19.3 18.0 15.8 17.9 17.6	246 207 236 204 218 197 22 0 0	5.7 9.2 5.9 6.4 7.8 6.6
Total All Race/Ethnic Groups	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	2,306 1,948 2,447 2,474 2,357 2,405 2,635 2,756 2,583 2,578	7.2 8.0 8.3 6.8 8.5 6.9 8.2 8.2 7.6 7.3	9.9 10.3 11.0 10.1 10.8 10.2 10.8 9.9 9.8 10.8	13,037 13,107 13,525 12,982 12,847 13,026 13,079 16,293 12,840 12,782	4.9 4.6 5.0 5.1 5.3 5.3 5.4 5.1 4.9 5.2	3.4 3.2 3.3 3.3 3.1 3.5 3.4 3.3 3.9 3.6	11.1 12.1 12.5 12.4 12.0 11.7 12.3 12.2 12.2	6,921 7,051 7,009 6,706 6,697 6,669 6,755 8,504 6,575 6,551	15.6 16.1 16.3 16.1 15.8 17.1 16.4 17.1 15.6 16.4	12.2 13.2 13.3 13.5 12.9 12.9 13.7 13.1 13.1	10,360 10,559 10,655 9,818 9,442 9,076 9,053 10,311 7,322 7,208	6.7 6.6 5.7 6.4 6.1 6.6 7.9 9.0 12.3 10.1



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 29 Run Date: 3 / 25 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	2,173 1,832 2,316 2,356 2,253 2,260 2,533 2,645 2,510 2,485	75.8 73.1 70.4 70.0 69.4 65.7 66.0 63.5 64.3	1,663 1,404 1,925 1,675 1,538 1,641 1,828 1,895 1,742 1,798	27.4 29.5 30.8 30.3 30.8 33.2 32.4 34.1 29.9 29.5	1,686 1,404 1,889 1,611 1,573 1,728 1,703 1,885 1,601 1,650	7.6 12.5 12.5 15.2 13.6 16.6 23.7 22.1 22.3 23.5
Black, Not Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	50 36 43 37 39 53 38 41 28 30	* * * * * * * * *	33 39 51 36 44 38 39 36 19 35	* * * * * * * * * *	44 36 40 33 46 36 34 29 33 29	* * * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 30 Run Date: 3 / 25 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	1 4 6 3 5 0 5 3 1	* * * * * * * * * *	2 2 2 4 5 6 5 2 2	* * * * * * * * * *	6 4 2 6 3 6 3 1 0 3	* * * * * * * * * *
American Indian/Alaska Native	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	3 3 6 7 10 7 11 12 12	* * * * * * * * *	2 7 8 6 10 6 5 9	* * * * * * * *	3 7 8 5 5 6 8 16 11 7	* * * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 31 Run Date: 3 / 25 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	13 8 19 15 21 16 26 27 20 25	* * * * * * * * *	11 12 16 11 19 19 24 22 16	* * * * * * * * * *	14 10 17 11 14 18 25 19 14 22	* * * * * * * * * *
Multiple Races	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	0 0 0 0 0 0 0	* * * * * * * * *	0 0 0 0 0 0 0	* * * * * * * * * *	0 0 0 0 0 0 0	* * * * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 32 Run Date: 3 / 25 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	31 35 30 25 17 46 7 0 0	* * * * * * * * *	23 36 31 26 27 37 3 0 0	* * * * * * * * *	53 25 31 28 50 43 8 0 0	* * * * * * * * * * *
Total All Race/Ethnic Groups	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	2,271 1,918 2,420 2,443 2,345 2,382 2,620 2,728 2,571 2,554	76.2 73.4 70.5 70.4 69.9 66.3 65.9 63.7 64.7 63.3	1,734 1,495 2,032 1,760 1,639 1,751 1,905 1,960 1,788 1,859	27.9 30.2 31.4 30.9 31.8 33.6 32.9 34.7 30.4 30.0	1,806 1,486 1,987 1,694 1,691 1,837 1,781 1,950 1,659 1,711	8.0 13.1 12.7 15.5 14.3 16.7 24.2 22.1 22.4 23.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 33 Run Date: 3 / 25 / 11

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

				Su	mmary	of Tren	ds in C	rowth Indicators	by Ag	e (3)					
Age and Year *			Heigh	nt and V	Veight			Age and Year *			Heig	ht and V	Veight		
		Short Stature (4)	Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)	Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	% <5th	% _>95th	Number	% 85th-<95th	% <u>></u> 95th		Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% <u>></u> 95th
0 - 11 Months								24 - 35 Months							
2010	3,405	7.2	5.0	9.0	0	*	*	2010	2,535	4.0	3.2	10.3	2,535	14.8	10.3
2009	3,344	6.2	4.6	8.9	0	*	*	2009	2,629	4.0	2.9	11.4	2,629	15.7	11.4
2008	3,671	7.8	4.5	10.2	0	*	*	2008	2,539	3.8	2.6	11.4	2,539	15.4	11.4
2007	3,651	6.9	4.2	10.6	0	*	*	2007	2,372	4.1	2.6	12.0	2,372	15.6	12.0
2006	3,516	7.0	3.9	10.3	0	*	*	2006	2,458	4.4	3.0	10.8	2,458	15.3	10.8
2005	3,678	6.2	4.6	9.4	0	*	*	2005	2,402	5.7	3.1	10.4	2,402	15.9	10.4
2004	3,751	6.7	4.5	9.8	0	*	*	2004	2,533	4.5	2.8	11.9	2,533	14.7	11.9
2003	4,395	6.4	4.5	10.3	0	*	*	2003	3,185	5.0	2.8	12.3	3,185	16.6	12.3
2002 2001	3,708 3,748	6.0 7.0	4.7 4.6	10.4 10.2	0 0	*	*	2002 2001	2,329 2,348	4.4 4.4	3.8 3.6	10.6 11.2	2,329 2,348	14.9 15.3	10.6 11.2
12 - 23 Months								36 - 47 Months							
2010	2,711	5.0	3.1	10.9	0	*	*	2010	2,300	4.3	2.4	12.6	2,300	15.7	12.6
2009	2,712	5.6	3.2	13.3	0	*	*	2009	2,354	2.9	2.4	14.7	2,354	16.5	14.7
2008	2,845	5.2	3.5	13.3	0	*	*	2008	2,301	3.8	2.3	14.0	2,301	16.8	14.0
2007	2,625	5.2	3.5	12.3	0	*	*	2007	2,250	4.1	2.9	13.2	2,250	16.2	13.2
2006	2,634	5.3	3.2	12.1	0	*	*	2006	2,199	5.2	2.4	14.2	2,199	15.1	14.2
2005	2,679	4.9	3.5	11.9	0	*	*	2005	2,232	5.0	2.8	14.4	2,232	17.7	14.4
2004	2,573	5.8	3.8	12.3	0	*	*	2004	2,243	4.7	2.5	14.1	2,243	17.4	14.1
2003	3,394	4.9	3.4	12.7	0	*	*	2003	2,875	4.1	3.3	13.2	2,875	17.5	13.2
2002	2,557	5.0	4.5	12.6	0	*	*	2002	2,208	4.0	3.0	13.9	2,208	14.9	13.9
2001	2,483	4.3	3.7	12.1	0	*	*	2001	2,221	4.3	2.4	14.7	2,221	16.0	14.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.


Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 34 Run Date: 3 / 25 / 11

Summary of Trends in								
Age and Year *	Height and Weight							
		Short Stature (4)	Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	%	%	%	Number	%	%	
		<5th	<5th	_>95th		85th-<95th	≥95th	
48 - 59 Months								
2010	2,086	2.9	2.5	14.0	2,086	16.3	14.0	
2009	2,068	3.1	2.3	13.6	2,068	16.1	13.6	
2008	2,169	2.8	2.6	14.8	2,169	16.8	14.8	
2007	2,084	4.2	3.0	15.5	2,084	16.6	15.5	
2006	2,040	3.8	2.3	14.2	2,040	17.1	14.2	
2005	2,035	4.2	2.8	14.3	2,035	17.9	14.3	
2004	1,979	4.1	2.7	15.5	1,979	17.4	15.5	
2003	2,444	4.4	2.0	13.9	2,444	17.2	13.9	
2002	2,038	4.3	2.7	15.1	2,038	17.0	15.1	
2001	1,982	4.7	2.8	13.2	1,982	18.1	13.2	
Total All Age Groups								
2010	13,037	4.9	3.4	11.1	6,921	15.6	12.2	
2009	13,107	4.6	3.2	12.1	7,051	16.1	13.2	
2008	13,525	5.0	3.3	12.5	7,009	16.3	13.3	
2007	12,982	5.1	3.3	12.4	6,706	16.1	13.5	
2006	12,847	5.3	3.1	12.0	6,697	15.8	12.9	
2005	13,026	5.3	3.5	11.7	6,669	17.1	12.9	
2004	13,079	5.4	3.4	12.3	6,755	16.4	13.7	
2003	16,293	5.1	3.3	12.2	8,504	17.1	13.1	
2002	12,840	4.9	3.9	12.2	6,575	15.6	13.1	
2001	12,782	5.2	3.6	12.0	6,551	16.4	13.0	

Growth Indicators by Age (3)										
	Age and Year *	Height and Weight								
			Short Stature (4)	Under- weight (5)	Obese (5)	(≥ 2 Yrs Overweight (5)			
		Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% <u>></u> 95th		

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.





⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

Page: 35 Run Date: 3 / 25 / 11

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

		Summa	ary of Tr	ds in Anemia by Ag	e (3)		
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2010	472	15.0	1.0 20	2010	1,329	7.2
	2009	702	13.7	į	2009	1,396	7.2
	2008	680	10.9		2008	1,440	8.1
	2007	677	13.0		2007	1,256	7.2
	2006	673	9.5		2006	1,265	7.0
	2005	672	12.8		2005	1,176	6.8
	2004	629	17.3		2004	1,166	6.9
	2003	722	15.0		2003	1,280	10.2
	2002	610	15.4	ļ	2002	897	10.4
	2001	690	12.2		2001	842	12.5
12 - 17 Months				24 - 35 Months			
	2010	1,533	10.0	ļ	2010	2,532	6.8
	2009	1,380	11.7		2009	2,627	6.6
	2008	1,541	8.0		2008	2,517	5.8
	2007	1,318	9.3		2007	2,377	6.1
	2006	1,234	9.2		2006	2,336	6.6
	2005	1,257	10.7		2005	2,147	5.8
	2004	1,275	13.0		2004	2,273	7.6
	2003	1,417	10.4	1	2003	2,582	10.0
	2002	1,002	14.2		2002	1,628	13.0
	2001	1,044	11.9	1	2001	1,686	11.8



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 3 / 25 / 11

Anemia Low Hb/Hct (4)

36

%

6.7

6.6

5.7

6.4

6.1

6.6

7.9

9.0

12.3

10.1

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

		Summa	ary of Trend	ds in Anemia by Age ⁽³⁾			
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Ane Low F	
		Number	%			Number	
36 - 59 Months	2010 2009 2008 2007 2006 2005 2004 2003 2002 2001	4,494 4,454 4,477 4,190 3,934 3,824 3,710 4,310 3,185 2,946	4.5 3.8 3.3 4.4 4.0 4.5 5.1 6.6 11.4 7.3	2: 2: 2: 2: 2: 2: 2: 2: 2:	010 009 008 007 006 005 004 003 002 001	10,360 10,559 10,655 9,818 9,442 9,076 9,053 10,311 7,322 7,208	
All Other/Unknown	2010 2009 2008 2007 2006 2005 2004 2003 2002	0 0 0 0 0 0	* * * * * * * * *				

2001

0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.