Table 4B 2011 Pediatric Nutrition Surveillance (1) Vermont

Children Aged < 5 Years (2)

Vermont
Comparison of Racial and Ethnic Distribution by County

Comparison of Racial and Ethnic Distribution American White, Not Black, Not Asian/Pacific All Other / County Number Hispanic Multiple Races Indian/Alaska Included in Hispanic Hispanic Islander Unknown Native Analysis (3) % % **ADDISON** 2.3 647 0.0 8.0 0.0 95.7 1.1 0.2 0.6 BENNINGTON 678 95.6 1.9 0.9 0.9 0.1 0.0 **CALEDONIA** 1.0 838 97.9 0.6 0.1 0.0 0.5 0.0 **CHITTENDEN** 3.1 80.0 11.0 0.1 0.2 5.5 0.0 2,156 **ESSEX** 0.0 201 98.0 0.5 0.0 1.0 0.5 0.0 **FRANKLIN** 3.8 95.1 0.7 0.1 0.1 0.3 1,190 0.0 **GRAND ISLE** 6.8 92.5 0.0 0.0 133 0.0 8.0 0.0 LAMOILLE 8.0 610 97.7 8.0 0.3 0.2 0.2 0.0 **ORANGE** 1.1 566 97.9 0.0 0.2 0.2 0.7 0.0 **ORLEANS** 1.5 97.3 0.2 0.5 0.1 0.4 852 0.0 **RUTLAND** 4.6 0.6 0.0 0.4 1,235 94.1 0.2 0.0 WASHINGTON 0.3 97.4 1.6 0.0 0.6 0.0 1,117 0.1 **WINDHAM** 0.7 869 96.9 1.3 0.5 0.1 0.6 0.0 WINDSOR 2.0 881 95.0 1.1 0.3 0.5 1.0 0.0 **Unknown Counties** 40 2.7 2.1 12,013 93.3 0.2 0.2 1.4 0.0 Vermont Nation 8,672,965 32.5 19.1 39.7 0.9 2.5 2.7 2.5 (Prior Year)



Page:

Run Date: 4 / 30 / 12

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B **2011 Pediatric Nutrition Surveillance** (1) Vermont

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Cor	mparison of Age Dis	tribution	
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
ADDISON	647	26.7	16.4	56.9
BENNINGTON	678	19.2	20.2	60.6
CALEDONIA	838	27.6	19.9	52.5
CHITTENDEN	2,156	28.9	19.5	51.6
ESSEX	201	28.9	21.4	49.8
FRANKLIN	1,190	25.9	21.6	52.5
GRAND ISLE	133	21.1	27.1	51.9
LAMOILLE	610	23.6	23.0	53.4
ORANGE	566	27.6	21.6	50.9
ORLEANS	852	27.7	18.5	53.8
RUTLAND	1,235	25.6	21.0	53.4
WASHINGTON	1,117	33.0	19.7	47.3
WINDHAM	869	25.7	19.7	54.7
WINDSOR	881	23.3	21.9	54.8
Unknown Counties	40	*	*	*
Vermont	12,013	26.7	20.3	53.0
Nation (Prior Year)	8,672,965	33.7	22.1	44.2

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

4/30/12

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6B 2011 Pediatric Nutrition Surveillance (1) Vermont

Page: 3 Run Date: 4 / 30 / 12

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)			
		Birthweight	(5)			Anemia							
		Low	High		Short Stature		Obese	C	≥ 2 Yrs Overweight ar Obese	nd	Low Hb/Hct (8)		
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)	
ADDISON	101	8.9 (8)	7.9 (4)	623	6.4 (13)	3.0 (13)	12.4 (13)	350	15.7 (5)	15.7 (12)	493	3.2 (2)	
BENNINGTON	79	* *	* *	660	4.8 (6)	2.9 (11)	8.9 (3)	397	11.8 (1)	10.6 (2)	547	6.4 (12)	
CALEDONIA	131	9.9 (9)	13.0 (9)	806	5.1 (8)	2.2 (6)	9.6 (4)	433	16.6 (8)	12.9 (7)	637	5.2 (9)	
CHITTENDEN	316	7.0 (2)	11.1 (7)	2,067	4.4 (2)	2.9 (11)	12.4 (13)	1,076	15.8 (6)	14.3 (9)	1,641	5.0 (7)	
ESSEX	28	* *	* *	190	6.3 (12)	3.2 (14)	11.1 (10)	96	* *	* *	156	3.8 (4)	
FRANKLIN	198	8.1 (6)	4.5 (1)	1,161	6.0 (10)	1.3 (1)	12.2 (12)	616	17.5 (9)	15.3 (11)	910	3.4 (3)	
GRAND ISLE	12	* *	* *	129	4.7 (4)	1.6 (2)	7.0 (1)	71	* *	* *	114	2.6 (1)	
LAMOILLE	90	* *	* *	594	3.9 (1)	2.2 (6)	10.4 (8)	322	13.4 (2)	13.0 (8)	464	6.7 (13)	
ORANGE	83	* *	* *	552	4.9 (7)	2.0 (5)	9.8 (5)	287	18.8 (12)	12.2 (5)	430	4.9 (6)	
ORLEANS	138	5.8 (1)	7.2 (3)	813	6.6 (14)	2.5 (10)	10.9 (9)	440	17.5 (9)	12.3 (6)	635	5.4 (11)	
RUTLAND	207	8.2 (7)	8.2 (5)	1,184	5.1 (8)	1.7 (3)	11.5 (11)	629	16.2 (7)	14.8 (10)	935	7.0 (14)	

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B 2011 Pediatric Nutrition Surveillance Vermont (1)

Page: 4 Run Date: 4 / 30 / 12

Comparison of Growth and Anemia Indicators by County Children Aged < 5 Years (2)

	_		Comparis	on of Gr	owth ar	nd Ane	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight (3,4)		Δ 20.	omio
		Low	High		Short Stature		Under- Obese weight		≥ 2 Yrs overweight ar Obese	nd	- Anemia Low Hb/Hct (8)	
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% t Obese (Rank)	Number	% (Rank)
WASHINGTON	197	7.6 (4)	11.7 (8)	1,092	6.0 (10)	2.4 (9)	7.9 (2)	521	18.2 (11)	10.4 (1)	809	5.2 (9)
WINDHAM	122	7.4 (3)	10.7 (6)	835	4.4 (2)	2.3 (8)	10.1 (6)	460	13.5 (3)	11.7 (4)	685	5.1 (8)
WINDSOR	125	8.0 (5)	6.4 (2)	843	4.7 (4)	1.8 (4)	10.2 (7)	459	13.7 (4)	10.7 (3)	699	4.3 (5)
Unknown Counties	6	* *	* *	40	* *	* *	* *	22	* *	* *	33	* *
Vermont	1,833	7.3	9.4	11,589	5.2	2.3	10.7	6,179	15.9	12.9	9,188	5.1
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,93	9 16.1	14.4	5,391,027	14.6

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B 2011 Pediatric Nutrition Surveillance (1) Vermont

Surveillance (1) Page: Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

(2)

4 / 30 / 12

		Comp	arison	of Breas	stfeedi	ng, TV V	ewing	, and S	mc	oking in Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclusive		eastfeeding (7)	≤2 Hou Viewin (Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfee At Least 3 Months (Rank)	d	Number % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
ADDISON	99	* *	79	* *	60	* *	0	* *	+	0 * *	0	* *	0	* *
BENNINGTON	75	* *	71	* *	83	* *	0	* *	+	0 * *	0	* *	0	* *
CALEDONIA	130	79.2 (3)	105	36.2 (4)	81	* *	0	* *		0 * *	0	* *	0	* *
CHITTENDEN	319	84.6 (2)	292	36.3 (3)	247	16.2 (1)	0	* *		0 * *	0	* *	0	* *
ESSEX	27	* *	24	* *	22	* *	0	* *		0 * *	0	* *	0	* *
FRANKLIN	188	72.9 (6)	147	29.9 (5)	149	5.4 (5)	0	* *		0 * *	0	* *	0	* *
GRAND ISLE	12	* *	14	* *	20	* *	0	* *		0 * *	0	* *	0	* *
LAMOILLE	88	* *	62	* *	78	* *	0	* *		0 * *	0	* *	0	* *
ORANGE	84	* *	66	* *	64	* *	0	* *	1	0 * *	0	* *	0	* *
ORLEANS	134	72.4 (8)	117	37.6 (2)	100	13.0 (2)	0	* *		0 * *	0	* *	0	* *
RUTLAND	192	78.1 (4)	145	22.1 (6)	167	9.0 (3)	0	* *	T	0 * *	0	* *	0	* *
WASHINGTON	193	72.5 (7)	157	38.2 (1)	128	8.6 (4)	0	* *		0 * *	0	* *	0	* *
WINDHAM	119	77.3 (5)	86	* *	99	* *	0	* *		0 * *	0	* *	0	* *

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁸⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7B 2011 Pediatric Nutrition Surveillance (1) Vermont

ce (1) Page: Run Date:

4 / 30 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

(2)

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and Sm	oking i	n Housel	hold (4,	5)		
	Breastfeeding (6)							Exclusive B	reastfeedi (7)	ng	≤2 Hou Viewin (Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
WINDSOR	117	85.5 (1)	95	* *	78	* *	0	* *	0	* *	0	* *	0	* *
Unknown Counties	6	* *	4	* *	6	* *	0	* *	0	* *	0	* *	0	* *
Vermont	1,783	79.5	1,464	32.3	1,382	11.5	0	*	0	*	0	*	0	*
Nation (Prior Year)	1,689,6	15 63.2	908,604	25.1	1,069,94	42 16.9	363,039	10.7	466,279	6.1	1,200,700	79.2	4,203,554	9.4



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁸⁾ Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6B 2009 - 2011 Pediatric Nutrition Surveillance (1) Vermont

Comparison of Growth and Anemia Indicators by County Children Aged < 5 Years (2)

(3,4)**Comparison of Growth and Anemia Indicators** Birthweight (5) Height and Weight (3,4) Anemia Low Hb/Hct Low High Short Under- Obese > 2 Yrs Stature weight Overweight and (8) Obese % % % % % % % Number % Number Number Number County Overweight Obese <2500 g >4000 q (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) **ADDISON** 347 6.6 (4) 11.8 (11) 2.160 3.2 (14) 12.5 (13) 1.160 15.6 (8) 15.0 (14) 1.735 3.9 (1) 5.8 (14) **BENNINGTON** 205 6.3(2)9.8 (7) 2.034 4.5 (4) 2.5 (8) 11.1 (10) 1.242 14.4 (2) 11.4 (6) 1.739 7.5 (13) **CALEDONIA** 386 7.8 (8) 13.5 (12) 2,577 1.9 (4) 9.4 (3) 1.441 2,096 5.3 (10) 17.0 (12) 11.2 (4) 7.9 (14) **CHITTENDEN** 1.103 8.2 (11) 10.8 (8) 6,714 5.4 (11) 2.5 (8) 12.7 (14) 3,494 15.6 (8) 13.9 (11) 5,383 6.0 (4) **ESSEX** 99 551 5.4 (11) 3.6 (15) 10.9 (9) 272 13.2 (1) 11.0 (3) 435 6.2 (7) 630 5.7 (1) FRANKI IN 3.729 2.2 (7) 11.2 (11) 1.988 2.989 4.9 (3) 7.9 (10) 5.4 (11) 17.4 (14) 14.4 (12) **GRAND ISLE** 56 401 3.5 (2) 3.0 (13) 10.0 (5) 211 15.2 (5) 13.3 (10) 341 4.7 (2) LAMOILLE 294 10.9 (9) 1.887 3.9 (3) 2.9 (12) 9.0 (2) 1.002 14.4 (2) 11.3 (5) 1.421 6.3 (9) 4.4 (1) **ORANGE** 267 9.0 (12) 9.7 (6) 1.776 4.7 (7) 2.1 (6) 10.4 (7) 938 17.2 (13) 12.2 (8) 1,393 6.1 (6)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.

ORLEANS

RUTLAND

- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.

432

677

- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

5.9 (15)

5.0 (9)

2.7 (11)

1.9 (4) 11.5 (12)

9.6 (4)

1.482

2.055

15.0 (4) 10.4 (1)

16.7 (11) 14.7 (13)

2,117

3.083

6.4 (10)

6.9 (12)

- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

6.9 (5)

6.4 (3)

8.8 (2)

8.9 (3)

2,653

3.864



Page:

Run Date: 4 / 30 / 12

Table 6B 2009 - 2011 Pediatric Nutrition Surveillance (1) Vermont

Page: 8 Run Date: 4 / 30 / 12

Comparison of Growth and Anemia Indicators by County Children Aged < 5 Years (2)

			Comparis	on of G	rowth aı	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)			۸۵	emia					
		Low	High		Short Under- Obese Stature weight			C	≥ 2 Yrs Overweight ar Obese	Low	Hb/Hct (8)	
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% t Obese (Rank)	Number	% (Rank)
WASHINGTON	668	7.5 (6)	11.7 (10)	3,519	4.9 (8)	2.6 (10)	8.3 (1)	1,709	15.9 (10)	10.8 (2)	2,625	6.2 (7)
WINDHAM	464	7.8 (8)	9.3 (4)	2,855	4.5 (4)	1.4 (1)	10.2 (6)	1,532	15.3 (6)	12.8 (9)	2,295	6.0 (4)
WINDSOR	439	7.7 (7)	9.3 (4)	2,922	4.5 (4)	1.6 (2)	10.8 (8)	1,566	15.4 (7)	12.0 (7)	2,362	6.6 (11)
Unknown Counties	20	* *	* *	119	3.4 (1)	1.7 (3)	14.3 (15)	59	* *	* *	93	* *
Vermont	6,087	7.5	9.9	37,761	5.0	2.3	10.8	20,151	15.8	12.8	30,107	6.2

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older, short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B 2009 - 2011 Pediatric Nutrition Surveillance (1)

Vermont

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

4 / 30 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household <2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (7) (6) (8) % % % Number % Number % % % County Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) **ADDISON** 433 80.8 (1) 390 34.6 (1) 331 10.3 (3) **BENNINGTON** 371 374 376 8.8 (5) 0 0 0 75.2 (4) 19.3 (13) 0 0 **CALEDONIA** 536 459 416 74.8 (5) 29.4 (3) 9.1 (4) 0 0 0 **CHITTENDEN** 1,504 73.9 (8) 1,338 28.5 (4) 1,139 10.8 (2) * * 142 94 O n **ESSEX** 64.8 (12) 105 24.8 (7) **FRANKLIN** 807 63.4 (13) 697 20.7 (11) 648 7.3 (10) **GRAND ISLE** 92 85 82 0 0 0 0 LAMOILLE 408 79.2 (2) 358 33.0 (2) 330 13.9 (1) * * * * 408 0 0 0 **ORANGE** 77.2 (3) 355 24.5 (9) 332 8.7 (6) * * 7.5 (9) ORI FANS 565 442 69.0 (10) 491 25.1 (6) * * * * 880 6.5 (11) 0 0 **RUTLAND** 68.3 (11) 749 20.3 (12) 693 WASHINGTON 831 74.7 (6) 668 26.3 (5) 558 7.9 (8) 0 0 **WINDHAM** 624 0 0 * * 71.8 (9) 507 502 5.8 (12) 21.1 (10)

- (1) Reporting period is January 1 through December 31.
- TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B 2009 - 2011 Pediatric Nutrition Surveillance (1)

Vermont

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 4 / 30 / 12 Run Date:

(2)

		Breastfeeding (6)							reastfeed (7)	ing	(4,5) 2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
WINDSOR	636	74.7 (6)	553	24.8 (7)	524		0	* *	0	* *	0	* *	0	* *
Unknown Counties	28	* *	25	* *	25	* *	0	* *	0	* *	0	* *	0	* *
Vermont	8,265	72.7	7,154	25.5	6,492	8.7	0	*	0	*	0	*	0	*



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.