### Table 1C

#### **2011 Pediatric Nutrition Surveillance** Vermont

#### **Summary of Demographic Indicators** Children Aged < 5 Years (2,3)

(1)

**Total Records** Number Individual Children 12,013 Total Records (All Visits) 16,588

Source of Data		Number	%
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other		12,013 0 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0 0.0
<b>Total</b> <i>Excluded Unknown:</i> 0	0.0 %	12,013	100.0

Page:

Race/Ethnic D	Distribution	<u>1</u>		Number	%
White, Not Hispanic				11,207	93.9
Black, Not Hispanic				329	2.8
Hispanic				27	*
American Indian/Alask	a Native			25	*
Asian/Pacific Islander				168	1.4
Multiple Races				0	0.0
All Other				175	1.5
<b>Total</b> <i>Excluded Unknown:</i>	82	*	%	11,931	100.0

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	1,977 1,233 2,438 2,321 4,044	16.5 10.3 20.3 19.3 33.7
Total	12,013	100.0

% of Pove	rty Level		Number	%
0-50			0	0.0
51-100			0	0.0
101-130			0	0.0
131-150			0	0.0
151-185			0	0.0
186-200			0	0.0
Over 200			0	0.0
Adjunctive	Eligibility		0	0.0
Total			0	0.0
Excluded Unknown:	12,013	100.0 %		

Program Participation	Number	%	
WIC	0	0.0	
SNAP	0	0.0	
Medicaid	0	0.0	
TANF	0	0.0	
Excluded Unknown:			
WIC	12,013	100.0	
SNAP	12,013	100.0	
Medicaid	12,013		
TANF	12,013	100.0	

Migrant S	<u>tatus</u>	Number	<u>%</u>
Yes		0	0.0
No		0	0.0
Total		0	0.0
Excluded Unknown	12,013 100.0 %		

- (1) Reporting period is January 1 through December 31.(2) Analyses based on one record per child.
- Excludes records with unknown data or errors.
- Records rejected if date of birth and date of visit unknown.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



### Summary of Health Indicators Children Aged < 5 Years (2)

Summary of He	ealth Indicators	(3)		
	Vermo Prevale	• • •	Natior Prevale (Prior Y	nce
	Number	%	Number	%
Birthweight (4)				
Low High	1,833 1,833	7.3 9.4	1,851,546 1,851,546	9.0 6.3
Height and Weight (5,6) < 5 Yrs Short Stature	11,589	5.2	8,057,124	6.3
< 5 Yrs Underweight < 5 Yrs Obese	11,589 11,589	2.3 10.7	8,057,124 8,057,124	3.6 12.4
≥ 2 Yrs Overweight ≥ 2 Yrs Obese	6,179 6,179	15.9 12.9	3,572,939 3,572,939	16.1 14.4
Anemia (7) Low Hb Low Hct Low Hb/Hct	9,160 28 9,188	5.0 * 5.1	5,147,185 435,650 5,391,027	14.7 10.9 14.6
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Months Breastfed At Least 12 Months	1,783 1,464 1,382	79.5 32.3 11.5	1,689,615 908,604 1,069,942	63.2 25.1 16.9
Smoking in Household ≤ 2 Hours TV Viewing/ Day (9)	0	*	4,203,554 1,200,700	9.4 79.2

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- Children aged 2 years and older included in the analysis.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of B	reastfeedin	g Indi	cators (3)	
	Vermon Prevalend	-	Nationa Prevalend (Prior Yea	ce
	Number	%	Number	%
Breastfeeding Duration (4,5)				
Ever Breastfed	1,783	79.5	1,689,615	63.2
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	1,720 1,692 1,585 1,442 1,218	76.2 74.0 69.7 65.0 58.3	1,377,351 1,047,691 856,066 754,209 655,027	
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	1,144 1,308 1,520 1,694 1,464	53.1 48.2 42.2 38.5 32.3	631,752 686,347 774,371 867,746 908,604	38.2 33.3 29.7 26.8 25.1
Breastfed 9+ Months Breastfed 12+ Months	1,256 1,382	18.0 11.5	987,191 1,069,942	20.4 16.9
Breastfed 18+ Months	1,245	1.7	794,365	10.9
Exclusive Breastfeeding (6)				
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	0 0	*	363,039 466,279	10.7 6.1

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

<sup>(5)</sup> It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

<sup>(6)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 4C

### **2011 Pediatric Nutrition Surveillance** (1)

#### Vermont

#### Comparison of Racial and Ethnic Distribution by Contributor to Nation Children Aged < 5 Years (2)

**Comparison of Racial and Ethnic Distribution** American White, Not Black, Not Asian/Pacific Multiple Races All Other / Contributor Number Hispanic Indian/Alaska Hispanic Included in Hispanic Islander Unknown Native Analysis (3) % % % 12,013 93.3 2.7 0.2 0.2 0.0 2.1 1.4 Vermont Nation 8,672,965 32.5 19.1 39.7 0.9 2.5 2.7 2.5 (Prior Year)



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 5C

### 2011 Pediatric Nutrition Surveillance (1) Vermont

#### Comparison of Age Distribution by Contributor to Nation Children Aged < 5 Years (2)

**Comparison of Age Distribution** Contributor Number 0 - 11 Months 12 - 23 Months 24 - 59 Months Included in Analysis (3,4) % % % 26.7 20.3 53.0 Vermont 12,013 Nation 8,672,965 33.7 22.1 44.2 (Prior Year)



Page:

Run Date:

4 / 30 / 12

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 6 Run Date: 4 / 30 / 12

#### Comparison of Growth and Anemia Indicators by Contributor to Nation Children Aged < 5 Years (2)

	Comparison of Growth and Anemia Indicators (3)												
	В	irthweigh	t (4)		Height and Weight (5,6)						Anemia		
		Low	High		Short Stature	Under- Obese weight		≥ 2 Yrs Overweight and Obese		nd	Low	Hb/Hct 7)	
Contributor	Number </th <th>% 2500 g</th> <th>% &gt;4000 g</th> <th>Number</th> <th>%</th> <th>%</th> <th>%</th> <th>Number</th> <th>% Overweight</th> <th>% t Obese</th> <th>Number</th> <th>%</th>	% 2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% t Obese	Number	%	
Vermont	1,833	7.3	9.4	11,589	5.2	2.3	10.7	6,179	15.9	12.9	9,188	5.1	
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,939	16.1	14.4	5,391,027	14.6	



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation Children Aged < 5 Years (3)

Page: Run Date:

(2)

4 / 30 / 12

	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Vermont	1,783	79.5	1,464	32.3	1,382	11.5	0	*	0	*	0	*	0	*
Nation (Prior Year)	1,689,6	15 63.2	908,604	25.1	1,069,9	42 16.9	363,039	10.7	466,279	6.1	1,200,700	79.2	4,203,554	9.4



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(6)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

<sup>(7)</sup> Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years (2) Page: 8 Run Date: 4 / 30 / 12

	Growth	and An	emia In	dicators	by Rac	e/Ethr	icity o	r Age (	3)			
	Biı	thweight (4	.)									
		Low %	U		erweight and		Anemia Low Hb/Hct					
	Number	<2500 g	>4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
Race/Ethnicity												
White, Not Hispanic	1,737	7.3	9.5	10,813	5.3	2.2	10.6	5,719	16.1	13.1	8,540	4.8
Black, Not Hispanic	28	*	*	321	2.8	2.5	14.0	194	13.9	13.4	275	10.5
Hispanic	5	*	*	25	*	*	*	12	*	*	19	*
American Indian/Alaska Native	0	*	*	25	*	*	*	18	*	*	21	*
Asian/Pacific Islander	28	*	*	161	4.3	6.2	9.3	92	*	*	134	8.2
Multiple Races	0	*	*	0	*	*	*	0	*	*	0	*
All Other	35	*	*	244	5.3	2.5	12.3	144	16.0	12.5	199	5.5
Total	1,833	7.3	9.4	11,589	5.2	2.3	10.7	6,179	15.9	12.9	9,188	5.1
Age												
0 - 11 Months	_	_	_	3,020	7.5	2.9	6.6	_	*	*	435	12.2
12 - 23 Months	-	-	-	2,390	5.6	0.5	10.3	_	*	*	2,464	7.8
24 - 35 Months	-	_	_	2,237	4.2	3.2	10.6	2,237	15.3	10.6	2,277	5.4
36 - 47 Months	-	-	-	2,101	3.9	2.7	13.8	2,101	15.5	13.8	2,167	3.1
48 - 59 Months	-	-	-	1,841	3.4	2.0	14.8	1,841	16.9	14.8	1,845	1.7
Total		_	-	11,589	5.2	2.3	10.7	6,179	15.9	12.9	9,188	5.1

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

(2)

4/30/12

(1)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age
Children Aged < 5 Years
(3)

Breastfeeding,	ΓV Viewir	g, and S	Smokin	g in Hou	sehold b	y Race/	Ethnicity	or Ag	<b>e</b> (4)	
			Breas	<2 Ho TV/Vio Viewing/I	deo	Smoking in Household				
	Number E	% Ever Breastfed	Number	% Breastfed At Least 6 Months		% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	1,685	79.3	1,362	31.9	1,299	11.5	0	*	0	*
Black, Not Hispanic	29	*	42	*	41	*	0	*	0	*
Hispanic	6	*	3	*	1	*	0	*	0	*
American Indian/Alaska Native	0	*	4	*	2	*	0	*	0	*
Asian/Pacific Islander	28	*	14	*	13	*	0	*	0	*
Multiple Races	0	*	0	*	0	*	0	*	0	*
All Other	35	*	39	*	26	*	0	*	0	*
Total	1,783	79.5	1,464	32.3	1,382	11.5	0	*	0	*
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	0	*
12 - 23 Months	-	-	-	-	-	-	0	*	0	*
24 - 35 Months	-	-	-	-	-	-	0	*	0	*
36 - 47 Months	-	-	-	-	-	-	0	*	0	*
48 - 59 Months	-	-	-	-	-	-	0	*	0	*
Total	1,783	79.5	1,464	32.3	1,382	11.5	0	*	0	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(6)</sup> Children aged 2 years and older included in the analysis

Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Summary of Trends in Racial and Ethnic Distribution** Children Aged < 5 Years (2)

Page: 10 Run Date: 4 / 30 / 12

		Sur	nmary of Trer	nds in Racial a	and Ethnic Dis	stribution		
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
2011	12,013	93.3	2.7	0.2	0.2	1.4	0.0	2.1
2010	13,476	93.9	2.5	0.2	0.2	1.0	0.0	2.1
2009	13,502	94.0	2.5	0.3	0.3	0.9	0.0	2.0
2008	13,930	93.9	2.5	0.2	0.4	1.0	0.0	2.0
2007	13,401	94.0	2.6	0.2	0.5	0.9	0.0	1.8
2006	13,265	93.7	2.6	0.2	0.5	1.0	0.0	1.9
2005	13,451	94.0	2.5	0.2	0.4	1.0	0.0	1.9
2004	13,610	95.9	2.1	0.2	0.5	1.2	0.0	0.2
2003	16,901	96.8	1.6	0.1	0.5	1.0	0.0	0.0
2002	13,431	97.0	1.5	0.1	0.6	0.8	0.0	0.0
2001	13,385	97.2	1.4	0.1	0.5	0.9	0.0	0.0
2000	12,468	97.6	1.1	0.1	0.4	0.8	0.0	0.0
1999	11,333	97.8	0.9	0.1	0.4	0.8	0.0	0.0
1998	12,612	97.6	0.9	0.1	0.4	1.0	0.0	0.0
1997	12,609	97.3	1.1	0.1	0.4	1.1	0.0	0.0
1996	13,186	97.3	1.2	0.1	0.3	1.0	0.0	0.0
1995	13,003	97.2	1.3	0.2	0.4	1.0	0.0	0.0
1994	14,225	97.6	1.0	0.1	0.3	0.9	0.0	0.0
1993	14,429	97.8	1.0	0.2	0.3	0.8	0.0	0.0



<sup>(1)</sup> Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.</li>

**Summary of Trends in Racial and Ethnic Distribution** Children Aged < 5 Years (2)

Page: 11 Run Date: 4 / 30 / 12

		Sun	nmary of Tren	ds in Racial	and Ethnic Dis	stribution		
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
1992	13,849	98.1	0.8	0.3	0.3	0.6	0.0	0.0
1991	12,313	98.5	0.8	0.2	0.1	0.4	0.0	0.0
1990	13,804	98.4	0.8	0.3	0.0	0.4	0.0	0.0
1989	12,905	98.6	0.7	0.2	0.0	0.4	0.0	0.0
1988	12,117	98.6	0.8	0.1	0.1	0.4	0.0	0.0
1987	14,299	98.6	0.5	0.1	0.1	0.4	0.0	0.3
1986	15,807	98.6	0.5	0.1	0.1	0.3	0.0	0.4
1985	16,262	98.7	0.4	0.1	0.1	0.3	0.0	0.4
1984	18,606	98.8	0.4	0.1	0.1	0.3	0.0	0.2
1983	16,526	98.7	0.4	0.1	0.2	0.4	0.0	0.3
1982	14,646	98.6	0.4	0.0	0.2	0.3	0.0	0.6
1981	11,543	97.7	0.2	0.0	0.2	0.3	0.0	1.5
1980	4	*	*	*	*	*	*	*



<sup>(1)</sup> Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.</li>

#### **Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

	Summa	ry of Trends in Age	Distribution (3)	
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2011	12,013	26.7	20.3	53.0
2010	13,476	26.8	20.7	52.5
2009	13,502	26.4	20.5	53.2
2008	13,930	28.0	20.5	51.5
2007	13,401	28.9	19.9	51.2
2006	13,265	28.5	19.7	51.8
2005	13,451	29.2	20.2	50.6
2004	13,610	30.2	19.5	50.4
2003	16,901	28.5	20.1	51.4
2002	13,431	30.6	19.6	49.8
2001	13,385	31.2	18.7	50.0
2000	12,468	31.5	19.6	48.9
1999	11,333	31.0	19.5	49.5
1998	12,612	31.4	18.4	50.2
1997	12,609	29.8	19.1	51.1
1996	13,186	29.8	19.0	51.2
1995	13,003	29.1	18.8	52.1
1994	14,225	30.2	18.1	51.6

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

Page:	13
Run Date:	4 / 30 / 12

	Summa	ry of Trends in Age	Distribution (3)	
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1993	14,429	29.8	19.0	51.1
1992	13,849	31.5	19.8	48.7
1991	12,313	34.1	19.1	46.9
1990	13,804	31.5	19.1	49.4
1989	12,905	32.4	18.0	49.6
1988	12,117	31.2	18.6	50.2
1987	14,299	30.5	18.8	50.7
1986	15,807	30.0	18.9	51.1
1985	16,262	30.3	19.0	50.7
1984	18,606	28.4	20.1	51.5
1983	16,526	31.5	19.4	49.1
1982	14,646	31.9	19.7	48.4
1981	11,543	32.8	19.7	47.5
1980	4	*	*	*



<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 14 Run Date: 4/30/2012

		S	ummary	of Trer	nds in C	Growth	and A	nemia In	dicatoı	<b>'S</b> (3)		
	Ві	irthweight (	4)			Height	and Wei	ght (5,6)			Anemia Low Hb/Hct	
Year		Low	High		Short Stature	Under- weight	Obese		> 2 Yrs Overweight and Obese			571100
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number Ov	% /erweight	% Obese	Number	%
2011	1,833	7.3	9.4	11,589	5.2	2.3	10.7	6,179	15.9	12.9	9,188	5.1
2010	2,306	7.2	9.9	13,052	5.2	2.4	10.4	6,921	15.6	12.2	10,360	6.7
2009	1,948	8.0	10.3	13,120	4.8	2.2	11.3	7,051	16.1	13.2	10,559	6.6
2008	2,447	8.3	11.0	13,539	5.3	2.2	11.5	7,009	16.3	13.3	10,655	5.7
2007	2,474	6.8	10.1	12,992	5.5	2.3	11.5	6,706	16.1	13.5	9,818	6.4
2006	2,357	8.5	10.8	12,865	5.6	2.1	11.2	6,697	15.8	12.9	9,442	6.1
2005	2,405	6.9	10.2	13,039	5.6	2.4	10.8	6,669	17.1	12.9	9,076	6.6
2004	2,635	8.2	10.8	13,079	4.3	2.6	9.9	6,755	16.4	13.7	9,053	7.9
2003	2,756	8.2	9.9	16,308	5.4	2.3	11.3	8,504	17.1	13.1	10,311	9.0
2002	2,583	7.6	9.8	12,851	5.2	2.6	11.6	6,575	15.6	13.1	7,322	12.3

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 15 Run Date: 4/30/2012

		S	ummary	of Trer	nds in C	Growth	and A	nemia Ir	ndicato	<b>'</b> S (3)			
	В	irthweight (	4)		Height and Weight (5,6)							Anemia Low Hb/Hct	
Year		Low	High	Obese		nd	(7)						
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number O	% verweight	% Obese	Number	%	
2001	2,578	7.3	10.8	12,799	5.5	2.5	11.2	6,551	16.4	13.0	7,208	10.1	
2000	2,380	8.6	12.4	11,952	5.4	2.2	11.3	5,987	16.6	12.7	7,248	8.5	
1999	2,038	8.1	10.7	10,683	5.6	2.2	10.5	5,522	17.1	11.9	6,997	5.6	
1998	2,586	9.3	11.4	11,770	5.5	2.1	10.1	6,225	16.8	11.6	9,533	3.0	
1997	2,478	8.8	9.6	11,797	5.6	2.3	9.9	6,356	16.5	11.2	9,761	2.7	
1996	2,529	8.9	10.6	12,342	5.9	2.5	9.9	6,667	16.5	11.2	10,282	2.8	
1995	2,377	7.2	10.7	12,286	6.2	2.3	8.6	6,687	15.1	9.1	10,368	2.9	
1994	2,692	7.8	11.1	13,364	6.3	2.6	8.6	7,217	15.0	9.0	11,261	2.8	
1993	2,703	7.7	11.2	13,545	6.5	2.7	8.0	7,256	15.3	8.5	11,446	3.3	
1992	2,806	7.3	9.1	12,954	6.0	2.7	7.9	6,663	14.5	8.3	10,668	3.9	

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 16 Run Date: 4/30/2012

		S	ummary	of Trer	nds in C	Growth	and A	nemia In	dicator	's <sup>(3)</sup>			
	В	irthweight (	4)		Height and Weight (5,6)							Anemia Low Hb/Hct	
Year		Low	High		Short Stature	Under- weight	Obese	Ove	>_2 Yrs erweight ar Obese	nd	(7)		
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number O	% verweight	% Obese	Number	%	
1991	2,510	18.6	7.8	12,041	6.9	3.8	7.7	5,684	14.5	8.4	9,344	3.8	
1990	2,741	6.7	10.7	13,618	6.5	3.5	7.1	6,764	14.0	8.3	10,717	2.6	
1989	2,664	7.5	9.3	12,725	7.6	3.5	7.2	6,377	14.3	8.2	9,940	3.0	
1988	2,415	7.4	10.6	11,948	7.2	3.6	7.4	6,035	13.7	7.9	9,457	3.3	
1987	2,521	6.8	10.4	14,024	6.9	3.6	7.7	7,183	13.8	8.4	11,029	3.6	
1986	2,620	6.2	10.1	15,386	4.6	4.1	5.7	7,944	13.6	7.4	12,276	4.5	
1985	2,754	6.4	9.5	15,906	6.1	4.0	6.5	8,170	13.4	7.0	12,706	4.5	
1984	2,789	7.1	9.5	18,219	5.5	4.0	6.0	9,511	12.9	6.4	14,897	4.5	
1983	3,179	6.0	7.7	16,101	5.4	5.2	5.3	8,024	11.8	5.7	12,933	4.6	
1982	2,971	6.1	8.5	14,128	5.5	4.9	5.6	7,015	12.0	5.9	11,265	4.5	

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 17 Run Date: 4/30/2012

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (	4)		Height and Weight (5,6)							Anemia Low Hb/Hct	
Year	Low High				Short Stature	Under- weight	Obese		> 2 Yrs Overweight and Obese			(7)	
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number Ov	% verweight	% Obese	Number	%	
1981	2,632	7.1	8.3	10,400	7.2	4.2	6.2	5,428	12.6	6.3	8,505	4.9	
1980	3	*	*	0	*	*	*	0	*	*	1	*	



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends in	Breastfe	eding (3)	)							
		Breastfeeding (4)											
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months							
2011	1,783	79.5	1,464	32.3	1,382	11.5							
2010	2,271	76.2	1,734	27.9	1,806	8.0							
2009	1,918	73.4	1,495	30.2	1,486	13.1							
2008	2,420	70.5	2,032	31.4	1,987	12.7							
2007	2,443	70.4	1,760	30.9	1,694	15.5							
2006	2,345	69.9	1,639	31.8	1,691	14.3							
2005	2,382	66.3	1,751	33.6	1,837	16.7							
2004	2,620	65.9	1,905	32.9	1,781	24.2							
2003	2,728	63.7	1,960	34.7	1,950	22.1							
2002	2,571	64.7	1,788	30.4	1,659	22.4							

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 4/30/2012

18


<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	)							
		Breastfeeding (4)											
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months							
2001	2,554	63.3	1,859	30.0	1,711	23.7							
2000	2,377	62.7	1,538	31.4	1,440	23.8							
1999	425	62.1	304	27.6	283	20.1							

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 4/30/2012

19

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

# Table 14C 2011 Pediatric Nutrition Surveillance Vermont Children Aged < 5 Years

Page: 20 Run Date: 4 / 30 / 12

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



# Table 15C 2011 Pediatric Nutrition Surveillance Vermont Children Aged < 5 Years

Page: 21 Run Date: 4 / 30 / 12

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 22 Run Date: 4/30/2012

	G	rowth Inc	licators by F	Race/Ethr	icity and A	ge <sup>(3)</sup>				
		Short Stature (4,5)		Underweight (4,5)		e	<u>&gt;</u> 2 Yrs (	≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese	
White, Not Hispanic										
0 - 11 Months	2,853	7.6	2,853	2.9	2,853	6.4	0	0.0	0.0	
12 - 23 Months	2,241	5.7	2,241	0.4	2,241	9.8	0	0.0	0.0	
24 - 59 Months	5,719	4.0	5,719	2.6	5,719	13.1	5,719	16.1	13.1	
Total	10,813	5.3	10,813	2.2	10,813	10.6	5,719	16.1	13.1	
Black, Not Hispanic										
0 - 11 Months	60	*	60	*	60	*	0	*	*	
12 - 23 Months	67	*	67	*	67	*	0	*	*	
24 - 59 Months	194	2.1	194	3.1	194	13.4	194	13.9	13.4	
Total	321	2.8	321	2.5	321	14.0	194	13.9	13.4	
Hispanic										
0 - 11 Months	7	*	7	*	7	*	0	*	*	
12 - 23 Months	6	*	6	*	6	*	0	*	*	
24 - 59 Months	12	*	12	*	12	*	12	*	*	
Total	25	*	25	*	25	*	12	*	*	
American Indian/Alaska Native										
0 - 11 Months	5	*	5	*	5	*	0	*	*	
12 - 23 Months	2	*	2	*	2	*	0	*	*	
24 - 59 Months	18	*	18	*	18	*	18	*	*	
Total	25	*	25	*	25	*	18	*	*	

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 23 Run Date: 4/30/2012

	G	rowth Inc	licators by F	Race/Ethn	icity and A	ge <sup>(3)</sup>			
	Short Si (4,5		Underw (4,5		Obes (4,5)		<u>&gt;</u> 2 Yrs (	Overweight and C	)bese
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
Asian/Pacific Islander									
0 - 11 Months	36	*	36	*	36	*	0	*	*
12 - 23 Months	33	*	33	*	33	*	0	*	*
24 - 59 Months	92	*	92	*	92	*	92	*	*
Total	161	4.3	161	6.2	161	9.3	92	*	*
Multiple Races									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	0	*	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	0	*	*
All Other/Unknown									
0 - 11 Months	59	*	59	*	59	*	0	*	*
12 - 23 Months	41	*	41	*	41	*	0	*	*
24 - 59 Months	144	3.5	144	2.1	144	12.5	144	16.0	12.5
Total	244	5.3	244	2.5	244	12.3	144	16.0	12.5
Total All Race/Ethnic Groups									
0 - 11 Months	3,020	7.5	3,020	2.9	3,020	6.6	0	0.0	0.0
12 - 23 Months	2,390	5.6	2,390	0.5	2,390	10.3	0	0.0	0.0
24 - 59 Months	6,179	3.9	6,179	2.7	6,179	12.9	6,179	15.9	12.9
Total	11,589	5.2	11,589	2.3	11,589	10.7	6,179	15.9	12.9

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 24 Run Date: 4 / 30 / 12

#### Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %	, , ,	Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	411	11.9	6 - 11 Months	4	*
12 - 17 Months	1,189	9.3	12 - 17 Months	19	*
18 - 23 Months	1,122	5.7	18 - 23 Months	13	*
24 - 35 Months	2,102	5.1	24 - 35 Months	40	*
36 - 59 Months	3,716	2.2	36 - 59 Months	58	*
Total	8,540	4.8	Total	134	8.2
Black, Not Hispanic			Multiple Races		
6 - 11 Months	14	*	6 - 11 Months	0	*
12 - 17 Months	40	*	12 - 17 Months	0	*
18 - 23 Months	27	*	18 - 23 Months	0	*
24 - 35 Months	64	*	24 - 35 Months	0	*
36 - 59 Months	130	8.5	36 - 59 Months	0	*
Total	275	10.5	Total	0	*
Hispanic			All Other/Unknown		
6 - 11 Months	0	*	6 - 11 Months	6	*
12 - 17 Months	4	*	12 - 17 Months	23	*
18 - 23 Months	0	*	18 - 23 Months	24	*
24 - 35 Months	6	*	24 - 35 Months	59	*
36 - 59 Months	9	*	36 - 59 Months	87	*
Total	19	*	Total	199	5.5
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	0	*	6 - 11 Months	435	12.2
12 - 17 Months	2	*	12 - 17 Months	1,277	9.8
18 - 23 Months	1	*	18 - 23 Months	1,187	5.7
24 - 35 Months	6	*	24 - 35 Months	2,277	5.4
36 - 59 Months	12	*	36 - 59 Months	4,012	2.5
Total	21	*	Total	9,188	5.1



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 25 Run Date: 4 / 30 / 12

Race/Ethnicity and Year		E	Birthweight	(4)			Heigh	t and We	ight (5,6)			Aner	mia
			Low	High		Short Stature	Under- weight	Obese	Oven	≥ 2 Yrs weight and Obe	ese	Low Hb/Hct (7)	
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
White, Not Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	1,737 2,210 1,865 2,349 2,388 2,268 2,287 2,551 2,676 2,524	7.3 7.1 8.1 8.2 6.7 8.4 7.0 8.1 8.1 7.6	9.5 9.9 10.5 11.1 10.1 11.1 10.4 11.0 10.2 9.9	10,813 12,259 12,324 12,723 12,214 12,048 12,261 12,545 15,797 12,468	5.3 5.2 4.8 5.4 5.5 5.6 5.5 4.2 5.4 5.2	2.2 2.4 2.2 2.2 2.3 2.1 2.4 2.6 2.3 2.6	10.6 10.2 11.1 11.4 11.4 11.1 10.8 9.9 11.3 11.6	5,719 6,458 6,580 6,514 6,232 6,227 6,254 6,460 8,218 6,368	16.1 15.7 16.3 16.5 16.3 15.9 17.2 16.5 17.3	13.1 12.1 12.9 13.1 13.6 12.8 12.9 13.6 13.1 13.1	8,540 9,664 9,889 9,947 9,159 8,783 8,494 8,662 10,012 7,113	4.8 6.6 6.3 5.4 6.1 5.8 6.1 7.6 8.8 12.3
Black, Not Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	28 49 34 40 36 35 48 36 40 27	* * * * * * * * * *	* * * * * * * * * * * *	321 330 333 337 337 336 317 269 264 198	2.8 6.1 4.8 3.6 6.8 4.8 9.1 9.7 7.6 3.0	2.5 1.2 2.7 1.5 3.3 2.4 3.5 3.3 6.8 5.6	14.0 13.3 16.2 16.0 15.1 12.5 10.1 10.8 8.0 12.6	194 191 199 198 206 203 177 158 154	13.9 15.7 14.1 12.6 15.0 17.2 19.2 15.8 9.7 6.4	13.4 14.1 16.1 18.2 12.6 13.3 11.9 12.7 8.4 15.5	275 281 290 290 286 267 226 192 146 112	10.5 10.7 14.1 12.8 13.6 13.9 19.0 21.4 15.8

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 26 Run Date: 4 / 30 / 12

Race/Ethnicity and Year		E	Birthweight	(4)			Heigh	t and We	ight (5,6)			Anem	nia
			Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese			Low Hb/Hct (7)	
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
Hispanic	2011	5	*	*	25	*	*	*	12	*	*	19	*
	2010	1	*	*	23	*	*	*	13	*	*	22	*
	2009	5	*	*	35	*	*	*	23	*	*	29	*
	2008 2007	6	*	*	31 30	*	*	*	18 16	*	*	26 26	*
	2007	4	*	*	25	*	*	*	13	*	*	20	*
	2005	0	*	*	24	*	*	*	13	*	*	22	*
	2004	5	*	*	21	*	*	*	9	*	*	13	*
	2003	2	*	*	14	*	*	*	9	*	*	8	*
	2002	1	*	*	9	*	*	*	6	*	*	6	*
American Indian/Alaska Native	2011	0	*	*	25	*	*	*	18	*	*	21	*
	2010	3	*	*	28	*	*	*	18	*	*	25	*
	2009	1	*	*	46	*	*	*	28	*	*	41	*
	2008	6	*	*	48	*	*	*	31	*	*	44	*
	2007	7	*	*	62	*	*	*	40	*	*	51	*
	2006	10	*	*	69	*	*	*	44	*	*	54	*
	2005	7	*	*	58 65	*	*	*	34	*	*	42	*
	2004 2003	11   11	*	*	65 78	*	*	*	38 41	*	*	51 55	*
	2003	12	*	*	70			*	39	*	*	35	*

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 27 Run Date: 4 / 30 / 12

	Sumi	mary of T	rends ir	n Growtl	h and Ar	nemia In	dicato	rs by F	Race/Eth	nicity (3)			
Race/Ethnicity and Year		E	Birthweight	(4)			Heigh	t and We	ight (5,6)			Ane	mia
			Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese			Low F	lb/Hct
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
Asian/Pacific Islander	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	28 12 8 17 15 21 17 25 27	* * * * * * * * * * * *	* * * * * * * * * *	161 138 120 126 112 136 123 151 155 105	4.3 2.2 4.2 5.6 0.9 6.6 8.1 4.6 3.9 3.8	6.2 7.2 2.5 3.2 2.7 0.7 4.9 2.0 2.6 2.9	9.3 10.9 6.7 11.1 9.8 8.8 5.7 9.3 11.0 5.7	92 91 76 81 66 76 66 77 82 52	* * * * * * * * * * *	* * * * * * * * * * * * *	134 122 103 112 92 100 95 113 90 56	8.2 9.0 7.8 8.0 * 5.0 * 12.4
Multiple Races	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	0 0 0 0 0 0 0	* * * * * * * * * * *	* * * * * * * * * * * *	0 0 0 0 0 0 0 0	*     *     *     *     *     *     *     *	* * * * * * * * * * * *	* * * * * * * * * * * * *	0 0 0 0 0 0 0	* * * * * * * * * * * *	* * * * * * * * * * * * * * *	0 0 0 0 0 0 0	* * * * * * * * * *

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 4 / 30 / 12

Race/Ethnicity and Year		E	Birthweight	(4)			Heigh	t and We	ight (5,6)			Anen	nia
			Low	High		Short Stature	Under- weight	Obese	Oven	≥ 2 Yrs weight and Obe	ese	Low Hb/Hct (7)	
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
All Other/Unknown	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	35 31 35 29 25 19 46 7 0	* * * * * * * * *	* * * * * * * * * * * *	244 274 262 274 237 251 256 28 0	5.3 4.0 3.8 2.9 3.0 3.6 3.5	2.5 2.2 1.5 1.8 1.3 1.6 1.2	12.3 12.4 15.3 13.1 13.5 14.7 12.9	144 150 145 167 146 134 125 13 0	16.0 13.3 12.4 15.6 16.4 13.4 15.2	12.5 14.7 19.3 18.0 15.8 17.9 17.6	199 246 207 236 204 218 197 22 0	5.5 5.7 9.2 5.9 6.4 7.8 6.6
Total All Race/Ethnic Groups	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	1,833 2,306 1,948 2,447 2,474 2,357 2,405 2,635 2,756 2,583	7.3 7.2 8.0 8.3 6.8 8.5 6.9 8.2 8.2 7.6	9.4 9.9 10.3 11.0 10.1 10.8 10.2 10.8 9.9 9.8	11,589 13,052 13,120 13,539 12,992 12,865 13,039 13,079 16,308 12,851	5.2 5.2 4.8 5.3 5.5 5.6 4.3 5.4 5.2	2.3 2.4 2.2 2.2 2.3 2.1 2.4 2.6 2.3 2.6	10.7 10.4 11.3 11.5 11.5 11.2 10.8 9.9 11.3 11.6	6,179 6,921 7,051 7,009 6,706 6,697 6,669 6,755 8,504 6,575	15.9 15.6 16.1 16.3 16.1 15.8 17.1 16.4 17.1	12.9 12.2 13.2 13.3 13.5 12.9 12.9 13.7 13.1	9,188 10,360 10,559 10,655 9,818 9,442 9,076 9,053 10,311 7,322	5.1 6.7 6.6 5.7 6.4 6.1 6.6 7.9 9.0 12.3

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 29

4/30/12

S	Summary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	1,685 2,173 1,832 2,316 2,356 2,253 2,260 2,533 2,645 2,510	79.3 75.8 73.1 70.4 70.0 69.4 65.7 66.0 63.5 64.3	1,362 1,663 1,404 1,925 1,675 1,538 1,641 1,828 1,895 1,742	31.9 27.4 29.5 30.8 30.3 30.8 33.2 32.4 34.1 29.9	1,299 1,686 1,404 1,889 1,611 1,573 1,728 1,703 1,885 1,601	11.5 7.6 12.5 12.5 15.2 13.6 16.6 23.7 22.1 22.3
Black, Not Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	29 50 36 43 37 39 53 38 41 28	* * * * * * * * * * *	42 33 39 51 36 44 38 39 36 19	* * * * * * * * * *	41 44 36 40 33 46 36 34 29 33	* * * * * * * * * *



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 30 Run Date: 4 / 30 / 12

Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	6 1 4 6 3 5 0 5 3	* * * * * * * * * *	3 2 2 2 4 5 6 5 2 2	* * * * * * * * *	1 6 4 2 6 3 6 3 1	* * * * * * * * * *
American Indian/Alaska Native	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	0 3 3 6 7 10 7 11 12 12	* * * * * * * * * * *	4 2 2 7 8 6 10 6 5	* * * * * * * * * * *	2 3 7 8 5 5 6 8 16 11	* * * * * * * * *



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 31 Run Date: 4 / 30 / 12

Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	28 13 8 19 15 21 16 26 27 20	* * * * * * * * *	14 11 12 16 11 19 19 24 22 16	* * * * * * * * * *	13 14 10 17 11 14 18 25 19	* * * * * * * * * *
Multiple Races	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	0 0 0 0 0 0 0 0	* * * * * * * * * * *	0 0 0 0 0 0 0	* * * * * * * * * * *	0 0 0 0 0 0 0	* * * * * * * * *



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 4

32 4 / 30 / 12

Sun	nmary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	ity <sup>(3)</sup>	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	35 31 35 30 25 17 46 7 0	* * * * * * * * * *	39 23 36 31 26 27 37 3 0	* * * * * * * * * *	26 53 25 31 28 50 43 8 0	* * * * * * * * * * *
Total All Race/Ethnic Groups	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	1,783 2,271 1,918 2,420 2,443 2,345 2,382 2,620 2,728 2,571	79.5 76.2 73.4 70.5 70.4 69.9 66.3 65.9 63.7 64.7	1,464 1,734 1,495 2,032 1,760 1,639 1,751 1,905 1,960 1,788	32.3 27.9 30.2 31.4 30.9 31.8 33.6 32.9 34.7 30.4	1,382 1,806 1,486 1,987 1,694 1,691 1,837 1,781 1,950 1,659	11.5 8.0 13.1 12.7 15.5 14.3 16.7 24.2 22.1 22.4



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 33 Run Date: 4 / 30 / 12

				Su	mmary	of Tren	ds in C	rowth Indicators	by Age	(3)					
Age and Year *			Height a	and We	ight (4,5)			Age and Year *			Height a	and Wei	ght (4,5)		
		Short Stature	Under- weight	Obese	Ov	≥ 2 Yrs /erweight and Obese	d			Short Stature	Under- weight	Obese	0	≥ 2 Yrs verweight an Obese	d
	Number	%	%	%	Number	% Overweight	% Obese		Number	%	%	%	Number	% Overweight	% Obese
0 - 11 Months								24 - 35 Months							
2011	3,020	7.5	2.9	6.6	0	*	*	2011	2,237	4.2	3.2	10.6	2,237	15.3	10.6
2010	3,413	8.1	3.5	6.9	0	*	*	2010	2,535	4.0	3.2	10.3	2,535	14.8	10.3
2009	3,352	6.8	2.8	6.6	0	*	*	2009	2,629	4.0	2.9	11.4	2,629	15.7	11.4
2008	3,677	8.6	3.0	7.8	0	*	*	2008	2,539	3.8	2.6	11.4	2,539	15.4	11.4
2007	3,656	7.9	2.8	8.1	0	*	*	2007	2,372	4.1	2.6	12.0	2,372	15.6	12.0
2006	3,525	7.8	2.5	7.7	0	*	*	2006	2,458	4.4	3.0	10.8	2,458	15.3	10.8
2005	3,682	6.9	2.8	7.3	0	*	*	2005	2,402	5.7	3.1	10.4	2,402	15.9	10.4
2004	3,751	4.7	2.7	5.3	0	*	*	2004	2,533	4.5	2.8	11.9	2,533	14.7	11.9
2003	4,399	7.3	3.0	7.6	0	*	*	2003	3,185	5.0	2.8	12.3	3,185	16.6	12.3
2002	3,716	6.7	3.1	8.7	0	*	*	2002	2,329	4.4	3.8	10.6	2,329	14.9	10.6
12 - 23 Months								36 - 47 Months							
2011	2,390	5.6	0.5	10.3	0	*	*	2011	2,101	3.9	2.7	13.8	2,101	15.5	13.8
2010	2,718	5.1	0.4	10.0	0	*	*	2010	2,300	4.3	2.4	12.6	2,300	15.7	12.6
2009	2,717	5.8	0.5	12.4	0	*	*	2009	2,354	2.9	2.4	14.7	2,354	16.5	14.7
2008	2,853	5.5	0.4	11.8	0	*	*	2008	2,301	3.8	2.3	14.0	2,301	16.8	14.0
2007	2,630	5.5	0.5	11.1	0	*	*	2007	2,250	4.1	2.9	13.2	2,250	16.2	13.2
2006	2,643	5.4	0.4	11.5	0	*	*	2006	2,199	5.2	2.4	14.2	2,199	15.1	14.2
2005	2,688	5.1	0.7	10.5	0	*	*	2005	2,232	5.0	2.8	14.4	2,232	17.7	14.4
2004	2,573	3.5	2.2	6.7	0	*	*	2004	2,243	4.7	2.5	14.1	2,243	17.4	14.1
2003	3,405	5.2	0.4	11.7	0	*	*	2003	2,875	4.1	3.3	13.2	2,875	17.5	13.2
2002	2,560	5.4	0.4	11.6	0	*	*	2002	2,208	4.0	3.0	13.9	2,208	14.9	13.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

Page:	34
Run Date:	4 / 30 / 1

				Su	mmary	of Tren	ds in		
Age and Year *	Height and Weight (4,5)								
	Short Under- Obese Stature weight		≥ 2 Yrs Overweight and Obese						
	Number	%	%	%	Number	% Overweight	% Obese		
48 - 59 Months									
2011	1,841	3.4	2.0	14.8	1,841	16.9	14.8		
2010	2,086	2.9	2.5	14.0	2,086	16.3	14.0		
2009	2,068	3.1	2.3	13.6	2,068	16.1	13.6		
2008	2,169	2.8	2.6	14.8	2,169	16.8	14.8		
2007	2,084	4.2	3.0	15.5	2,084	16.6	15.5		
2006	2,040	3.8	2.3	14.2	2,040	17.1	14.2		
2005	2,035	4.2	2.8	14.3	2,035	17.9	14.3		
2004	1,979	4.1	2.7	15.5	1,979	17.4	15.5		
2003	2,444	4.4	2.0	13.9	2,444	17.2	13.9		
2002	2,038	4.3	2.7	15.1	2,038	17.0	15.1		
Total All Age Groups									
2011	11,589	5.2	2.3	10.7	6,179	15.9	12.9		
2010	13,052	5.2	2.4	10.4	6,921	15.6	12.2		
2009	13,120	4.8	2.2	11.3	7,051	16.1	13.2		
2008	13,539	5.3	2.2	11.5	7,009	16.3	13.3		
2007	12,992	5.5	2.3	11.5	6,706	16.1	13.5		
2006	12,865	5.6	2.1	11.2	6,697	15.8	12.9		
2005	13,039	5.6	2.4	10.8	6,669	17.1	12.9		
2004	13,079	4.3	2.6	9.9	6,755	16.4	13.7		
2003	16,308	5.4	2.3	11.3	8,504	17.1	13.1		
2002	12,851	5.2	2.6	11.6	6,575	15.6	13.1		

Growth Indicators by Age (3)											
Age and Year	*	Height and Weight (4,5)									
		:	Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
	N	lumber	%	%	%	Number	% Overweight	% Obese			



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 4 / 30 / 12

35

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)									
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Aner Low Hb		
		Number	%				Number	%	
6 - 11 Months					18 - 23 Months				
	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	435 472 702 680 677 673 672 629 722 610	12.2 15.0 13.7 10.9 13.0 9.5 12.8 17.3 15.0		18 - 23 Months	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	1,187 1,329 1,396 1,440 1,256 1,265 1,176 1,166 1,280 897	5.7 7.2 7.2 8.1 7.2 7.0 6.8 6.9 10.2 10.4	
12 - 17 Months	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	1,277 1,533 1,380 1,541 1,318 1,234 1,257 1,275 1,417 1,002	9.8 10.0 11.7 8.0 9.3 9.2 10.7 13.0 10.4 14.2		24 - 35 Months	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	2,277 2,532 2,627 2,517 2,377 2,336 2,147 2,273 2,582 1,628	5.4 6.8 6.6 5.8 6.1 6.6 5.8 7.6 10.0	



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 4 / 30 / 12

36

### Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)								
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anen Low Hb	nia /Hct (4)
		Number	%				Number	%
36 - 59 Months	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	4,012 4,494 4,454 4,477 4,190 3,934 3,824 3,710 4,310 3,185	2.5 4.5 3.8 3.3 4.4 4.0 4.5 5.1 6.6 11.4		Total All Age Groups	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	9,188 10,360 10,559 10,655 9,818 9,442 9,076 9,053 10,311 7,322	5.1 6.7 6.6 5.7 6.4 6.1 6.6 7.9 9.0 12.3
All Other/Unknown	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	0 0 0 0 0 0 0	* * * * * * * * * *					



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.