

**Table 4B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Vermont**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
ADDISON	796	96.2	0.6	0.1	0.0	0.9	0.0	2.1
BENNINGTON	783	92.7	2.6	1.3	2.0	0.6	0.0	0.8
CALEDONIA	904	98.3	0.4	0.0	0.1	0.3	0.0	0.8
CHITTENDEN	2,420	86.1	9.0	0.1	0.1	2.6	0.0	2.1
ESSEX	180	97.2	0.0	0.0	0.6	1.1	0.0	1.1
FRANKLIN	1,316	96.4	0.8	0.1	0.2	0.5	0.0	2.1
GRAND ISLE	136	94.9	0.7	0.0	0.0	0.7	0.0	3.7
LAMOILLE	655	98.6	0.6	0.0	0.2	0.3	0.0	0.3
ORANGE	627	97.0	0.8	0.3	0.2	0.5	0.0	1.3
ORLEANS	958	97.1	0.3	0.4	0.5	0.2	0.0	1.5
RUTLAND	1,426	93.2	0.7	0.2	0.2	0.5	0.0	5.2
WASHINGTON	1,174	96.2	3.0	0.0	0.0	0.7	0.0	0.2
WINDHAM	1,011	96.0	1.0	0.5	0.3	0.3	0.0	1.9
WINDSOR	1,071	93.7	1.1	0.7	0.9	0.8	0.0	2.6
Unknown Counties	45	*	*	*	*	*	*	*
<b>Vermont</b>	<b>13,502</b>	<b>94.0</b>	<b>2.5</b>	<b>0.3</b>	<b>0.3</b>	<b>0.9</b>	<b>0.0</b>	<b>2.0</b>
<b>Nation (Prior Year)</b>	<b>8,164,612</b>	<b>31.7</b>	<b>18.8</b>	<b>41.0</b>	<b>1.0</b>	<b>2.6</b>	<b>2.1</b>	<b>2.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Vermont**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
ADDISON	796	28.0	17.2	54.8
BENNINGTON	783	20.8	22.5	56.7
CALEDONIA	904	23.5	21.1	55.4
CHITTENDEN	2,420	27.9	21.3	50.8
ESSEX	180	27.2	24.4	48.3
FRANKLIN	1,316	25.8	20.6	53.6
GRAND ISLE	136	19.9	25.7	54.4
LAMOILLE	655	24.6	22.4	53.0
ORANGE	627	27.3	19.3	53.4
ORLEANS	958	23.8	19.3	56.9
RUTLAND	1,426	26.4	20.2	53.4
WASHINGTON	1,174	30.7	19.1	50.2
WINDHAM	1,011	26.6	21.2	52.2
WINDSOR	1,071	27.7	18.6	53.7
Unknown Counties	45	*	*	*
<b>Vermont</b>	<b>13,502</b>	<b>26.4</b>	<b>20.5</b>	<b>53.2</b>
<b>Nation (Prior Year)</b>	<b>8,164,612</b>	<b>35.8</b>	<b>23.0</b>	<b>41.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Vermont**

**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
ADDISON	122	5.7 (2)	13.9 (8)	772	4.9 (11)	3.6 (9)	13.6 (13)	417	16.1 (6)	13.7 (9)	619	4.2 (1)
BENNINGTON	57	* *	* *	764	3.8 (4)	2.6 (4)	13.5 (12)	436	15.4 (4)	13.1 (7)	655	8.7 (13)
CALEDONIA	123	9.8 (8)	16.3 (9)	874	5.4 (12)	2.9 (5)	10.3 (1)	491	15.5 (5)	11.8 (2)	707	10.3 (14)
CHITTENDEN	365	6.8 (3)	11.5 (7)	2,337	5.6 (13)	3.3 (8)	14.0 (14)	1,209	17.2 (11)	13.8 (10)	1,899	6.3 (7)
ESSEX	31	* *	* *	177	2.8 (2)	4.0 (11)	10.7 (5)	87	* *	* *	137	5.8 (4)
FRANKLIN	192	9.4 (7)	6.3 (1)	1,265	4.3 (8)	3.6 (9)	11.9 (8)	678	17.1 (10)	13.9 (11)	1,056	4.8 (2)
GRAND ISLE	17	* *	* *	130	2.3 (1)	5.4 (14)	13.1 (11)	75	* *	* *	114	6.1 (5)
LAMOILLE	86	* *	* *	639	3.3 (3)	4.4 (12)	10.5 (3)	342	15.2 (3)	12.3 (3)	464	5.0 (3)
ORANGE	82	* *	* *	609	4.4 (9)	2.5 (3)	11.7 (6)	321	16.5 (8)	12.5 (4)	481	6.9 (10)
ORLEANS	138	8.0 (5)	10.9 (6)	937	5.8 (14)	4.4 (12)	10.4 (2)	542	13.7 (2)	10.5 (1)	756	6.5 (8)
RUTLAND	216	5.6 (1)	8.3 (2)	1,364	4.0 (6)	3.2 (6)	12.0 (9)	740	16.8 (9)	15.0 (12)	1,109	6.2 (6)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Vermont**

**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
WASHINGTON	200	8.5 (6)	9.5 (3)	1,155	3.8 (4)	3.2 (6)	10.6 (4)	584	13.4 (1)	12.7 (5)	899	6.8 (9)
WINDHAM	145	10.3 (9)	10.3 (5)	983	4.6 (10)	2.3 (2)	11.7 (6)	531	17.9 (12)	13.2 (8)	801	7.0 (11)
WINDSOR	170	7.1 (4)	10.0 (4)	1,056	4.1 (7)	2.2 (1)	12.4 (10)	574	16.4 (7)	12.9 (6)	825	7.5 (12)
Unknown Counties	4	* *	* *	45	* *	* *	* *	24	* *	* *	37	* *
<b>Vermont</b>	<b>1,948</b>	<b>8.0</b>	<b>10.3</b>	<b>13,107</b>	<b>4.6</b>	<b>3.2</b>	<b>12.1</b>	<b>7,051</b>	<b>16.1</b>	<b>13.2</b>	<b>10,559</b>	<b>6.6</b>
<b>Nation (Prior Year)</b>	<b>1,909,620</b>	<b>9.0</b>	<b>6.4</b>	<b>7,107,000</b>	<b>6.0</b>	<b>4.5</b>	<b>14.1</b>	<b>2,943,996</b>	<b>16.5</b>	<b>14.8</b>	<b>4,916,523</b>	<b>14.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2009 Pediatric Nutrition Surveillance (1)  
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
ADDISON	123	82.1 (1)	99	* *	67	* *	0	* *	0	* *	0	* *
BENNINGTON	54	* *	84	* *	100	14.0 (1)	0	* *	0	* *	0	* *
CALEDONIA	118	78.8 (3)	77	* *	92	* *	0	* *	0	* *	0	* *
CHITTENDEN	363	79.6 (2)	333	33.0 (1)	288	13.2 (2)	0	* *	0	* *	0	* *
ESSEX	30	* *	15	* *	19	* *	0	* *	0	* *	0	* *
FRANKLIN	187	59.4 (9)	137	24.8 (5)	149	8.1 (6)	0	* *	0	* *	0	* *
GRAND ISLE	17	* *	12	* *	16	* *	0	* *	0	* *	0	* *
LAMOILLE	87	* *	72	* *	74	* *	0	* *	0	* *	0	* *
ORANGE	81	* *	75	* *	83	* *	0	* *	0	* *	0	* *
ORLEANS	134	66.4 (7)	83	* *	97	* *	0	* *	0	* *	0	* *
RUTLAND	211	66.4 (7)	164	21.3 (6)	144	11.1 (5)	0	* *	0	* *	0	* *
WASHINGTON	196	76.5 (4)	127	29.9 (2)	110	11.8 (4)	0	* *	0	* *	0	* *
WINDHAM	141	74.5 (5)	112	27.7 (3)	123	7.3 (7)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2009 Pediatric Nutrition Surveillance (1)  
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)  
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)
WINDSOR	172	73.3 (6)	101	26.7 (4)	118	12.7 (3)	0	* *	0	* *
Unknown Counties	4	* *	4	* *	6	* *	0	* *	0	* *
<b>Vermont</b>	<b>1,918</b>	<b>73.4</b>	<b>1,495</b>	<b>30.2</b>	<b>1,486</b>	<b>13.1</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>
<b>Nation (Prior Year)</b>	<b>1,719,083</b>	<b>62.0</b>	<b>848,761</b>	<b>26.9</b>	<b>1,038,203</b>	<b>19.1</b>	<b>144,421</b>	<b>12.9</b>	<b>206,416</b>	<b>7.2</b>
									<b>744,697</b>	<b>74.8</b>
									<b>3,277,352</b>	<b>10.9</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Vermont**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
ADDISON	382	5.8 (3)	11.0 (8)	2,382	5.0 (13)	5.2 (15)	11.3 (6)	1,311	13.9 (2)	10.8 (2)	1,893	3.5 (1)
BENNINGTON	364	7.7 (7)	9.6 (4)	2,407	3.8 (4)	2.3 (2)	12.3 (11)	1,238	17.1 (9)	11.6 (5)	1,873	7.3 (9)
CALEDONIA	437	7.3 (5)	13.0 (12)	2,685	4.6 (9)	3.1 (7)	10.7 (2)	1,443	17.0 (8)	11.2 (4)	2,094	8.8 (14)
CHITTENDEN	1,302	8.4 (10)	10.4 (6)	6,936	6.4 (15)	3.3 (8)	13.8 (14)	3,473	17.2 (10)	13.7 (10)	5,456	6.7 (8)
ESSEX	87	* *	* *	513	3.1 (1)	3.9 (12)	10.1 (1)	268	17.2 (10)	12.3 (6)	401	7.5 (13)
FRANKLIN	680	10.0 (12)	8.5 (1)	4,031	4.9 (10)	3.6 (10)	13.1 (13)	2,147	16.6 (6)	15.0 (13)	3,270	4.8 (3)
GRAND ISLE	73	* *	* *	443	3.2 (2)	4.3 (14)	11.1 (5)	237	17.3 (12)	14.8 (12)	360	5.0 (4)
LAMOILLE	331	5.7 (2)	11.5 (10)	1,946	3.2 (2)	3.6 (10)	11.5 (8)	1,003	17.9 (14)	13.6 (9)	1,427	6.5 (7)
ORANGE	327	8.9 (11)	10.1 (5)	1,878	4.9 (10)	2.7 (4)	11.4 (7)	968	16.6 (6)	13.0 (7)	1,413	7.3 (9)
ORLEANS	431	6.3 (4)	9.5 (3)	2,833	5.9 (14)	4.0 (13)	10.9 (3)	1,591	13.2 (1)	10.7 (1)	2,289	6.4 (6)
RUTLAND	711	7.7 (7)	9.4 (2)	4,031	4.9 (10)	2.7 (4)	14.9 (15)	2,230	15.9 (4)	17.9 (14)	3,322	4.2 (2)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2007 - 2009 Pediatric Nutrition Surveillance** (1)  
**Vermont**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WASHINGTON	646	8.2 (9)	11.6 (11)	3,401	4.4 (6)	3.4 (9)	12.1 (10)	1,666	14.2 (3)	14.6 (11)	2,491	7.3 (9)
WINDHAM	536	7.5 (6)	10.6 (7)	2,855	4.4 (6)	2.7 (4)	11.6 (9)	1,463	16.3 (5)	13.1 (8)	2,247	5.9 (5)
WINDSOR	551	5.4 (1)	11.3 (9)	3,167	4.5 (8)	2.3 (2)	11.0 (4)	1,670	17.4 (13)	10.8 (2)	2,412	7.3 (9)
Unknown Counties	11	* *	* *	106	3.8 (4)	0.9 (1)	12.3 (11)	58	* *	* *	84	* *
<b>Vermont</b>	<b>6,869</b>	<b>7.6</b>	<b>10.5</b>	<b>39,614</b>	<b>4.9</b>	<b>3.3</b>	<b>12.3</b>	<b>20,766</b>	<b>16.2</b>	<b>13.3</b>	<b>31,032</b>	<b>6.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance (1)**  
**Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
ADDISON	497	75.3 (2)	441	32.0 (3)	372	9.4 (8)	0	* *	0	* *	0	* *
BENNINGTON	495	62.8 (10)	503	18.7 (12)	468	10.9 (3)	0	* *	0	* *	0	* *
CALEDONIA	573	71.7 (3)	505	32.1 (2)	490	20.8 (1)	0	* *	0	* *	0	* *
CHITTENDEN	1,637	71.2 (5)	1,474	29.9 (5)	1,268	10.6 (4)	0	* *	0	* *	0	* *
ESSEX	116	59.5 (12)	93	* *	89	* *	0	* *	0	* *	0	* *
FRANKLIN	860	56.9 (13)	798	22.3 (10)	730	9.3 (9)	0	* *	0	* *	0	* *
GRAND ISLE	98	* *	92	* *	81	* *	0	* *	0	* *	0	* *
LAMOILLE	434	77.2 (1)	378	34.9 (1)	341	13.2 (2)	0	* *	0	* *	0	* *
ORANGE	430	69.1 (7)	390	31.8 (4)	329	10.0 (7)	0	* *	0	* *	0	* *
ORLEANS	572	65.7 (9)	508	26.4 (6)	488	8.8 (10)	0	* *	0	* *	0	* *
RUTLAND	939	61.7 (11)	780	20.9 (11)	707	8.6 (11)	0	* *	0	* *	0	* *
WASHINGTON	817	68.1 (8)	656	25.6 (7)	564	10.1 (6)	0	* *	0	* *	0	* *
WINDHAM	712	69.9 (6)	596	24.8 (9)	524	7.1 (12)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2007 - 2009 Pediatric Nutrition Surveillance (1)**  
**Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)
WINDSOR	720	71.5 (4)	591	25.4 (8)	551	10.3 (5)	0	* *	0	* *
Unknown Counties	29	* *	23	* *	19	* *	0	* *	0	* *
<b>Vermont</b>	<b>8,929</b>	<b>67.8</b>	<b>7,828</b>	<b>26.7</b>	<b>7,021</b>	<b>10.7</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

