

Table 3F
2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Racial and Ethnic Distribution by Local Agency

Comparison of Racial and Ethnic Distribution ⁽²⁾								
Local Agency	Number Included in Analysis	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
Barre	337	95.0	1.2	0.0	0.0	1.2	0.3	2.4
Bennington	247	84.6	0.4	0.0	0.4	0.8	0.4	13.4
Brattleb.	210	83.8	1.9	0.5	0.0	1.0	0.0	12.9
Burlington	614	84.0	5.7	1.0	0.0	2.1	0.2	7.0
Middlebury	199	94.0	0.0	1.5	0.0	0.5	0.5	3.5
Morrisv.	224	94.6	1.3	0.0	0.0	0.4	0.0	3.6
Newport	260	90.4	0.4	0.8	0.8	0.0	2.7	5.0
Rutland	390	92.8	0.0	1.3	0.3	0.3	0.8	4.6
Springfld	211	92.4	0.5	0.9	1.4	1.4	0.9	2.4
St.Albans	364	87.1	0.8	0.5	0.0	0.0	6.3	5.2
St.Johnsb.	224	87.5	0.4	0.4	0.0	0.4	0.0	11.2
WRJ	256	92.6	1.2	0.4	0.0	0.4	1.6	3.9
Unknown Local Agencies	12	*	*	*	*	*	*	*
Vermont	3,548	89.4	1.6	0.6	0.2	0.8	1.2	6.1
Nation (Prior Year)	1,307,887	42.0	24.2	28.1	1.0	3.1	1.1	0.5

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 4F
2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Age Distribution by Local Agency

Comparison of Age Distribution ⁽²⁾								
Local Agency	Number Included in Analysis	< 15 Years %	15 - 17 Years %	18 - 19 Years %	20 - 29 Years %	30 - 39 Years %	>= 40 Years %	Unknown %
Barre	337	0.0	3.0	8.6	64.1	23.4	0.9	0.0
Bennington	247	0.8	2.4	10.9	68.8	16.2	0.8	0.0
Brattleb.	210	0.0	2.4	11.9	57.6	26.7	1.0	0.5
Burlington	614	0.0	2.4	10.3	61.6	23.9	1.8	0.0
Middlebury	199	0.0	3.0	9.0	62.8	20.1	3.5	1.5
Morrisv.	224	0.0	1.8	9.8	56.7	29.0	2.7	0.0
Newport	260	0.0	7.3	15.8	61.2	13.8	1.2	0.8
Rutland	390	0.0	4.4	12.1	62.1	19.7	1.5	0.3
Springfld	211	0.0	2.4	15.2	60.2	21.3	0.9	0.0
St.Albans	364	0.0	4.9	12.1	64.3	18.1	0.5	0.0
St.Johnsb.	224	0.0	3.6	9.4	67.0	18.3	1.8	0.0
WRJ	256	0.0	2.3	9.8	66.4	20.3	0.8	0.4
Unknown Local Agencies	12	*	*	*	*	*	*	*
Vermont	3,548	0.1	3.4	11.1	62.7	21.1	1.4	0.2
Nation (Prior Year)	1,307,887	0.3	6.3	12.6	59.7	19.4	1.4	0.3

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 5F
2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Maternal Health Indicators by Local Agency

Comparison of Maternal Health Indicators ^(2, 3)														
Local Agency	Prepregnancy BMI (4)			Weight Gain (5)			Anemia (Low Hb/Hct) (6)				Gestational Diabetes During Pregnancy		Hypertension During Pregnancy	
	Under- weight		Over- weight	< Ideal		> Ideal	3rd Trimester		Postpartum					
	Number	%	%	Number	%	%	Number	%	Number	%	Number	%	Number	%
	(Rank)	(Rank)		(Rank)	(Rank)		(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	
Barre	328	4.0 (6)	51.5 (4)	299	19.1 (6)	44.1 (1)	43	* *	233	22.7 (6)	0	* *	0	* *
Bennington	232	5.6 (11)	53.0 (8)	209	18.7 (5)	52.6 (10)	30	* *	134	26.9 (10)	0	* *	0	* *
Brattleb.	198	5.6 (11)	49.0 (2)	172	8.1 (1)	59.3 (12)	36	* *	145	17.2 (1)	0	* *	0	* *
Burlington	594	4.5 (8)	47.5 (1)	529	21.6 (9)	44.6 (2)	82	* *	333	28.8 (12)	0	* *	0	* *
Middlebury	192	4.2 (7)	56.8 (11)	172	22.1 (10)	47.1 (5)	23	* *	128	25.0 (8)	0	* *	0	* *
Morrisv.	221	2.7 (2)	49.8 (3)	208	19.2 (7)	46.6 (3)	16	* *	136	18.4 (3)	0	* *	0	* *
Newport	255	4.7 (9)	52.9 (7)	232	20.7 (8)	48.7 (6)	18	* *	149	28.2 (11)	0	* *	0	* *
Rutland	374	5.3 (10)	52.7 (6)	333	23.4 (12)	52.3 (9)	53	* *	280	18.2 (2)	0	* *	0	* *
Springfld	203	3.0 (3)	54.7 (9)	184	17.9 (3)	50.5 (8)	37	* *	125	26.4 (9)	0	* *	0	* *
St.Albans	356	3.9 (5)	51.7 (5)	318	22.3 (11)	46.9 (4)	37	* *	203	21.7 (5)	0	* *	0	* *
St.Johnsb.	215	3.3 (4)	58.6 (12)	198	14.1 (2)	53.0 (11)	38	* *	118	24.6 (7)	0	* *	0	* *
WRJ	243	2.5 (1)	55.6 (10)	211	18.5 (4)	49.8 (7)	35	* *	144	18.8 (4)	0	* *	0	* *
Unknown Local Agencies	11	* *	* *	8	* *	* *	2	* *	9	* *	0	* *	0	* *
Vermont	3,422	4.2	52.1	3,073	19.5	48.8	450	22.0	2,137	23.2	0	*	0	*
Nation (Prior Year)	1,224,766	4.7	52.1	963,624	21.4	48.2	188,530	33.8	416,710	29.6	346,704	4.4	395,960	5.2

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
(4) Based on 2009 IOM report, "Weight Gain During Pregnancy": underweight (BMI <18.5), normal weight (BMI 18.5 to 24.9), overweight (BMI 25.0 to 29.9), obese (BMI >30.0).
(5) Based on 2009 IOM report, "Weight Gain During Pregnancy": underweight during pregnancy (ideal weight gain = 28 to 40 pounds), normal weight prepregnancy (ideal weight gain = 25 to 35 pounds), overweight prepregnancy (ideal weight gain = 15 to 25 pounds), obese prepregnancy (ideal weight gain = 11 to 20 pounds).
(6) Based on 1990 MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States"; adjusted for altitude and smoking.
* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 6F
2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Maternal Behavioral Indicators by Local Agency

Comparison of Maternal Behavioral Indicators ^(2, 3)										
Local Agency	Medical Care				WIC Enrollment		Multivitamin Consumption			
	1st Trimester		No Care		1st Trimester		Prepregnancy ⁽⁴⁾		During Pregnancy ⁽⁵⁾	
	Number	% (Rank)	% (Rank)	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	318	76.4 (9)	0.3 (5)		315	20.6 (12)	0	* *	0	* *
Bennington	222	77.0 (7)	0.9 (10)		233	30.0 (9)	0	* *	0	* *
Brattleb.	186	73.1 (11)	0.5 (8)		194	27.8 (11)	0	* *	0	* *
Burlington	560	78.9 (6)	0.0 (1)		577	30.8 (8)	0	* *	0	* *
Middlebury	178	82.0 (4)	0.0 (1)		190	36.8 (4)	0	* *	0	* *
Morrisv.	215	69.3 (12)	1.4 (12)		201	34.8 (6)	0	* *	0	* *
Newport	238	87.0 (1)	0.0 (1)		250	55.2 (1)	0	* *	0	* *
Rutland	355	76.9 (8)	0.3 (5)		364	39.6 (2)	0	* *	0	* *
Springfld	189	75.1 (10)	1.1 (11)		204	32.8 (7)	0	* *	0	* *
St.Albans	326	81.0 (5)	0.6 (9)		345	38.0 (3)	0	* *	0	* *
St.Johnsb.	204	86.8 (2)	0.0 (1)		209	36.8 (4)	0	* *	0	* *
WRJ	234	83.8 (3)	0.4 (7)		232	29.7 (10)	0	* *	0	* *
Unknown Local Agencies	10	* *	* *		11	* *	0	* *	0	* *
Vermont	3,235	79.0	0.4		3,325	34.1	0	*	0	*
Nation (Prior Year)	580,485	80.1	3.1		1,187,387	31.7	266,567	19.3	269,548	80.6

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Women who reported taking a multivitamin four times a week or more in the month before pregnancy; proxy for folic acid consumption.

(5) Pregnant women who reported taking a multivitamin in the past month; proxy for prenatal iron consumption.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 7F
2009 Pregnancy Nutrition Surveillance (1)
Vermont
Comparison of Smoking Indicators by Local Agency

Comparison of Smoking Indicators (2, 3)										
Local Agency	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)		Smoking in Household			
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	332	43.4 (4)	310	31.6 (9)	109	27.5 (2)	0	* *	0	* *
Bennington	242	47.5 (10)	218	30.7 (8)	77	* *	0	* *	0	* *
Brattleb.	201	45.8 (9)	179	26.8 (4)	70	* *	0	* *	0	* *
Burlington	602	41.9 (3)	539	28.2 (6)	182	26.4 (3)	0	* *	0	* *
Middlebury	194	32.5 (1)	174	17.2 (1)	48	* *	0	* *	0	* *
Morrisv.	223	36.8 (2)	211	25.6 (2)	65	* *	0	* *	0	* *
Newport	255	45.5 (8)	238	30.3 (7)	100	18.0 (5)	0	* *	0	* *
Rutland	379	49.1 (11)	344	33.7 (11)	159	29.6 (1)	0	* *	0	* *
Springfld	204	49.5 (12)	194	33.0 (10)	82	* *	0	* *	0	* *
St.Albans	359	44.3 (7)	327	34.3 (12)	118	18.6 (4)	0	* *	0	* *
St.Johnsb.	218	44.0 (6)	207	27.1 (5)	77	* *	0	* *	0	* *
WRJ	251	43.4 (4)	229	25.8 (3)	85	* *	0	* *	0	* *
Unknown Local Agencies	11	* *	10	* *	4	* *	0	* *	0	* *
Vermont	3,471	43.8	3,180	29.3	1,176	28.6	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Among women who smoked 3 months prior to pregnancy.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 7F
2009 Pregnancy Nutrition Surveillance (1)
Vermont
Comparison of Smoking Indicators by Local Agency

Comparison of Smoking Indicators (2, 3)										
Local Agency	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)	Smoking in Household				
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy			Prenatal		Postpartum		
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Nation (Prior Year)	999,199	23.1	856,953	14.2	146,933	35.5	655,095	18.9	578,852	19.9

- (1) Reporting period is January 1 through December 31.
- (2) Excludes records with unknown data or errors.
- (3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
- (4) Among women who smoked 3 months prior to pregnancy.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8F
2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Infant Health Indicators by Local Agency

Comparison of Infant Health Indicators ^(2, 3)										
Local Agency	Birthweight				Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)		High (5)							
	Number	% (Rank)	%	(Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	319	6.3 (4)	10.3 (7)		303	7.9 (2)	279	2.5 (4)	289	80.3 (5)
Bennington	230	8.3 (8)	10.0 (6)		222	11.3 (9)	197	3.0 (6)	210	76.2 (8)
Brattleb.	192	7.3 (6)	9.9 (5)		182	9.3 (7)	165	2.4 (2)	176	78.4 (6)
Burlington	568	7.9 (7)	12.5 (9)		542	11.4 (10)	480	4.0 (11)	516	77.9 (7)
Middlebury	178	6.2 (3)	14.0 (12)		174	8.6 (4)	158	3.2 (8)	171	84.8 (3)
Morrisv.	214	5.1 (2)	8.9 (3)		192	7.3 (1)	178	1.7 (1)	205	87.3 (1)
Newport	240	9.2 (10)	10.4 (8)		235	11.9 (12)	207	2.4 (2)	232	73.7 (10)
Rutland	359	5.0 (1)	8.9 (3)		342	8.2 (3)	314	2.5 (4)	342	71.1 (11)
Springfld	198	7.1 (5)	8.1 (2)		197	9.1 (6)	178	3.4 (10)	187	86.1 (2)
St.Albans	336	9.2 (10)	7.7 (1)		322	10.6 (8)	288	4.9 (12)	312	67.0 (12)
St.Johnsb.	206	8.3 (8)	12.6 (10)		197	8.6 (4)	180	3.3 (9)	202	76.2 (8)
WRJ	239	9.2 (10)	13.0 (11)		220	11.4 (10)	195	3.1 (7)	221	82.8 (4)
Unknown Local Agencies	10	*	*	*	10	*	*	6	*	*

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
(4) <2500 g.
(5) >4000 g.
(6) <37 weeks gestation.
(7) 37 or more weeks gestation and <2500 g.
* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8F
2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Infant Health Indicators by Local Agency

Comparison of Infant Health Indicators ^(2, 3)									
Local Agency	Birthweight			Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)		High (5)						
	Number	% (Rank)	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Vermont	3,289	7.5	10.6	3,138	9.9	2,825	3.2	3,071	77.7
Nation (Prior Year)	1,085,134	8.2	6.6	1,025,278	11.5	890,981	3.6	952,980	65.4

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
(4) <2500 g.
(5) >4000 g.
(6) <37 weeks gestation.
(7) 37 or more weeks gestation and <2500 g.
* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 3F
2007 - 2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Racial and Ethnic Distribution by Local Agency
Combined 3 Years

Comparison of Racial and Ethnic Distribution ⁽²⁾								
Local Agency	Number Included in Analysis	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
Barre	1,018	94.6	1.3	0.5	0.0	0.6	0.1	2.9
Bennington	738	87.9	0.7	0.3	0.8	1.5	0.4	8.4
Brattleb.	651	82.3	1.7	0.3	0.0	0.6	0.5	14.6
Burlington	1,911	83.3	6.6	0.6	0.1	2.1	0.2	7.1
Middlebury	590	92.7	0.5	2.0	0.2	1.2	0.2	3.2
Morrisv.	689	96.1	0.4	0.1	0.0	0.6	0.0	2.8
Newport	731	88.8	0.3	0.8	0.5	0.5	1.9	7.1
Rutland	1,201	88.5	0.3	1.5	0.1	0.7	1.4	7.4
Springfld	656	94.2	0.8	0.6	0.9	0.9	0.8	1.8
St.Albans	1,113	89.0	0.3	0.5	0.1	0.3	3.2	6.6
St.Johnsb.	696	89.9	0.4	0.1	0.0	0.9	0.3	8.3
WRJ	767	90.0	0.7	1.3	0.0	0.4	2.2	5.5
Unknown Local Agencies	31	*	*	*	*	*	*	*
Vermont	10,792	89.1	1.7	0.7	0.2	1.0	0.9	6.4

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 4F
2007 - 2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Age Distribution by Local Agency
Combined 3 Years

Comparison of Age Distribution ⁽²⁾								
Local Agency	Number Included in Analysis	< 15 Years %	15 - 17 Years %	18 - 19 Years %	20 - 29 Years %	30 - 39 Years %	>= 40 Years %	Unknown %
Barre	1,018	0.1	3.6	9.8	65.1	20.1	1.2	0.0
Bennington	738	0.4	5.0	12.7	66.7	14.6	0.5	0.0
Brattleb.	651	0.0	3.5	12.6	58.2	23.3	2.2	0.2
Burlington	1,911	0.1	3.5	11.4	62.8	20.4	1.8	0.1
Middlebury	590	0.0	3.9	10.5	59.7	22.2	2.7	1.0
Morrisv.	689	0.0	2.3	11.0	61.1	23.9	1.6	0.0
Newport	731	0.1	5.2	14.8	62.2	15.9	1.4	0.4
Rutland	1,201	0.2	3.9	12.7	61.9	20.3	1.0	0.1
Springfld	656	0.0	4.0	14.3	61.4	19.1	1.2	0.0
St.Albans	1,113	0.1	5.3	12.1	63.0	18.5	0.9	0.1
St.Johnsb.	696	0.0	3.4	11.2	68.1	15.9	1.1	0.1
WRJ	767	0.1	3.4	14.1	61.4	19.0	1.6	0.4
Unknown Local Agencies	31	*	*	*	*	*	*	*
Vermont	10,792	0.1	3.9	12.1	62.8	19.5	1.4	0.2

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 5F
2007 - 2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Maternal Health Indicators by Local Agency
Combined 3 Years

Comparison of Maternal Health Indicators ^(2, 3)																
Local Agency	Prepregnancy BMI (4)			Weight Gain (5)			Anemia (Low Hb/Hct) (6)				Gestational Diabetes During Pregnancy		Hypertension During Pregnancy			
	Under- weight		Over- weight	< Ideal		> Ideal	3rd Trimester		Postpartum							
	Number	%	%	Number	%	%	Number	%	Number	%	Number	%	Number	%		
	(Rank)	(Rank)		(Rank)	(Rank)		(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)			
Barre	857	4.6 (8)	52.7 (7)	763	17.7 (6)	48.0 (4)	160	21.3 (4)	709	22.4 (9)	0	*	*	0	*	*
Bennington	623	5.3 (10)	54.3 (9)	563	14.7 (3)	57.9 (12)	109	21.1 (3)	487	27.1 (11)	0	*	*	0	*	*
Brattleb.	526	5.3 (10)	48.3 (1)	460	12.0 (1)	55.4 (11)	99	* *	440	15.9 (1)	0	*	*	0	*	*
Burlington	1,634	5.2 (9)	49.0 (2)	1,444	21.0 (11)	46.1 (2)	228	34.6 (6)	1,008	28.5 (12)	0	*	*	0	*	*
Middlebury	504	3.8 (3)	55.0 (11)	445	20.9 (10)	45.8 (1)	65	* *	405	18.3 (3)	0	*	*	0	*	*
Morrisv.	591	3.6 (2)	50.1 (3)	546	17.2 (5)	48.0 (4)	71	* *	431	17.4 (2)	0	*	*	0	*	*
Newport	660	5.5 (12)	53.0 (8)	583	19.9 (8)	47.9 (3)	70	* *	430	24.7 (10)	0	*	*	0	*	*
Rutland	1,017	4.2 (5)	52.1 (5)	893	21.5 (12)	49.4 (6)	159	25.2 (5)	853	21.0 (5)	0	*	*	0	*	*
Springfld	545	4.0 (4)	51.9 (4)	472	14.4 (2)	54.7 (9)	99	* *	399	21.1 (6)	0	*	*	0	*	*
St.Albans	981	4.2 (5)	52.3 (6)	875	19.9 (8)	51.0 (8)	126	19.8 (2)	650	21.4 (7)	0	*	*	0	*	*
St.Johnsb.	590	3.2 (1)	59.0 (12)	522	15.1 (4)	55.2 (10)	107	16.8 (1)	408	21.6 (8)	0	*	*	0	*	*
WRJ	635	4.4 (7)	54.3 (9)	527	18.2 (7)	50.3 (7)	87	* *	402	19.7 (4)	0	*	*	0	*	*
Unknown Local Agencies	24	* *	* *	21	* *	* *	5	* *	16	* *	0	*	*	0	*	*
Vermont	9,187	4.5	52.2	8,114	18.4	50.1	1,385	22.9	6,638	22.2	0	*	*	0	*	*

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
(4) Based on 2009 IOM report, "Weight Gain During Pregnancy": underweight (BMI <18.5), normal weight (BMI 18.5 to 24.9), overweight (BMI 25.0 to 29.9), obese (BMI >30.0).
(5) Based on 2009 IOM report, "Weight Gain During Pregnancy": underweight during pregnancy (ideal weight gain = 28 to 40 pounds), normal weight prepregnancy (ideal weight gain = 25 to 35 pounds), overweight prepregnancy (ideal weight gain = 15 to 25 pounds), obese prepregnancy (ideal weight gain = 11 to 20 pounds).
(6) Based on 1990 MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States"; adjusted for altitude and smoking.
* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 6F
2007 - 2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Maternal Behavioral Indicators by Local Agency
Combined 3 Years

Comparison of Maternal Behavioral Indicators ^(2, 3)										
Local Agency	Medical Care				WIC Enrollment		Multivitamin Consumption			
	1st Trimester		No Care		1st Trimester		Pregnancy (4)		During Pregnancy (5)	
	Number	% (Rank)	%	(Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	929	77.7 (7)	0.4	(6)	944	27.6 (12)	0	* *	0	* *
Bennington	665	79.4 (6)	0.5	(8)	695	31.4 (9)	0	* *	0	* *
Brattleb.	584	76.4 (9)	0.3	(3)	609	31.2 (10)	0	* *	0	* *
Burlington	1,751	76.9 (8)	0.2	(2)	1,787	33.1 (6)	0	* *	0	* *
Middlebury	526	82.9 (2)	0.0	(1)	564	39.0 (4)	0	* *	0	* *
Morrisv.	650	75.4 (11)	0.6	(10)	637	38.3 (5)	0	* *	0	* *
Newport	660	83.9 (1)	0.5	(8)	703	52.5 (1)	0	* *	0	* *
Rutland	1,087	76.1 (10)	0.6	(10)	1,105	39.2 (3)	0	* *	0	* *
Springfld	595	74.6 (12)	0.8	(12)	613	31.6 (8)	0	* *	0	* *
St.Albans	1,009	82.5 (4)	0.3	(3)	1,045	43.2 (2)	0	* *	0	* *
St.Johnsb.	643	82.9 (2)	0.3	(3)	650	29.4 (11)	0	* *	0	* *
WRJ	678	79.5 (5)	0.4	(6)	704	32.7 (7)	0	* *	0	* *
Unknown Local Agencies	27	* *	* *		27	* *	0	* *	0	* *
Vermont	9,804	78.8	0.4		10,083	35.7	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Women who reported taking a multivitamin four times a week or more in the month before pregnancy; proxy for folic acid consumption.

(5) Pregnant women who reported taking a multivitamin in the past month; proxy for prenatal iron consumption.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 7F
2007 - 2009 Pregnancy Nutrition Surveillance (1)
Vermont
Comparison of Smoking Indicators by Local Agency
Combined 3 Years

Comparison of Smoking Indicators (2, 3)										
Local Agency	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)		Smoking in Household			
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	851	45.5 (5)	922	31.8 (8)	321	25.2 (7)	0	* *	0	* *
Bennington	616	48.4 (10)	642	32.6 (10)	229	23.6 (10)	0	* *	0	* *
Brattleb.	524	45.6 (6)	573	26.9 (3)	194	32.0 (2)	0	* *	0	* *
Burlington	1,613	43.8 (2)	1,677	26.8 (2)	566	28.8 (4)	0	* *	0	* *
Middlebury	504	37.9 (1)	522	24.1 (1)	157	27.4 (5)	0	* *	0	* *
Morrisv.	589	43.8 (2)	636	27.8 (5)	213	24.9 (8)	0	* *	0	* *
Newport	654	47.6 (9)	659	32.8 (12)	267	17.2 (12)	0	* *	0	* *
Rutland	1,012	49.7 (12)	1,042	32.6 (10)	413	23.7 (9)	0	* *	0	* *
Springfld	536	49.3 (11)	588	32.3 (9)	225	29.8 (3)	0	* *	0	* *
St.Albans	983	45.4 (4)	997	31.1 (7)	364	23.1 (11)	0	* *	0	* *
St.Johnsb.	552	46.9 (8)	604	30.8 (6)	210	26.7 (6)	0	* *	0	* *
WRJ	635	46.3 (7)	668	27.5 (4)	239	32.2 (1)	0	* *	0	* *
Unknown Local Agencies	23	* *	26	* *	7	* *	0	* *	0	* *
Vermont	9,092	45.8	9,556	29.7	3,405	26.0	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Among women who smoked 3 months prior to pregnancy.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8F
2007 - 2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Infant Health Indicators by Local Agency
Combined 3 Years

Comparison of Infant Health Indicators ^(2, 3)										
Local Agency	Birthweight				Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)		High (5)							
	Number	% (Rank)	%	(Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	942	6.7 (7)	10.4	(6)	896	7.7 (2)	827	3.4 (9)	884	75.7 (7)
Bennington	681	6.5 (4)	9.3	(4)	656	11.6 (12)	580	2.2 (1)	639	72.0 (10)
Brattleb.	600	5.8 (2)	10.2	(5)	574	11.0 (7)	510	2.7 (2)	560	78.8 (3)
Burlington	1,762	8.0 (10)	10.7	(7)	1,672	11.1 (8)	1,486	3.4 (9)	1,664	77.3 (5)
Middlebury	531	5.8 (2)	12.6	(12)	516	8.3 (4)	472	2.8 (5)	509	82.3 (2)
Morrisv.	651	4.9 (1)	10.8	(8)	608	6.6 (1)	568	3.0 (7)	626	84.5 (1)
Newport	666	9.0 (12)	8.7	(2)	651	11.4 (10)	577	4.0 (11)	642	72.7 (9)
Rutland	1,095	6.5 (4)	8.8	(3)	1,029	9.1 (6)	935	2.7 (2)	1,050	68.0 (11)
Springfld	611	6.5 (4)	11.0	(9)	585	11.1 (8)	519	2.7 (2)	579	77.5 (4)
St.Albans	1,031	8.8 (11)	8.6	(1)	978	11.5 (11)	866	3.3 (8)	971	64.2 (12)
St.Johnsb.	647	7.1 (8)	12.5	(11)	612	8.2 (3)	562	2.8 (5)	621	74.2 (8)
WRJ	691	7.7 (9)	11.6	(10)	652	9.0 (5)	593	4.4 (12)	650	76.6 (6)
Unknown Local Agencies	27	* * *	*	*	26	* *	21	* *	25	* *

- (1) Reporting period is January 1 through December 31.
- (2) Excludes records with unknown data or errors.
- (3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
- (4) <2500 g.
- (5) >4000 g.
- (6) <37 weeks gestation.
- (7) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8F
2007 - 2009 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Infant Health Indicators by Local Agency
Combined 3 Years

Comparison of Infant Health Indicators ^(2, 3)									
Local Agency	Birthweight			Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)	High (5)							
	Number	% (Rank)	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Vermont	9,935	7.2	10.3	9,455	9.9	8,516	3.2	9,420	74.7

- (1) Reporting period is January 1 through December 31.
- (2) Excludes records with unknown data or errors.
- (3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
- (4) <2500 g.
- (5) >4000 g.
- (6) <37 weeks gestation.
- (7) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.

