

Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
ADDISON	793	95.2	0.9	0.1	0.0	0.9	0.0	2.9
BENNINGTON	633	93.7	1.9	0.9	0.9	1.1	0.0	1.4
CALEDONIA	924	97.2	0.8	0.0	0.0	0.5	0.0	1.5
CHITTENDEN	2,399	84.0	9.6	0.1	0.2	3.1	0.0	2.9
ESSEX	191	97.4	0.5	0.0	0.5	1.0	0.0	0.5
FRANKLIN	1,331	96.1	0.8	0.0	0.2	0.3	0.0	2.6
GRAND ISLE	145	91.7	0.0	0.0	0.0	1.4	0.0	6.9
LAMOILLE	671	97.8	1.3	0.1	0.0	0.3	0.0	0.4
ORANGE	630	97.5	0.5	0.0	0.0	0.5	0.0	1.6
ORLEANS	934	97.2	0.3	0.3	0.3	0.4	0.0	1.4
RUTLAND	1,379	93.5	0.4	0.1	0.2	0.4	0.0	5.2
WASHINGTON	1,293	97.1	1.9	0.0	0.1	0.8	0.0	0.1
WINDHAM	1,062	97.5	1.0	0.4	0.0	0.3	0.0	0.8
WINDSOR	1,055	95.0	1.2	0.5	0.8	1.0	0.0	1.5
Unknown Counties	36	*	*	*	*	*	*	*
Vermont	13,476	93.9	2.5	0.2	0.2	1.0	0.0	2.1
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
ADDISON	793	25.3	22.4	52.2
BENNINGTON	633	15.5	18.3	66.2
CALEDONIA	924	23.6	19.7	56.7
CHITTENDEN	2,399	28.8	19.4	51.8
ESSEX	191	33.5	19.4	47.1
FRANKLIN	1,331	27.3	20.5	52.1
GRAND ISLE	145	27.6	25.5	46.9
LAMOILLE	671	27.0	20.6	52.5
ORANGE	630	27.1	20.2	52.7
ORLEANS	934	24.6	21.3	54.1
RUTLAND	1,379	26.5	22.0	51.4
WASHINGTON	1,293	31.2	20.6	48.2
WINDHAM	1,062	28.1	21.2	50.8
WINDSOR	1,055	25.7	21.8	52.5
Unknown Counties	36	*	*	*
Vermont	13,476	26.8	20.7	52.5
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
ADDISON	124	5.6 (4)	12.9 (10)	764	5.5 (11)	5.0 (12)	13.2 (13)	393	15.0 (5)	15.8 (12)	623	4.0 (1)
BENNINGTON	69	* *	* *	610	4.8 (7)	2.6 (2)	11.3 (7)	409	15.9 (7)	10.3 (5)	537	7.1 (8)
CALEDONIA	132	3.8 (2)	11.4 (8)	896	4.9 (8)	2.6 (2)	9.5 (4)	517	18.8 (12)	9.1 (3)	752	7.8 (13)
CHITTENDEN	422	10.2 (10)	10.0 (6)	2,303	5.6 (12)	3.3 (7)	13.6 (14)	1,209	13.7 (1)	13.7 (9)	1,843	6.6 (7)
ESSEX	40	* *	* *	184	6.0 (14)	6.5 (14)	11.4 (8)	89	* *	* *	142	9.2 (14)
FRANKLIN	240	6.7 (7)	6.3 (2)	1,303	5.7 (13)	4.0 (10)	11.4 (8)	694	17.6 (11)	14.3 (10)	1,023	6.2 (4)
GRAND ISLE	27	* *	* *	141	2.8 (1)	4.3 (11)	10.6 (6)	65	* *	* *	113	5.3 (2)
LAMOILLE	118	3.4 (1)	11.9 (9)	652	4.1 (3)	5.1 (13)	7.2 (1)	338	14.5 (4)	8.6 (1)	493	7.3 (9)
ORANGE	102	11.8 (11)	5.9 (1)	613	4.6 (6)	3.8 (8)	11.4 (8)	330	16.4 (8)	11.8 (6)	482	6.4 (5)
ORLEANS	156	7.1 (8)	8.3 (4)	902	4.9 (8)	3.1 (6)	9.0 (3)	500	14.4 (3)	8.6 (1)	726	7.3 (9)
RUTLAND	254	5.5 (3)	9.8 (5)	1,309	5.3 (10)	2.9 (5)	12.6 (12)	686	17.2 (10)	14.4 (11)	1,039	7.7 (12)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Vermont
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WASHINGTON	271	6.6 (6)	13.3 (11)	1,268	4.5 (5)	3.9 (9)	7.8 (2)	604	16.4 (8)	9.3 (4)	917	6.4 (5)
WINDHAM	197	6.1 (5)	7.6 (3)	1,035	3.9 (2)	1.9 (1)	10.3 (5)	541	14.2 (2)	13.3 (8)	809	5.8 (3)
WINDSOR	144	8.3 (9)	11.1 (7)	1,023	4.2 (4)	2.6 (2)	11.4 (8)	533	15.8 (6)	12.2 (7)	838	7.5 (11)
Unknown Counties	10	* *	* *	34	* *	* *	* *	13	* *	* *	23	* *
Vermont	2,306	7.2	9.9	13,037	4.9	3.4	11.1	6,921	15.6	12.2	10,360	6.7
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
ADDISON	117	79.5 (4)	103	38.8 (1)	101	10.9 (2)	0	* *	0	* *
BENNINGTON	68	* *	44	* *	55	* *	0	* *	0	* *
CALEDONIA	129	79.8 (2)	105	27.6 (3)	122	13.1 (1)	0	* *	0	* *
CHITTENDEN	426	82.2 (1)	339	34.5 (2)	298	9.1 (4)	0	* *	0	* *
ESSEX	39	* *	22	* *	24	* *	0	* *	0	* *
FRANKLIN	232	62.1 (11)	189	19.6 (9)	192	9.9 (3)	0	* *	0	* *
GRAND ISLE	29	* *	14	* *	25	* *	0	* *	0	* *
LAMOILLE	115	77.4 (6)	96	* *	84	* *	0	* *	0	* *
ORANGE	101	76.2 (7)	79	* *	73	* *	0	* *	0	* *
ORLEANS	151	73.5 (10)	125	24.8 (7)	141	5.7 (7)	0	* *	0	* *
RUTLAND	255	75.3 (8)	189	24.3 (8)	205	4.9 (8)	0	* *	0	* *
WASHINGTON	266	79.7 (3)	179	25.7 (5)	183	7.1 (5)	0	* *	0	* *
WINDHAM	193	74.1 (9)	118	27.1 (4)	145	4.1 (9)	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2010 Pediatric Nutrition Surveillance (1)
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)
WINDSOR	140	77.9 (5)	125	25.6 (6)	154	7.1 (5)	0	* *	0	* *
Unknown Counties	10	* *	7	* *	4	* *	0	* *	0	* *
Vermont	2,271	76.2	1,734	27.9	1,806	8.0	0	*	0	*
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3
									1,022,933	77.3
									4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Vermont
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
ADDISON	381	5.0 (1)	11.8 (9)	2,346	5.3 (13)	4.7 (14)	12.6 (12)	1,269	14.6 (3)	13.0 (9)	1,877	3.8 (1)
BENNINGTON	269	9.7 (12)	12.3 (11)	2,223	4.0 (4)	2.7 (4)	12.1 (9)	1,274	16.0 (8)	11.2 (3)	1,865	7.7 (12)
CALEDONIA	396	6.3 (4)	12.6 (12)	2,654	4.4 (8)	2.8 (5)	10.0 (2)	1,488	17.8 (14)	10.6 (2)	2,167	8.5 (14)
CHITTENDEN	1,243	9.1 (10)	10.8 (7)	7,012	6.0 (15)	3.3 (8)	13.9 (14)	3,587	15.8 (6)	13.9 (11)	5,626	6.5 (7)
ESSEX	100	10.0 (13)	9.0 (2)	531	3.8 (2)	5.6 (15)	10.5 (4)	266	13.5 (1)	11.3 (4)	417	8.2 (13)
FRANKLIN	674	8.5 (8)	7.1 (1)	3,970	5.0 (12)	3.7 (10)	12.4 (11)	2,125	16.8 (12)	14.7 (12)	3,212	5.0 (2)
GRAND ISLE	66	* *	* *	433	3.5 (1)	4.4 (12)	11.3 (7)	221	14.9 (4)	15.8 (13)	356	5.3 (3)
LAMOILLE	329	5.5 (2)	11.9 (10)	1,971	3.8 (2)	4.4 (12)	9.5 (1)	1,032	16.5 (9)	11.6 (5)	1,450	5.7 (4)
ORANGE	326	9.5 (11)	9.2 (5)	1,896	4.7 (10)	2.8 (5)	12.1 (9)	984	16.6 (10)	13.0 (9)	1,462	7.0 (10)
ORLEANS	438	6.8 (5)	9.1 (3)	2,799	5.8 (14)	3.8 (11)	10.0 (2)	1,568	13.9 (2)	10.1 (1)	2,256	6.5 (7)
RUTLAND	720	7.2 (6)	9.4 (6)	4,041	4.8 (11)	2.8 (5)	13.2 (13)	2,175	16.7 (11)	15.8 (13)	3,288	5.8 (5)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Vermont
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
WASHINGTON	692	8.5 (8)	12.7 (13)	3,565	4.4 (8)	3.4 (9)	10.6 (5)	1,739	15.1 (5)	12.3 (7)		2,685	6.6 (9)
WINDHAM	537	8.0 (7)	9.1 (3)	2,984	4.2 (5)	2.6 (3)	10.9 (6)	1,544	15.8 (6)	12.8 (8)		2,357	6.1 (6)
WINDSOR	513	6.2 (3)	11.1 (8)	3,129	4.3 (6)	2.3 (2)	11.6 (8)	1,655	17.0 (13)	11.7 (6)		2,469	7.3 (11)
Unknown Counties	17	* *	* *	115	4.3 (6)	0.9 (1)	13.9 (14)	54	* *	* *		87	* *
Vermont	6,701	7.8	10.4	39,669	4.8	3.3	11.9	20,981	16.0	12.9		31,574	6.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
ADDISON	499	75.2 (1)	454	31.7 (2)	400	8.3 (6)	0	* *	0	* *	0	* *
BENNINGTON	368	69.6 (8)	410	17.8 (13)	398	7.0 (9)	0	* *	0	* *	0	* *
CALEDONIA	557	74.5 (3)	501	29.3 (3)	489	14.1 (1)	0	* *	0	* *	0	* *
CHITTENDEN	1,647	73.2 (4)	1,468	29.0 (4)	1,279	9.7 (3)	0	* *	0	* *	0	* *
ESSEX	133	58.6 (12)	103	20.4 (11)	90	* *	0	* *	0	* *	0	* *
FRANKLIN	892	58.1 (13)	806	19.2 (12)	734	9.3 (4)	0	* *	0	* *	0	* *
GRAND ISLE	96	* *	88	* *	92	* *	0	* *	0	* *	0	* *
LAMOILLE	448	75.2 (1)	401	34.7 (1)	357	11.5 (2)	0	* *	0	* *	0	* *
ORANGE	448	72.8 (5)	399	27.8 (5)	345	8.7 (5)	0	* *	0	* *	0	* *
ORLEANS	573	65.6 (10)	528	23.7 (7)	499	6.2 (12)	0	* *	0	* *	0	* *
RUTLAND	945	65.5 (11)	829	21.5 (10)	778	6.6 (10)	0	* *	0	* *	0	* *
WASHINGTON	873	72.6 (6)	691	23.3 (9)	637	7.8 (7)	0	* *	0	* *	0	* *
WINDHAM	741	69.6 (8)	599	24.7 (6)	559	6.3 (11)	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)
WINDSOR	741	71.7 (7)	603	23.7 (7)	561	7.7 (8)	0	* *	0	* *
Unknown Counties	27	* *	24	* *	22	* *	0	* *	0	* *
Vermont	8,988	69.7	7,904	25.3	7,240	8.6	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

