

Table 4F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Barre	1,414	97.4	1.8	0.0	0.1	0.7	0.0	0.1
Bennington	633	93.7	1.9	0.9	0.9	1.1	0.0	1.4
Brattleb.	845	97.5	1.2	0.1	0.0	0.4	0.0	0.8
Burlington	2,399	84.0	9.6	0.1	0.2	3.1	0.0	2.9
Middlebury	787	95.4	0.8	0.1	0.0	0.9	0.0	2.8
Morrisv.	852	97.5	1.5	0.1	0.0	0.4	0.0	0.5
Newport	972	97.0	0.3	0.3	0.4	0.6	0.0	1.3
Rutland	1,385	93.4	0.5	0.1	0.2	0.4	0.0	5.3
Springfld	798	95.6	1.4	0.9	0.6	0.4	0.0	1.1
St.Albans	1,476	95.7	0.7	0.0	0.1	0.4	0.0	3.0
St.Johnsb.	981	97.8	0.4	0.0	0.0	0.4	0.0	1.4
WRJ	898	95.5	0.7	0.1	0.3	1.2	0.0	2.1
Unknown Local Ag.	36	*	*	*	*	*	*	*
Vermont	13,476	93.9	2.5	0.2	0.2	1.0	0.0	2.1
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Barre	1,414	31.1	20.8	48.1
Bennington	633	15.5	18.3	66.2
Brattleb.	845	28.6	20.7	50.7
Burlington	2,399	28.8	19.4	51.8
Middlebury	787	25.5	22.2	52.2
Morrisv.	852	26.6	20.0	53.4
Newport	972	25.4	22.0	52.6
Rutland	1,385	26.4	22.2	51.4
Springfld	798	23.6	22.9	53.5
St.Albans	1,476	27.4	21.0	51.6
St.Johnsb.	981	24.6	19.6	55.9
WRJ	898	28.0	19.7	52.3
Unknown Local Ag.	36	*	*	*
Vermont	13,476	26.8	20.7	52.5
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2010 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Barre	295	7.5 (9)	12.9 (10)	1,389	4.2 (3)	4.2 (10)	8.1 (2)	664	16.4 (8)	9.6 (3)	1,002	6.1 (3)
Bennington	69	* *	* *	610	4.8 (6)	2.6 (3)	11.3 (7)	409	15.9 (7)	10.3 (5)	537	7.1 (6)
Brattleb.	165	6.1 (5)	7.9 (3)	819	3.7 (1)	2.0 (1)	9.8 (5)	428	14.5 (4)	11.4 (7)	633	4.1 (1)
Burlington	422	10.2 (10)	10.0 (7)	2,303	5.6 (12)	3.3 (7)	13.6 (12)	1,209	13.7 (3)	13.7 (8)	1,843	6.6 (5)
Middlebury	124	5.6 (4)	12.9 (10)	759	5.4 (8)	4.9 (12)	13.2 (11)	391	15.1 (5)	15.9 (12)	617	4.1 (1)
Morrisv.	145	3.4 (1)	11.0 (8)	825	4.2 (3)	4.4 (11)	7.8 (1)	434	15.4 (6)	8.5 (1)	628	7.2 (7)
Newport	164	7.3 (8)	7.9 (3)	937	5.4 (8)	3.5 (8)	9.2 (3)	505	13.3 (1)	8.7 (2)	753	7.6 (9)
Rutland	254	5.5 (3)	9.8 (6)	1,314	5.4 (8)	3.0 (4)	12.6 (10)	688	17.2 (11)	14.4 (9)	1,045	7.7 (10)
Springfld	107	10.3 (11)	6.5 (1)	780	4.5 (5)	2.2 (2)	12.2 (9)	422	13.5 (2)	14.7 (11)	659	9.3 (12)
St.Albans	267	6.4 (6)	6.7 (2)	1,444	5.4 (8)	4.0 (9)	11.3 (7)	759	17.0 (10)	14.4 (9)	1,136	6.1 (3)
St.Johnsb.	154	7.1 (7)	9.7 (5)	955	5.1 (7)	3.1 (6)	9.6 (4)	547	18.3 (12)	10.1 (4)	794	7.7 (10)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2010 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WRJ	130	5.4 (2)	11.5 (9)	868	4.0 (2)	3.0 (4)	11.2 (6)	452	16.8 (9)	11.3 (6)	690	7.2 (7)
Unknown Local Ag.	10	* *	* *	34	* *	* *	* *	13	* *	* *	23	* *
Vermont	2,306	7.2	9.9	13,037	4.9	3.4	11.1	6,921	15.6	12.2	10,360	6.7
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2010 Pediatric Nutrition Surveillance (1)
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	290	79.0 (5)	194	25.8 (6)	196	8.7 (5)	0	* *	0	* *	0	* *
Bennington	68	* *	44	* *	55	* *	0	* *	0	* *	0	* *
Brattleb.	163	76.7 (6)	97	* *	114	3.5 (10)	0	* *	0	* *	0	* *
Burlington	426	82.2 (2)	339	34.5 (2)	298	9.1 (4)	0	* *	0	* *	0	* *
Middlebury	117	79.5 (4)	103	38.8 (1)	99	* *	0	* *	0	* *	0	* *
Morrisv.	143	76.2 (7)	124	33.9 (3)	110	10.0 (3)	0	* *	0	* *	0	* *
Newport	159	72.3 (9)	131	22.9 (8)	150	5.3 (8)	0	* *	0	* *	0	* *
Rutland	255	75.3 (8)	189	24.3 (7)	207	4.8 (9)	0	* *	0	* *	0	* *
Springfld	105	68.6 (10)	77	* *	107	7.5 (6)	0	* *	0	* *	0	* *
St.Albans	261	62.8 (11)	203	19.7 (9)	217	10.1 (2)	0	* *	0	* *	0	* *
St.Johnsb.	149	80.5 (3)	107	26.2 (5)	120	12.5 (1)	0	* *	0	* *	0	* *
WRJ	125	82.4 (1)	119	31.1 (4)	129	6.2 (7)	0	* *	0	* *	0	* *
Unknown Local Ag.	10	* *	7	* *	4	* *	0	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2010 Pediatric Nutrition Surveillance (1)
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)
Vermont	2,271	76.2	1,734	27.9	1,806	8.0	0	*	0	*
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3
									1,022,933	77.3
									4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Barre	751	9.1 (10)	12.0 (10)	3,903	4.3 (5)	3.5 (9)	10.9 (5)	1,915	15.2 (3)	12.5 (7)	2,951	6.4 (6)
Bennington	269	9.7 (12)	12.3 (11)	2,223	4.0 (3)	2.7 (5)	12.1 (7)	1,274	16.0 (7)	11.2 (3)	1,865	7.7 (10)
Brattleb.	436	7.3 (6)	9.2 (3)	2,364	3.9 (2)	2.6 (4)	10.6 (4)	1,218	15.7 (5)	12.3 (6)	1,847	5.0 (2)
Burlington	1,243	9.1 (10)	10.8 (6)	7,012	6.0 (13)	3.3 (8)	13.9 (12)	3,587	15.8 (6)	13.9 (10)	5,626	6.5 (8)
Middlebury	379	5.0 (1)	11.9 (9)	2,329	5.2 (11)	4.7 (13)	12.6 (10)	1,262	14.4 (2)	13.1 (9)	1,861	3.8 (1)
Morrisv.	415	5.3 (2)	11.8 (7)	2,538	3.7 (1)	4.2 (11)	10.0 (1)	1,342	16.4 (8)	12.0 (5)	1,871	5.7 (4)
Newport	465	7.1 (4)	9.2 (3)	2,864	5.9 (12)	4.2 (11)	10.0 (1)	1,571	13.4 (1)	10.1 (1)	2,298	6.4 (6)
Rutland	722	7.2 (5)	9.4 (5)	4,058	4.8 (8)	2.8 (6)	13.2 (11)	2,182	16.8 (10)	15.8 (12)	3,304	5.8 (5)
Springfld	347	8.1 (8)	8.6 (2)	2,355	4.8 (8)	2.2 (2)	12.4 (9)	1,278	15.3 (4)	12.6 (8)	1,960	8.1 (11)
St.Albans	740	8.6 (9)	7.2 (1)	4,403	4.8 (8)	3.7 (10)	12.3 (8)	2,346	16.6 (9)	14.8 (11)	3,568	5.0 (2)
St.Johnsb.	432	7.4 (7)	12.3 (11)	2,819	4.7 (7)	2.8 (6)	10.1 (3)	1,582	18.0 (12)	10.9 (2)	2,320	8.8 (12)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Vermont
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
WRJ	485	6.8 (3)	11.8 (7)	2,686	4.1 (4)	2.5 (3)	11.0 (6)	1,370	17.9 (11)	11.6 (4)		2,016	7.5 (9)
Unknown Local Ag.	17	* *	* *	115	4.3 (5)	0.9 (1)	13.9 (12)	54	* *	* *		87	* *
Vermont	6,701	7.8	10.4	39,669	4.8	3.3	11.9	20,981	16.0	12.9		31,574	6.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Vermont

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	962	72.3 (5)	757	23.5 (7)	700	8.3 (7)	0	* *	0	* *
Bennington	368	69.6 (8)	410	17.8 (12)	398	7.0 (8)	0	* *	0	* *
Brattleb.	577	70.7 (7)	465	24.5 (6)	427	6.1 (12)	0	* *	0	* *
Burlington	1,647	73.2 (4)	1,468	29.0 (4)	1,279	9.7 (3)	0	* *	0	* *
Middlebury	493	75.3 (2)	447	31.8 (2)	394	8.4 (6)	0	* *	0	* *
Morrisv.	559	74.6 (3)	513	32.6 (1)	459	9.8 (2)	0	* *	0	* *
Newport	614	65.3 (11)	553	22.4 (8)	517	6.4 (11)	0	* *	0	* *
Rutland	951	65.5 (10)	836	21.5 (9)	784	6.5 (10)	0	* *	0	* *
Springfld	546	66.8 (9)	449	19.2 (11)	457	6.6 (9)	0	* *	0	* *
St.Albans	988	58.8 (12)	894	19.4 (10)	826	9.1 (4)	0	* *	0	* *
St.Johnsb.	598	71.9 (6)	518	28.8 (5)	502	15.1 (1)	0	* *	0	* *
WRJ	658	75.4 (1)	570	31.1 (3)	475	8.8 (5)	0	* *	0	* *
Unknown Local Ag.	27	* *	24	* *	22	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2008 - 2010 Pediatric Nutrition Surveillance (1)
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
Local Agency	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)
Vermont	8,988	69.7	7,904	25.3	7,240	8.6	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

