

**Table 4F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Vermont**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Barre	1,245	97.6	1.4	0.1	0.0	0.6	0.0	0.2
Bennington	678	95.6	1.9	0.9	0.9	0.1	0.0	0.6
Brattleb.	713	97.2	1.4	0.1	0.1	0.7	0.0	0.4
Burlington	2,156	80.0	11.0	0.1	0.2	5.5	0.0	3.1
Middlebury	640	95.9	0.9	0.2	0.0	0.8	0.0	2.2
Morrisv.	752	97.5	0.9	0.4	0.1	0.1	0.0	0.9
Newport	889	97.4	0.2	0.4	0.2	0.4	0.0	1.2
Rutland	1,242	94.0	0.7	0.0	0.2	0.4	0.0	4.7
Springfld	616	94.5	1.6	0.8	0.6	0.0	0.0	2.4
St.Albans	1,323	94.9	0.6	0.1	0.1	0.3	0.0	4.1
St.Johnsb.	933	98.1	0.4	0.0	0.2	0.4	0.0	0.9
WRJ	786	96.6	0.1	0.3	0.0	1.5	0.0	1.5
Unknown Local Ag.	40	*	*	*	*	*	*	*
<b>Vermont</b>	<b>12,013</b>	<b>93.3</b>	<b>2.7</b>	<b>0.2</b>	<b>0.2</b>	<b>1.4</b>	<b>0.0</b>	<b>2.1</b>
<b>Nation (Prior Year)</b>	<b>8,672,965</b>	<b>32.5</b>	<b>19.1</b>	<b>39.7</b>	<b>0.9</b>	<b>2.5</b>	<b>2.7</b>	<b>2.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2011 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Vermont**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Barre	1,245	33.3	19.7	47.1
Bennington	678	19.2	20.2	60.6
Brattleb.	713	26.1	19.5	54.4
Burlington	2,156	28.9	19.5	51.6
Middlebury	640	26.7	16.6	56.7
Morrisv.	752	23.8	22.6	53.6
Newport	889	27.9	18.7	53.4
Rutland	1,242	25.6	20.9	53.5
Springfld	616	21.4	20.9	57.6
St.Albans	1,323	25.4	22.1	52.5
St.Johnsb.	933	27.9	20.3	51.9
WRJ	786	25.8	22.4	51.8
Unknown Local Ag.	40	*	*	*
<b>Vermont</b>	<b>12,013</b>	<b>26.7</b>	<b>20.3</b>	<b>53.0</b>
<b>Nation (Prior Year)</b>	<b>8,672,965</b>	<b>33.7</b>	<b>22.1</b>	<b>44.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Vermont**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Barre	226	8.4 (8)	10.2 (6)	1,219	5.9 (9)	2.6 (8)	7.9 (1)	578	17.1 (9)	10.7 (2)	895	5.3 (9)
Bennington	79	* *	* *	660	4.8 (4)	2.9 (10)	8.9 (2)	397	11.8 (2)	10.6 (1)	547	6.4 (10)
Brattleb.	102	4.9 (2)	9.8 (5)	686	4.8 (4)	2.0 (4)	9.2 (3)	374	15.0 (4)	10.7 (2)	559	5.2 (8)
Burlington	316	7.0 (5)	11.1 (8)	2,067	4.4 (3)	2.9 (10)	12.4 (11)	1,076	15.8 (5)	14.3 (9)	1,641	5.0 (5)
Middlebury	100	9.0 (9)	8.0 (3)	616	6.3 (11)	3.1 (12)	12.5 (12)	345	15.9 (6)	15.9 (12)	488	3.3 (1)
Morrisv.	115	3.5 (1)	13.0 (10)	732	4.0 (1)	2.2 (5)	10.2 (5)	398	14.6 (3)	12.3 (6)	570	6.8 (11)
Newport	140	6.4 (4)	7.1 (2)	846	7.2 (12)	2.5 (7)	11.6 (9)	454	16.7 (8)	12.3 (6)	663	5.1 (7)
Rutland	208	8.2 (7)	8.2 (4)	1,191	5.1 (8)	1.7 (3)	11.4 (8)	634	16.1 (7)	14.7 (11)	940	6.9 (12)
Springfld	71	* *	* *	582	4.1 (2)	2.6 (8)	11.2 (7)	336	10.1 (1)	11.0 (4)	510	4.1 (3)
St.Albans	210	8.1 (6)	5.7 (1)	1,290	5.9 (9)	1.3 (1)	11.7 (10)	687	17.8 (11)	14.4 (10)	1,024	3.3 (1)
St.Johnsb.	139	10.1 (10)	12.2 (9)	893	4.8 (4)	2.2 (5)	9.4 (4)	478	17.2 (10)	12.8 (8)	716	4.5 (4)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
  - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2011 Pediatric Nutrition Surveillance** (1)  
**Vermont**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
WRJ	121	5.0 (3)	10.7 (7)	767	5.0 (7)	1.3 (1)	10.2 (5)	400	19.0 (12)	11.8 (5)	602	5.0 (5)
Unknown Local Ag.	6	* *	* *	40	* *	* *	* *	22	* *	* *	33	* *
<b>Vermont</b>	<b>1,833</b>	<b>7.3</b>	<b>9.4</b>	<b>11,589</b>	<b>5.2</b>	<b>2.3</b>	<b>10.7</b>	<b>6,179</b>	<b>15.9</b>	<b>12.9</b>	<b>9,188</b>	<b>5.1</b>
<b>Nation (Prior Year)</b>	<b>1,851,546</b>	<b>9.0</b>	<b>6.3</b>	<b>8,057,124</b>	<b>6.3</b>	<b>3.6</b>	<b>12.4</b>	<b>3,572,939</b>	<b>16.1</b>	<b>14.4</b>	<b>5,391,027</b>	<b>14.6</b>

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
- (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2011 Pediatric Nutrition Surveillance (1)  
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	222	73.0 (7)	176	37.5 (3)	143	9.8 (3)	0	* *	0	* *
Bennington	75	* *	71	* *	83	* *	0	* *	0	* *
Brattleb.	100	76.0 (6)	78	* *	87	* *	0	* *	0	* *
Burlington	319	84.6 (2)	292	36.3 (4)	247	16.2 (1)	0	* *	0	* *
Middlebury	98	* *	79	* *	60	* *	0	* *	0	* *
Morrisv.	111	83.8 (3)	81	* *	97	* *	0	* *	0	* *
Newport	136	72.8 (8)	121	38.0 (2)	101	13.9 (2)	0	* *	0	* *
Rutland	193	78.2 (5)	145	22.1 (6)	167	9.0 (4)	0	* *	0	* *
Springfld	67	* *	59	* *	52	* *	0	* *	0	* *
St.Albans	200	72.0 (9)	161	28.6 (5)	169	5.9 (5)	0	* *	0	* *
St.Johnsb.	140	81.4 (4)	111	38.7 (1)	91	* *	0	* *	0	* *
WRJ	116	90.5 (1)	86	* *	79	* *	0	* *	0	* *
Unknown Local Ag.	6	* *	4	* *	6	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2011 Pediatric Nutrition Surveillance (1)  
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)	Smoking in Household
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)
<b>Vermont</b>	<b>1,783</b>	<b>79.5</b>	<b>1,464</b>	<b>32.3</b>	<b>1,382</b>	<b>11.5</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>
<b>Nation (Prior Year)</b>	<b>1,689,615</b>	<b>63.2</b>	<b>908,604</b>	<b>25.1</b>	<b>1,069,942</b>	<b>16.9</b>	<b>363,039</b>	<b>10.7</b>	<b>466,279</b>	<b>6.1</b>
	<b>1,200,700</b>	<b>79.2</b>	<b>4,203,554</b>	<b>9.4</b>						

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Vermont**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Barre	730	7.9 (8)	11.2 (9)	3,859	4.7 (6)	2.7 (10)	8.4 (1)	1,879	15.7 (8)	11.0 (2)	2,879	6.0 (4)
Bennington	205	6.3 (2)	9.8 (6)	2,034	4.5 (4)	2.5 (8)	11.1 (8)	1,242	14.4 (3)	11.4 (4)	1,739	7.5 (10)
Brattleb.	381	6.8 (6)	9.4 (5)	2,279	4.3 (3)	1.3 (1)	9.7 (4)	1,219	15.6 (6)	12.0 (7)	1,810	5.1 (3)
Burlington	1,103	8.2 (9)	10.8 (8)	6,714	5.4 (11)	2.5 (8)	12.7 (12)	3,494	15.6 (6)	13.9 (9)	5,383	6.0 (4)
Middlebury	344	6.7 (4)	11.9 (11)	2,140	5.7 (12)	3.2 (13)	12.6 (11)	1,149	15.5 (5)	15.1 (12)	1,718	3.8 (1)
Morrisv.	372	4.3 (1)	10.5 (7)	2,391	4.0 (2)	2.8 (11)	9.2 (2)	1,283	15.0 (4)	11.1 (3)	1,805	6.4 (7)
Newport	452	7.1 (7)	8.8 (3)	2,744	6.2 (13)	2.8 (11)	9.8 (5)	1,499	14.3 (2)	10.5 (1)	2,182	6.3 (6)
Rutland	680	6.3 (2)	8.8 (3)	3,884	5.1 (8)	1.9 (5)	11.5 (9)	2,066	16.8 (9)	14.7 (11)	3,100	6.9 (9)
Springfld	290	10.0 (12)	7.6 (2)	2,158	4.7 (6)	1.7 (2)	11.6 (10)	1,202	13.6 (1)	12.8 (8)	1,840	7.6 (11)
St.Albans	686	8.5 (10)	6.3 (1)	4,130	5.2 (9)	2.3 (7)	11.0 (7)	2,199	17.2 (10)	14.3 (10)	3,330	4.8 (2)
St.Johnsb.	421	9.0 (11)	12.4 (12)	2,770	5.3 (10)	1.9 (5)	9.5 (3)	1,544	17.2 (10)	11.5 (5)	2,265	7.6 (11)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
  - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2009 - 2011 Pediatric Nutrition Surveillance** (1)  
**Vermont**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
WRJ	403	6.7 (4)	11.2 (9)	2,539	4.5 (4)	1.7 (2)	10.2 (6)	1,316	17.8 (12)	11.9 (6)	1,963	6.5 (8)
Unknown Local Ag.	20	* *	* *	119	3.4 (1)	1.7 (2)	14.3 (13)	59	* *	* *	93	* *
<b>Vermont</b>	<b>6,087</b>	<b>7.5</b>	<b>9.9</b>	<b>37,761</b>	<b>5.0</b>	<b>2.3</b>	<b>10.8</b>	<b>20,151</b>	<b>15.8</b>	<b>12.8</b>	<b>30,107</b>	<b>6.2</b>

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.  
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7F**  
**2009 - 2011 Pediatric Nutrition Surveillance (1)**  
**Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	927	74.2 (5)	744	25.9 (6)	629	8.4 (6)	0	* *	0	* *	0	* *
Bennington	371	75.2 (4)	374	19.3 (11)	376	8.8 (5)	0	* *	0	* *	0	* *
Brattleb.	505	72.1 (9)	412	21.4 (8)	386	6.0 (11)	0	* *	0	* *	0	* *
Burlington	1,504	73.9 (7)	1,338	28.5 (5)	1,139	10.8 (2)	0	* *	0	* *	0	* *
Middlebury	427	80.8 (1)	385	34.3 (1)	326	10.4 (3)	0	* *	0	* *	0	* *
Morrisv.	515	77.1 (2)	450	30.7 (2)	412	12.1 (1)	0	* *	0	* *	0	* *
Newport	599	69.3 (10)	524	24.2 (7)	471	7.6 (9)	0	* *	0	* *	0	* *
Rutland	886	68.4 (11)	754	20.6 (9)	698	6.4 (10)	0	* *	0	* *	0	* *
Springfld	433	73.2 (8)	375	19.2 (12)	390	5.9 (12)	0	* *	0	* *	0	* *
St.Albans	899	64.1 (12)	782	20.6 (9)	730	7.7 (8)	0	* *	0	* *	0	* *
St.Johnsb.	585	74.2 (5)	486	30.0 (3)	444	10.4 (3)	0	* *	0	* *	0	* *
WRJ	586	76.8 (3)	505	28.7 (4)	466	8.4 (6)	0	* *	0	* *	0	* *
Unknown Local Ag.	28	* *	25	* *	25	* *	0	* *	0	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2009 - 2011 Pediatric Nutrition Surveillance (1)  
Vermont**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>										
	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>	<b>Smoking in Household</b>
<b>Local Agency</b>	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	% Breastfed At Least 12 Months  (Rank)	Number	% Breastfed At Least 3 Months  (Rank)	Number	%          (Rank)
<b>Vermont</b>	<b>8,265</b>	<b>72.7</b>	<b>7,154</b>	<b>25.5</b>	<b>6,492</b>	<b>8.7</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

