

Table 3F
2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Racial and Ethnic Distribution by Local Agency

Comparison of Racial and Ethnic Distribution ⁽²⁾								
Local Agency	Number Included in Analysis	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
Barre	365	94.8	1.6	0.3	0.0	1.1	0.3	1.9
Bennington	217	84.3	0.9	0.9	1.8	0.0	0.0	12.0
Brattleb.	180	84.4	2.8	0.0	0.6	1.7	1.7	8.9
Burlington	583	78.4	7.7	1.0	0.2	7.2	0.3	5.1
Middlebury	142	93.7	0.0	1.4	0.0	1.4	0.7	2.8
Morrisv.	212	94.8	0.5	0.5	0.0	0.5	0.9	2.8
Newport	249	91.6	0.4	1.2	0.0	0.4	2.0	4.4
Rutland	380	88.9	0.5	0.0	0.8	0.8	1.1	7.9
Springfld	213	90.6	0.5	1.4	0.5	1.4	0.9	4.7
St.Albans	377	84.4	0.3	1.6	0.5	0.3	9.3	3.7
St.Johnsb.	217	92.2	0.5	0.5	0.0	0.0	0.0	6.9
WRJ	237	91.6	0.0	0.4	0.0	0.4	1.3	6.3
Unknown Local Agencies	15	*	*	*	*	*	*	*
Vermont	3,387	88.0	1.9	0.8	0.4	1.8	1.7	5.5
Nation (Prior Year)	1,162,961	41.6	22.7	29.2	1.1	3.4	1.3	0.7

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 4F
2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Age Distribution by Local Agency

Comparison of Age Distribution ⁽²⁾								
Local Agency	Number Included in Analysis	< 15 Years %	15 - 17 Years %	18 - 19 Years %	20 - 29 Years %	30 - 39 Years %	>= 40 Years %	Unknown %
Barre	365	0.0	4.1	10.7	59.2	23.6	1.9	0.5
Bennington	217	0.5	3.2	11.5	68.2	16.6	0.0	0.0
Brattleb.	180	0.6	2.8	9.4	56.7	27.8	1.7	1.1
Burlington	583	0.2	3.6	6.2	63.1	24.5	2.1	0.3
Middlebury	142	0.0	3.5	5.6	66.2	22.5	1.4	0.7
Morrisv.	212	0.0	3.3	8.0	57.5	29.7	1.4	0.0
Newport	249	0.0	4.8	9.2	65.9	19.7	0.4	0.0
Rutland	380	0.0	5.3	9.7	63.9	20.5	0.5	0.0
Springfld	213	0.0	2.3	9.4	65.3	20.7	1.9	0.5
St.Albans	377	0.0	3.2	13.5	64.7	17.8	0.8	0.0
St.Johnsb.	217	0.0	1.4	11.1	65.0	21.7	0.5	0.5
WRJ	237	0.8	4.6	9.7	70.5	13.5	0.8	0.0
Unknown Local Agencies	15	*	*	*	*	*	*	*
Vermont	3,387	0.1	3.6	9.5	63.8	21.5	1.2	0.3
Nation (Prior Year)	1,162,961	0.3	5.3	11.5	59.4	21.7	1.7	0.2

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 5F
2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Maternal Health Indicators by Local Agency

Comparison of Maternal Health Indicators ^(2, 3)														
Local Agency	Prepregnancy BMI (4)			Weight Gain (5)			Anemia (Low Hb/Hct) (6)				Gestational Diabetes During Pregnancy		Hypertension During Pregnancy	
	Under- weight	Over- weight		< Ideal	> Ideal		3rd Trimester		Postpartum					
							Number	%	%	Number	%	%	Number	%
	(Rank)	(Rank)		(Rank)	(Rank)		(Rank)	(Rank)		(Rank)	(Rank)	(Rank)	(Rank)	
Barre	352	6.3 (12)	51.1 (3)	329	17.0 (4)	52.3 (9)	46	* *	210	17.1 (3)	0	* *	0	* *
Bennington	211	4.3 (5)	56.9 (10)	195	12.8 (1)	59.0 (12)	41	* *	103	29.1 (8)	0	* *	0	* *
Brattleb.	171	1.8 (1)	50.9 (2)	161	17.4 (5)	48.4 (3)	28	* *	112	9.8 (1)	0	* *	0	* *
Burlington	559	5.4 (11)	47.0 (1)	531	17.7 (6)	46.1 (2)	76	* *	294	31.6 (9)	0	* *	0	* *
Middlebury	135	5.2 (8)	61.5 (12)	127	18.1 (8)	48.8 (4)	18	* *	51	* *	0	* *	0	* *
Morrisv.	206	5.3 (9)	57.8 (11)	197	17.8 (7)	50.8 (7)	18	* *	96	* *	0	* *	0	* *
Newport	245	4.5 (7)	54.7 (7)	230	21.7 (11)	49.1 (5)	18	* *	148	20.9 (6)	0	* *	0	* *
Rutland	366	4.1 (4)	51.6 (5)	336	23.5 (12)	42.3 (1)	40	* *	193	25.4 (7)	0	* *	0	* *
Springfld	203	4.4 (6)	53.7 (6)	189	15.3 (3)	52.4 (10)	32	* *	108	20.4 (5)	0	* *	0	* *
St.Albans	361	5.3 (9)	51.5 (4)	348	19.0 (9)	54.3 (11)	53	* *	152	15.8 (2)	0	* *	0	* *
St.Johnsb.	212	2.8 (2)	54.7 (7)	198	15.2 (2)	52.0 (8)	31	* *	99	* *	0	* *	0	* *
WRJ	228	3.1 (3)	56.1 (9)	211	21.3 (10)	50.7 (6)	31	* *	127	17.3 (4)	0	* *	0	* *
Unknown Local Agencies	15	* *	* *	14	* *	* *	2	* *	3	* *	0	* *	0	* *
Vermont	3,264	4.6	52.7	3,066	18.4	49.9	434	23.3	1,696	22.1	0	*	0	*
Nation (Prior Year)	1,106,370	4.5	53.4	835,927	21.5	48.0	164,201	33.9	346,981	28.1	419,956	5.2	467,675	6.3

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
(4) Based on 2009 IOM report, "Weight Gain During Pregnancy": underweight (BMI <18.5), normal weight (BMI 18.5 to 24.9), overweight (BMI 25.0 to 29.9), obese (BMI >30.0).
(5) Based on 2009 IOM report, "Weight Gain During Pregnancy": underweight during pregnancy (ideal weight gain = 28 to 40 pounds), normal weight prepregnancy (ideal weight gain = 25 to 35 pounds), overweight prepregnancy (ideal weight gain = 15 to 25 pounds), obese prepregnancy (ideal weight gain = 11 to 20 pounds).
(6) Based on 1990 MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States"; adjusted for altitude and smoking.
* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 6F
2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Maternal Behavioral Indicators by Local Agency

Comparison of Maternal Behavioral Indicators ^(2, 3)										
Local Agency	Medical Care				WIC Enrollment		Multivitamin Consumption			
	1st Trimester		No Care		1st Trimester		Prepregnancy (4)		During Pregnancy (5)	
	Number	% (Rank)	%	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	333	78.1 (8)	0.0	(1)	347	38.9 (5)	0	* *	0	* *
Bennington	197	80.2 (5)	0.0	(1)	208	32.7 (11)	0	* *	0	* *
Brattleb.	159	84.3 (2)	1.3	(12)	161	32.9 (10)	0	* *	0	* *
Burlington	543	76.1 (10)	0.2	(7)	533	34.3 (9)	0	* *	0	* *
Middlebury	131	80.2 (5)	0.0	(1)	136	35.3 (8)	0	* *	0	* *
Morrisv.	199	76.4 (9)	0.0	(1)	199	40.2 (4)	0	* *	0	* *
Newport	231	89.6 (1)	0.9	(10)	241	55.6 (1)	0	* *	0	* *
Rutland	336	74.7 (11)	0.9	(10)	357	42.9 (3)	0	* *	0	* *
Springfld	184	73.9 (12)	0.5	(9)	200	30.5 (12)	0	* *	0	* *
St.Albans	348	79.0 (7)	0.3	(8)	346	38.2 (7)	0	* *	0	* *
St.Johnsb.	200	83.5 (3)	0.0	(1)	200	45.0 (2)	0	* *	0	* *
WRJ	217	81.1 (4)	0.0	(1)	221	38.9 (5)	0	* *	0	* *
Unknown Local Agencies	14	* *	* *	*	12	* *	0	* *	0	* *
Vermont	3,092	79.1	0.3		3,161	38.8	0	*	0	*
Nation (Prior Year)	429,770	83.1	4.1		1,074,863	36.0	380,154	19.2	418,448	85.0

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Women who reported taking a multivitamin four times a week or more in the month before pregnancy; proxy for folic acid consumption.

(5) Pregnant women who reported taking a multivitamin in the past month; proxy for prenatal iron consumption.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 7F
2011 Pregnancy Nutrition Surveillance (1)
Vermont
Comparison of Smoking Indicators by Local Agency

Comparison of Smoking Indicators (2, 3)										
Local Agency	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)		Smoking in Household			
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	359	39.8 (5)	308	24.7 (6)	91	* *	0	* *	0	* *
Bennington	211	49.3 (12)	187	33.7 (12)	72	* *	0	* *	0	* *
Brattleb.	170	34.7 (2)	146	16.4 (1)	34	* *	0	* *	0	* *
Burlington	568	38.7 (4)	493	23.9 (4)	132	34.8 (1)	0	* *	0	* *
Middlebury	138	34.8 (3)	120	24.2 (5)	34	* *	0	* *	0	* *
Morrisv.	209	34.4 (1)	194	22.2 (3)	55	* *	0	* *	0	* *
Newport	246	44.7 (8)	215	30.2 (9)	75	* *	0	* *	0	* *
Rutland	376	47.1 (10)	312	30.8 (10)	108	23.1 (3)	0	* *	0	* *
Springfld	203	44.8 (9)	183	26.8 (8)	60	* *	0	* *	0	* *
St.Albans	365	47.4 (11)	349	32.4 (11)	127	24.4 (2)	0	* *	0	* *
St.Johnsb.	213	41.8 (7)	195	25.6 (7)	68	* *	0	* *	0	* *
WRJ	232	41.4 (6)	209	22.0 (2)	72	* *	0	* *	0	* *
Unknown Local Agencies	15	* *	12	* *	2	* *	0	* *	0	* *
Vermont	3,305	42.0	2,923	26.6	930	30.3	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Among women who smoked 3 months prior to pregnancy.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 7F
2011 Pregnancy Nutrition Surveillance (1)
Vermont
Comparison of Smoking Indicators by Local Agency

Comparison of Smoking Indicators (2, 3)										
Local Agency	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)	Smoking in Household				
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy			Prenatal	Postpartum			
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)		
Nation (Prior Year)	814,631	23.0	715,034	12.1	137,883	38.1	660,570	16.3	562,126	15.6

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Among women who smoked 3 months prior to pregnancy.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8F
2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Infant Health Indicators by Local Agency

Comparison of Infant Health Indicators ^(2, 3)										
Local Agency	Birthweight				Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)		High (5)							
	Number	% (Rank)	%	(Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	338	8.3 (12)	11.2	(8)	325	10.5 (8)	291	4.5 (10)	315	77.1 (8)
Bennington	198	5.6 (3)	7.6	(2)	194	6.2 (3)	182	3.3 (6)	195	76.9 (9)
Brattleb.	162	3.7 (1)	11.7	(9)	151	6.0 (2)	142	1.4 (2)	157	80.3 (6)
Burlington	545	7.2 (7)	10.1	(6)	508	9.3 (7)	461	4.6 (11)	498	81.7 (4)
Middlebury	131	7.6 (10)	10.7	(7)	129	7.8 (5)	119	5.0 (12)	124	86.3 (3)
Morrisv.	200	5.5 (2)	15.0	(12)	189	12.7 (11)	165	1.2 (1)	194	86.6 (2)
Newport	231	7.4 (8)	5.6	(1)	226	12.4 (10)	198	3.0 (5)	227	80.6 (5)
Rutland	346	6.6 (4)	8.7	(4)	328	7.9 (6)	302	3.6 (7)	326	74.8 (11)
Springfld	190	7.4 (8)	8.9	(5)	185	14.1 (12)	159	1.9 (3)	181	72.9 (12)
St.Albans	353	7.1 (6)	8.5	(3)	333	7.2 (4)	309	3.9 (9)	341	75.4 (10)
St.Johnsb.	200	8.0 (11)	13.0	(10)	187	10.7 (9)	167	3.6 (7)	197	78.7 (7)
WRJ	218	6.9 (5)	13.3	(11)	206	5.8 (1)	194	2.6 (4)	207	88.9 (1)
Unknown Local Agencies	14	*	*	*	*	*	11	*	*	*

- (1) Reporting period is January 1 through December 31.
- (2) Excludes records with unknown data or errors.
- (3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
- (4) <2500 g.
- (5) >4000 g.
- (6) <37 weeks gestation.
- (7) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8F
2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Infant Health Indicators by Local Agency

Comparison of Infant Health Indicators ^(2, 3)									
Local Agency	Birthweight			Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)		High (5)						
	Number	% (Rank)	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Vermont	3,126	6.9	10.1	2,972	9.2	2,700	3.5	2,972	79.6
Nation (Prior Year)	880,933	8.0	6.7	948,286	10.7	749,107	3.4	871,811	68.2

- (1) Reporting period is January 1 through December 31.
- (2) Excludes records with unknown data or errors.
- (3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
- (4) <2500 g.
- (5) >4000 g.
- (6) <37 weeks gestation.
- (7) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 3F
2009 - 2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Racial and Ethnic Distribution by Local Agency
Combined 3 Years

Comparison of Racial and Ethnic Distribution ⁽²⁾								
Local Agency	Number Included in Analysis	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other/Unknown %
Barre	1,063	94.5	1.3	0.2	0.0	0.9	0.3	2.7
Bennington	709	83.1	0.7	0.3	0.7	0.6	0.1	14.5
Brattleb.	617	87.2	1.9	0.2	0.2	1.9	0.5	8.1
Burlington	1,816	81.6	7.7	0.7	0.1	3.5	0.2	6.3
Middlebury	515	92.6	0.2	1.6	0.2	1.0	0.6	3.9
Morrisv.	661	94.6	1.1	0.2	0.2	0.5	0.3	3.3
Newport	742	91.1	0.3	0.8	0.3	0.3	2.2	5.1
Rutland	1,159	90.2	0.3	0.7	0.4	0.5	1.3	6.6
Springfld	607	92.6	0.5	1.2	0.7	1.2	0.7	3.3
St.Albans	1,089	86.2	0.5	1.3	0.2	0.1	7.2	4.6
St.Johnsb.	674	91.5	0.3	0.3	0.0	0.1	0.0	7.7
WRJ	742	91.4	0.7	0.5	0.0	0.3	1.5	5.7
Unknown Local Agencies	39	*	*	*	*	*	*	*
Vermont	10,433	88.8	1.9	0.7	0.2	1.1	1.3	5.9

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 4F
2009 - 2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Age Distribution by Local Agency
Combined 3 Years

Comparison of Age Distribution ⁽²⁾								
Local Agency	Number Included in Analysis	< 15 Years %	15 - 17 Years %	18 - 19 Years %	20 - 29 Years %	30 - 39 Years %	>= 40 Years %	Unknown %
Barre	1,063	0.0	4.0	9.9	61.0	23.8	1.2	0.2
Bennington	709	0.4	3.4	12.7	67.7	15.1	0.7	0.0
Brattleb.	617	0.2	3.1	10.4	58.5	26.1	1.0	0.8
Burlington	1,816	0.1	3.5	9.0	61.5	24.1	1.6	0.3
Middlebury	515	0.0	2.9	7.6	64.7	21.6	2.3	1.0
Morrisv.	661	0.0	2.4	10.0	57.9	28.1	1.5	0.0
Newport	742	0.0	5.5	11.7	64.0	17.8	0.7	0.3
Rutland	1,159	0.0	4.7	10.4	62.8	20.5	1.4	0.1
Springfld	607	0.0	3.5	11.2	62.4	21.1	1.5	0.3
St.Albans	1,089	0.0	3.6	11.9	65.0	18.6	0.8	0.0
St.Johnsb.	674	0.1	1.6	10.4	67.2	19.3	1.2	0.1
WRJ	742	0.4	2.8	10.1	65.8	19.5	1.2	0.1
Unknown Local Agencies	39	*	*	*	*	*	*	*
Vermont	10,433	0.1	3.5	10.4	63.0	21.5	1.3	0.2

(1) Reporting period is January 1 through December 31.

(2) Excludes data with errors.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 5F
2009 - 2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Maternal Health Indicators by Local Agency
Combined 3 Years

Comparison of Maternal Health Indicators ^(2, 3)															
Local Agency	Prepregnancy BMI (4)			Weight Gain (5)			Anemia (Low Hb/Hct) (6)				Gestational Diabetes During Pregnancy		Hypertension During Pregnancy		
	Under-weight		Over-weight	< Ideal		> Ideal	3rd Trimester		Postpartum						
	Number	% (Rank)	% (Rank)	Number	% (Rank)	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	
Barre	1,032	4.7 (8)	50.8 (3)	968	17.8 (6)	46.9 (1)	139	17.3 (1)	651	20.0 (4)	0	*	*	0	**
Bennington	679	5.7 (12)	51.8 (5)	628	17.2 (5)	55.6 (12)	100	26.0 (5)	359	31.8 (12)	0	*	*	0	**
Brattleb.	588	4.4 (5)	49.8 (2)	535	13.6 (1)	51.0 (9)	90	* *	408	16.4 (1)	0	*	*	0	**
Burlington	1,751	5.4 (11)	47.5 (1)	1,627	19.7 (10)	47.3 (2)	259	30.9 (6)	876	30.1 (11)	0	*	*	0	**
Middlebury	495	4.0 (3)	58.6 (12)	454	16.5 (2)	50.4 (7)	59	* *	258	23.3 (8)	0	*	*	0	**
Morrisv.	642	4.4 (5)	56.5 (10)	607	18.8 (7)	48.9 (5)	54	* *	337	21.4 (6)	0	*	*	0	**
Newport	726	5.1 (10)	51.5 (4)	676	21.0 (11)	47.9 (3)	62	* *	426	22.8 (7)	0	*	*	0	**
Rutland	1,114	4.5 (7)	53.4 (7)	1,014	23.2 (12)	48.0 (4)	149	22.1 (3)	689	20.9 (5)	0	*	*	0	**
Springfld	581	4.3 (4)	55.2 (8)	538	16.5 (2)	50.7 (8)	98	* *	324	23.5 (9)	0	*	*	0	**
St.Albans	1,052	4.7 (8)	52.9 (6)	982	19.2 (8)	49.7 (6)	132	25.0 (4)	494	19.8 (3)	0	*	*	0	**
St.Johnsb.	651	2.6 (1)	56.8 (11)	607	16.5 (2)	52.7 (11)	105	21.0 (2)	320	24.1 (10)	0	*	*	0	**
WRJ	706	2.8 (2)	55.5 (9)	636	19.3 (9)	51.3 (10)	94	* *	392	16.8 (2)	0	*	*	0	**
Unknown Local Agencies	38	* *	* *	33	* *	* *	6	* *	18	* *	0	*	*	0	**
Vermont	10,055	4.5	52.5	9,305	18.8	49.4	1,347	23.4	5,552	22.9	0	*		0	*

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
(4) Based on 2009 IOM report, "Weight Gain During Pregnancy": underweight (BMI <18.5), normal weight (BMI 18.5 to 24.9), overweight (BMI 25.0 to 29.9), obese (BMI >30.0).
(5) Based on 2009 IOM report, "Weight Gain During Pregnancy": underweight during pregnancy (ideal weight gain = 28 to 40 pounds), normal weight prepregnancy (ideal weight gain = 25 to 35 pounds), overweight prepregnancy (ideal weight gain = 15 to 25 pounds), obese prepregnancy (ideal weight gain = 11 to 20 pounds).
(6) Based on 1990 MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States"; adjusted for altitude and smoking.
* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Maternal Behavioral Indicators by Local Agency
Combined 3 Years

Comparison of Maternal Behavioral Indicators ^(2, 3)												
Local Agency	Medical Care				WIC Enrollment		Multivitamin Consumption					
	1st Trimester		No Care		1st Trimester		Pregnancy (4)		During Pregnancy (5)			
	Number	% (Rank)	%	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)		
Barre	992	77.1 (8)	0.1	(3)	996	27.5 (12)	0	*	*	0	*	*
Bennington	635	77.3 (7)	0.5	(9)	675	32.7 (8)	0	*	*	0	*	*
Brattleb.	546	79.9 (4)	0.5	(9)	567	32.5 (9)	0	*	*	0	*	*
Burlington	1,683	76.0 (10)	0.2	(4)	1,694	31.8 (11)	0	*	*	0	*	*
Middlebury	465	82.4 (3)	0.0	(1)	492	36.0 (6)	0	*	*	0	*	*
Morrisv.	619	73.7 (12)	0.5	(9)	610	39.5 (3)	0	*	*	0	*	*
Newport	682	89.0 (1)	0.4	(7)	713	54.4 (1)	0	*	*	0	*	*
Rutland	1,044	76.1 (9)	0.4	(7)	1,083	40.7 (2)	0	*	*	0	*	*
Springfld	542	74.5 (11)	0.9	(12)	577	32.4 (10)	0	*	*	0	*	*
St.Albans	994	79.6 (6)	0.3	(5)	1,014	38.2 (5)	0	*	*	0	*	*
St.Johnsb.	619	86.1 (2)	0.0	(1)	627	39.2 (4)	0	*	*	0	*	*
WRJ	672	79.9 (4)	0.3	(5)	681	35.2 (7)	0	*	*	0	*	*
Unknown Local Agencies	35	*	*	*	35	*	*	0	*	*	0	*
Vermont	9,528	78.8	0.3		9,764	36.2	0	*		0	*	

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Women who reported taking a multivitamin four times a week or more in the month before pregnancy; proxy for folic acid consumption.

(5) Pregnant women who reported taking a multivitamin in the past month; proxy for prenatal iron consumption.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pregnancy Nutrition Surveillance (1)
Vermont
Comparison of Smoking Indicators by Local Agency
Combined 3 Years

Comparison of Smoking Indicators (2, 3)										
Local Agency	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)		Smoking in Household			
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	1,048	40.5 (5)	961	28.5 (6)	314	27.1 (9)	0	* *	0	* *
Bennington	693	50.4 (12)	618	34.0 (12)	239	28.0 (7)	0	* *	0	* *
Brattleb.	595	40.7 (6)	520	21.9 (2)	172	40.1 (1)	0	* *	0	* *
Burlington	1,779	38.6 (3)	1,577	26.4 (5)	470	27.2 (8)	0	* *	0	* *
Middlebury	502	33.3 (1)	451	20.0 (1)	127	31.5 (6)	0	* *	0	* *
Morrisv.	653	37.1 (2)	611	25.4 (4)	195	34.4 (3)	0	* *	0	* *
Newport	729	45.4 (9)	671	31.9 (9)	265	18.9 (12)	0	* *	0	* *
Rutland	1,139	47.2 (11)	995	32.7 (11)	404	24.8 (11)	0	* *	0	* *
Springfld	587	45.8 (10)	536	29.3 (7)	198	31.8 (5)	0	* *	0	* *
St.Albans	1,063	44.8 (7)	997	32.3 (10)	354	24.9 (10)	0	* *	0	* *
St.Johnsb.	658	45.0 (8)	616	29.4 (8)	232	33.6 (4)	0	* *	0	* *
WRJ	722	39.9 (4)	657	22.7 (3)	220	39.5 (2)	0	* *	0	* *
Unknown Local Agencies	38	* *	32	* *	10	* *	0	* *	0	* *
Vermont	10,206	42.4	9,242	28.4	3,200	28.8	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.

(4) Among women who smoked 3 months prior to pregnancy.

* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8F
2009 - 2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Infant Health Indicators by Local Agency
Combined 3 Years

Comparison of Infant Health Indicators ^(2, 3)										
Local Agency	Birthweight				Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)		High (5)							
	Number	% (Rank)	%	(Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Barre	1,003	6.8 (5)	11.7 (10)		950	8.7 (4)	867	3.5 (8)	928	79.5 (5)
Bennington	657	8.2 (12)	8.5 (4)		639	8.8 (5)	583	3.9 (10)	622	75.4 (10)
Brattleb.	563	6.0 (2)	9.4 (6)		530	8.9 (8)	483	2.1 (2)	532	79.9 (4)
Burlington	1,692	7.7 (10)	10.8 (7)		1,604	10.2 (10)	1,441	4.0 (12)	1,551	79.4 (6)
Middlebury	466	6.2 (4)	11.6 (8)		456	7.7 (1)	420	3.3 (7)	447	86.1 (1)
Morrisv.	622	5.1 (1)	12.1 (11)		577	9.4 (9)	523	1.3 (1)	600	85.2 (2)
Newport	688	8.1 (11)	8.3 (3)		672	12.2 (12)	590	2.7 (3)	672	76.8 (9)
Rutland	1,062	6.0 (2)	8.9 (5)		1,005	8.8 (5)	917	3.1 (6)	1,010	73.3 (11)
Springfld	560	6.8 (5)	8.0 (2)		546	10.4 (11)	488	2.7 (3)	524	78.2 (8)
St.Albans	1,012	7.2 (8)	7.7 (1)		962	8.5 (3)	880	3.9 (10)	971	71.0 (12)
St.Johnsb.	622	7.4 (9)	11.6 (8)		590	8.8 (5)	538	3.5 (8)	605	78.5 (7)
WRJ	682	6.9 (7)	12.5 (12)		640	8.1 (2)	588	2.7 (3)	643	84.9 (3)
Unknown Local Agencies	35	*	*	*	32	*	*	28	*	*

- (1) Reporting period is January 1 through December 31.
- (2) Excludes records with unknown data or errors.
- (3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
- (4) <2500 g.
- (5) >4000 g.
- (6) <37 weeks gestation.
- (7) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8F
2009 - 2011 Pregnancy Nutrition Surveillance ⁽¹⁾
Vermont
Comparison of Infant Health Indicators by Local Agency
Combined 3 Years

Comparison of Infant Health Indicators ^(2, 3)									
Local Agency	Birthweight			Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)		High (5)						
	Number	% (Rank)	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Vermont	9,664	7.0	10.1	9,203	9.3	8,346	3.2	9,132	78.4

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one local agency's rate to other local agencies. Rank 1 = best rate.
(4) <2500 g.
(5) >4000 g.
(6) <37 weeks gestation.
(7) 37 or more weeks gestation and <2500 g.
* Percentages are not calculated if <100 records are available for analysis after exclusions.

