

## **7439-92-1 Lead & Lead compounds**

### **Toxicity**

According to the CDC there is no safe blood lead level.<sup>1</sup>

Inorganic lead is considered a probable human carcinogen by the International Agency for Research on Cancer (IARC).<sup>2</sup> Environmental Protection Agency (EPA) Integrated Risk Information System (IRIS) has classified inorganic lead and inorganic lead compounds as a category B2, probable human carcinogen.<sup>3</sup> The National Toxicology Program (NTP) has characterized lead as an anticipated carcinogen.<sup>4</sup> Lead is designated as a Substance of Very High Concern (SVHC) by the European Union based on evidenced reproductive toxicity.<sup>5</sup>

The American Conference of Industrial Hygienists (ACGIH) has characterized lead and specific inorganic lead compounds as an A3, confirmed animal carcinogen with unknown relevance to humans.<sup>6</sup>

Lead was added to the 2014 Toxic Substances Control Act (TSCA) work plan due to its' developmental, neurological and reproductive toxicity potential, high environmental persistence and moderate bioaccumulation.<sup>7</sup>

Though lead can affect many organs in the body, the primary target organ for lead toxicity is the nervous system.<sup>8</sup> Severe brain and kidney damage, altered immune parameters and hematological, neurological, reproductive and developmental toxicity may occur when humans are exposed to lead.<sup>9-74</sup> Fetuses and children are especially sensitive to lead exposure as they are undergoing nervous system development. When a child swallows lead, a larger proportion of lead will be absorbed into the bloodstream as compared to adults. Children have demonstrated impaired neurological function including decreased cognitive ability, IQ, and severe neurologic problems such as seizure, coma and death when exposed at high levels.<sup>8</sup>

Animals exposed to lead have developed tumors and cancers, alterations in testis, delays in sexual maturation, decreased birth weight, gestational age, delayed puberty in females, and increased IgE levels in offspring perinatally exposed.<sup>75-85</sup>

### **Exposure**

An association between lead exposure and increased risk of urinary-bladder, stomach, and lung cancer in humans has been identified.<sup>86</sup>

Lead is an abundant element extracted from ores used in many industries including energy, mining, construction, and manufacturing. Lead has been used to produce solders, batteries, plumbing, ammunition, gasoline, pigment, paint, radiation shields and metal alloys. Lead has been phased out of many products since the discovery of its neurotoxicity.<sup>8</sup>

Lead has been used in consumer products such as ceramics, pottery, glass, paint, home-remedy medicines, cosmetics, dyes, caulking, food cans, cigarettes and pipe soldering.<sup>8</sup> Consumer product testing has detected lead in a variety of products and children's products, not limited to, toys, jewelry, personal care products, art & school supplies, clothing, baby bottle nipples, teethers and pacifiers.<sup>87</sup> Lead is a high production volume substance and is listed on the EPA Toxic Release Inventory (TRI).<sup>88</sup>

Historically, elevated levels of lead in soil and ambient air were influenced by the burning of fossil fuels, such as gasoline containing lead. Atmospheric levels of lead in the U.S. have generally decreased since gasoline lead additives were banned for use in motor vehicles in 1996.<sup>8</sup>

Lead has been shown to leach out of lead pipes or soldering and contaminate drinking water. Lead paint can deteriorate and turn into lead dust. Lead has been detected in various foods, including vegetables grown in lead containing soils.<sup>8</sup>

Lead has been detected through California, Health Canada and NHANES biomonitoring studies in human blood or urine.<sup>89,90,91</sup> Other biomonitoring studies have detected lead in umbilical cord blood, breast milk, and other bodily tissues such as hair and nails. Lead was detected in indoor air, household dust, drinking water, and consumer products. Lead has been found in natural media such as soil, surface water, ambient air, fish and wildlife.<sup>92</sup>

## Other

The EPA has set a lead drinking water Action Level and a National Ambient Air Quality Standard (NAAQS).<sup>93,94</sup> Occupational exposure lead limits have been established by NIOSH, OSHA and ACGIH.<sup>95,96,97</sup>

The Consumer Products Safety Commission (CPSC), under the Federal Hazardous Substance Act, has banned lead in lead containing-paint and certain consumer products at concentrations greater than 0.009%.<sup>98</sup>

## References

1. CDC (2012). *Healthy homes and lead poisoning prevention: What do parents need to know to protect their children?* Atlanta, GA: U.S. Environmental Protection Agency, Department of Health and Human Services. Retrieved from [https://www.cdc.gov/nceh/lead/acclpp/blog/lead\\_levels.htm](https://www.cdc.gov/nceh/lead/acclpp/blog/lead_levels.htm)
2. IARC (1987). *IARC monographs on the evaluation of carcinogenic risk to humans*. International Agency for Research on Cancer, World Health Organization. Supplement 7, Vols 1 to 47. Retrieved from <https://monographs.iarc.fr/>
3. IRIS (2001). Integrated Risk Information System. U.S. Environmental Protection Agency. April 17, 2001. Retrieved from <http://www.Environmental Protection Agency.gov/iris/subst/index.htm>
4. NTP (2001). *Ninth report on carcinogens*. Research Triangle Park, NC: U.S. Environmental Protection Agency, Department of Health and Human Services. National Toxicology Program. September

- 11, 2001. Retrieved from <http://ehis.niehs.nih.gov/roc/toc9.html>
5. European Chemicals Agency (2017). *Substance information: Lead: EC number: 231-100-4; CAS number: 7439-92-1*. European Chemicals Agency. Retrieved from <https://European.Chemicals.Agency.europa.eu/substance-information/-/substanceinfo/100.028.273>
6. American Conference of Governmental Industrial Hygienists (2001). *2001 TLVs and BEIs: Threshold limit values for chemical substances and physical agents*. Biological exposure indices. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
7. U.S. Environmental Protection Agency (2014). *TSCA Work plan for chemical assessments: 2014 update*. U.S. Environmental Protection Agency. Retrieved from [https://www.EnvironmentalProtectionAgency.gov/sites/production/files/201501/documents/tsca\\_work\\_plan\\_chemicals\\_2014\\_update-final.pdf](https://www.EnvironmentalProtectionAgency.gov/sites/production/files/201501/documents/tsca_work_plan_chemicals_2014_update-final.pdf)
8. Agency for Toxic Substances and Disease Registry (ATSDR) (2007). *Toxicological profile for lead*. Atlanta, GA: U.S. Environmental Protection Agency of Health and Human Services, Public Health Service. Retrieved from <https://www.atsdr.cdc.gov/toxprofiles/tp.asp?id=96&tid=22>
9. Mahaffey, K.R., Annett, J.L., Roberts, J., Murphy, R.S. (1982). National estimates of blood lead levels: United States, 1976–1980. *The New England Journal of Medicine.*, 307, 573–579.
10. Rosen, J.F. & Markowitz, M.E. (1980). D-penicillamine: Its actions on lead transport in bone organ culture, *Pediatric Research*, 14, 330–335.
11. Marlowe, M., Cossairt, A., Moon, C., Errera, J., MacNeel, A., Peak, R., Ray, J., Schroeder, C. (1985). Main and interaction effects of metallic toxins on classroom behavior. *Journal of Abnormal Child Psychology*, 13(2), 185-198.
12. Pocock, S.J., Smith, M., Baghurst, P. (1994). Environmental lead and children's intelligence: A systematic review of the epidemiological evidence. *The British Medical Journal*, 309, 1189-1197. (As cited in ATSDR 1999).
13. Needleman, H.L., Gatsonis, C.A. (1990). Low-level lead exposure and the IQ of children: A meta-analysis of modern studies. *The Journal of the American Medical Association*, 263(5), 673-678.
14. Schwartz, J. (1994). Low-level lead exposure and children's IQ: A meta-analysis and search for a threshold. *Environmental Research*, 65, 42-55.
15. Bellinger, D.C., Needleman, H.L. (2003). Intellectual impairment and blood lead levels. *The New England Journal of Medicine*, 349, 500–2.
16. Bellinger, D.C., Stiles, K.M., Needleman, H.L. (1992). Low-level lead exposure, intelligence and academic achievement: a long-term follow-up study. *Pediatrics*, 90, 855–61.
17. Dietrich, K.N., Douglas, R.M., Succop, P.A., Berger, O.G., Bornschein, R.L. (2001). Early exposure to lead and juvenile delinquency. *Neurotoxicology and Teratology*, 23, 511–8.
18. Needleman, H.L., McFarland, C., Ness, R.B., Fienberg, S.E., Tobin, M.J. (2002). Bone lead levels in adjudicated delinquents: a case control study. *Neurotoxicology and Teratology*, 24, 711–7.
19. National Research Council. (1993) *Measuring lead exposure in infants, children, and other sensitive populations*. Washington, DC: National Academy Press. Retrieved from <https://www.nap.edu/catalog/2232/measuring-lead-exposure-in-infants-children-and-other-sensitive-populations>
20. Nordstrom, S., Beckman, L., Nordensen, I. (1979). Occupational and environmental risks in and around a smelter in northern Sweden: V. Spontaneous abortion among female employees and decreased birth weight in their offspring. *Hereditas*, 90, 291-296.

21. Borja-Aburto, V.H., Hertz-Picciotto, I., Lopez, M.R., Farias, P., Rios, C., Blanco, J. (1999). Blood lead levels measured prospectively and risk of spontaneous abortion. *American Journal of Epidemiology*, 150, 590-597.
22. Gennart, J.P., Buchet, J.P., Roels, H., Ghyselen, P., Ceulemans, E., Lauwerys, R. (1992b). Fertility of male workers exposed to cadmium, lead or manganese. *American Journal of Epidemiology*, 135, 1208-1219.
23. Shiau, C.Y., Wang, J.D., Chen, P.C. (2004). Decreased fecundity among male lead workers. *Occupational and Environmental Medicine*, 61, 915-923.
24. Cullen, M.R., Kayne, R.D., Robins, J.M. (1984). Endocrine and reproductive dysfunction in men associated with occupational inorganic lead intoxication. *Archives of Environmental & Occupational Health*, 39, 431-440.
25. Dietrich, K.N., Krafft, K.M., Bornschein, R.L., Hammon, P.B., Berger, O., Succop, P.A., Bier, M. (1987a). Low-level fetal lead exposure effect on neurobehavioral development in early infancy. *Pediatrics*, 80, 721-730.
26. Jelliffe-Pawlowski, L.L., Miles, S.Q., Courtney, J.G., Materna, B., Charlton, V. (2006). Effect of magnitude and timing of maternal pregnancy blood lead (Pb) levels on birth outcomes. *Journal of Perinatology*, 26(3), 154-162.
27. Selevan, S.G., Rice, D.C., Hogan, K.A., Euling, S.Y., Pfahles-Hutchens, A., Bethel, J. (2003). Blood lead concentration and delayed puberty in girls. *The New England Journal of Medicine*, 348(16), 1527-1536.
28. Fischbein, A., Tsang, P., Luo, J.C., Roboz, J.P., Jiang, J.D., Bekesi, J.G. (1993). Phenotypic aberrations of CD3 and CD4 cells and functional impairments of lymphocytes at low-level occupational exposure to lead. *Clinical Immunology and Immunopathology*, 66, 163-168.
29. Pinkerton, L.E., Biagini, R.E., Ward, E.M., Hull, R.D., Deddens, J.A., Boeniger, M.F., Schnorr, T.M., MacKenzie, B.A., Luster, M.I. (1998). Immunologic findings among lead-exposed workers. *American Journal of Industrial Medicine*, 33(4), 400-408.
30. Sata, F., Araki, S., Tanigawa, T., Morita, Y., Sakurai, S., Nakata, A., Katsuno, N. (1998). Changes in T cell subpopulations in lead workers. *Environmental Research*, 76(1), 61-64.
31. Ündeger, U., Basaran, N., Canpinar, H., Kansu, E. (1996). Immune alterations in lead-exposed workers. *Toxicology*, 109(2-3), 167-172.
32. Mishra, K.P., Singh, V.K., Rani, R., Yadav, V.S., Chandran, V., Srivastava, S.P., Seth, P.K. (2003). Effect of lead exposure on the immune response of some occupationally exposed individuals. *Toxicology*, 188, 251-259.
33. Valentino, M., Governa, M., Marchiseppe, I., Visona, I. (1991). Effects of lead on polymorphonuclear leukocyte (PMN) functions in occupationally exposed workers. *Archives of Toxicology*, 65, 685-688.
34. Karmaus, W., Brooks, K.R., Nebe, T., Witten, J., Obi-Osius, N., Kruse, H. (2005). Immune function biomarkers in children exposed to lead and organochlorine compounds: A cross-sectional study. *Environmental Health*, 4, 5.
35. Lutz, P.M., Wilson, T.J., Ireland, J., Jones, A.L., Gorman, J.S., Gale, N.L., Johnson, J.C., Hewett, J.E. (1999). Elevated immunoglobulin E (IgE) levels in children with exposure to environmental lead. *Toxicology*, 134, 63-78.
36. Sun, L., Hu, J., Zhao, Z., Li, L., Cheng, H. (2003). Influence of exposure to environmental lead on serum immunoglobulin in preschool children. *Environmental Research*, 92, 124-128.
37. Landrigan, P.J. (1989). Toxicity of lead at low dose. *British Journal of Industrial Medicine*, 46(9), 593-6.
38. Robinson, G.S., Baumann, S., Kleinbaum, D., et al. (1985). Effects of low to moderate lead exposure on brainstem auditory evoked potentials in children: Environmental health document 3. Copenhagen, Denmark: World Health

- Organization Regional Office for Europe, 177-182. (as cited in ATSDR, 2007).
39. Osman, K., Pawlas, K., Schutz, A., Gazdzik, M., Sokal, J.A., Vahter, M. (1999). Lead Exposure and Hearing Effects in Children in Katowice, Poland. *Environmental Research*, 80(1), 1-8.
  40. Altmann, L., Sveinsson, K., Kraemer, U., Weishoff-Houben, M., Turfeld, M., Winneke, G., Wiegand, H. (1998). Visual functions in 6-year-old children in relation to lead and mercury levels. *Neurotoxicology and Teratology*, 20(1), 9-17.
  41. Winneke, G., Altmann, L., Kramer, U., Turfeld, M., Behler, R., Gutsmuths, F.J., Mangold, M. (1994). Neurobehavioral and neurophysiological observations in six year old children with low lead levels in East and West Germany. *Neurotoxicology*, 15(3), 705-713.
  42. Rothenberg, S.J., Schnaas, L., Salgado-Valladares, M., Casanueva, E., Geller, A.M., Hudnell, H.K., Fox, D.A. (2002). Increased ERG a- and b-wave amplitudes in 7- to 10-year-old children resulting from prenatal lead exposure. *Investigative Ophthalmology & Visual Science*, 43(6), 2036-44.
  43. Rothenberg, S.J., Kondrashov, V., Manalo, M., Jiang, J., Cuellar, R., Garcia, M., Reynoso, B., Reyes, S., Diaz, M., Todd, A.C. (2002). Increases in Hypertension and Blood Pressure during Pregnancy with Increased Bone Lead Levels. *American Journal of Epidemiology*, 156(12), 1079-1087.
  44. Bhattacharya, A., Shukla, R., Dietrich, K.N., Miller, J., Bagchee, A., Bornschein, R.L., Cox, C., Mitchell, T. (1993). Functional implications of postural disequilibrium due to lead exposure. *Neurotoxicology*, 14, 179-190.
  45. McMichael, A.J., Vimpani, G.V., Robertson, E.F., Baghurst, P.A., Clark, P.D. (1986). The Port Pirie cohort study: Maternal blood lead and pregnancy outcome. *Journal of Epidemiology and Community Health*, 40, 18-25.
  46. Torres-Sánchez, L.E., Berkowitz, G., Lopez-Carrillo, L., Rios, C., Lopez-Cervantes, M. (1999). Intrauterine lead exposure and preterm birth. *Environmental Research*, 81, 297-301.
  47. Sallmén, M., Lindbohm, M.L., Anttila, A., Taskinen, H., Hemminki, K. (2000a). Time to pregnancy among the wives of men occupationally exposed to lead. *Epidemiology*, 11, 141-147.
  48. Sallmén, M., Lindbohm, M.L., Nurminen, M. (2000b). Paternal exposure to lead and infertility. *Epidemiology*, 11, 148-152.
  49. Sallmén, M., Lindbohm, M.L., Nurminen, N. (2000). Paternal Exposure to Lead and Infertility. *Epidemiology*, 11(2), 148-152.
  50. Alexander, B.H., Checkoway, H., Faustman, E.M., Van Netten, C., Muller, C.H., Ewers, T.G. (1998). Contrasting associations of blood and semen lead concentrations with semen quality among lead smelter workers. *American journal of industrial medicine*, 34(5), 464-9.
  51. Lancranjan, I., Popescu, H.I., Gavanescu, O., Klepsch, I., Serbanescu, M. (1975). Reproductive ability of workmen occupationally exposed to lead. *Archives of Environmental & Occupational Health*, 30, 396-401.
  52. Wildt, K., Eliasson, R., Berlin, M. (1983). Effects of occupational exposure to lead on sperm and semen. In: Clarkson, T.W., Nordberg, G.F., Sager, P.R., eds. Reproductive and developmental toxicity of metals. Proceedings of a Joint Meeting, Rochester, NY. New York, NY: Plenum Press, 279-300.
  53. Hernandez-Ochoa, I., Carcia-Vargas, G., Lopez-Carrillo, L., Rubio-Andrade, M., Moran-Martinez, J., Cebrian, M.E., Quintanilla-Vega, B. (2005). Low lead environmental exposure alters semen quality and sperm chromatin condensation in northern Mexico. *Reproductive Toxicology*, 20(2), 221-228.
  54. Assennato, G., Paci, C., Baser, M.E., Molinini, R., Candela, R.G., Altamura, B.M., Giorgino, R. (1987). Sperm count suppression without endocrine dysfunction in lead-exposed men. *Archives of Environmental & Occupational Health*, 42, 124-127.

55. Chowdhury, A.R., Chinoy, N.J., Gautam, A.K., Rao, R.V., Parikh, D.J., Shah, G.M., Highland, H.N., Patel, K.G., Chatterjee, B.B. (1986). Effect of lead on human semen. *Advances in Contraceptive Delivery Systems*, 2, 208-211.
56. Lerda, D. (1992). Study of sperm characteristics in persons occupationally exposed to lead. *American Journal of Industrial Medicine*, 22, 567-571.
57. Ng, T.P., Goh, H.H., Ong, H.Y., Ong, C.N., Chia, K.S., Chia, S.E., Jeyaratnam, J. (1991). Male endocrine functions in workers with moderate exposure to lead. *British Journal of Industrial Medicine*, 48, 485-491.
58. Braunstein, G.D., Dahlgren, J., Loriaux, D.L. (1978). Hypogonadism in chronically lead-poisoned men. *Infertility*, 1, 33-51.
59. Rodamilans, M., Osaba, M.J., To-Figueras, Rivera, F.F., Marques, J.M., Perez, P., Corbella, J. (1988). Lead toxicity on endocrine testicular function in an occupationally exposed population. *Human & Experimental Toxicology*, 7, 125-128.
60. Sanín, L.H., Gonzalez-Cossio, T., Romieu, I., Peterson, K.E., Ruiz, S., Palazuelos, E., Hernandez-Avila, M., Hu, H. (2001). Effect of maternal lead burden on infant weight and weight gain at one month of age among breastfed infants. *Pediatrics*, 107(5), 1016-1023.
61. Hernández-Avila, M., Peterson, K.E., Gonzalez-Cossio, T., Sanin, L.H., Aro, A., Schnass, L., Hu, H. (2002). Effect of maternal bone lead on length and head circumference of newborns and 1-month-old infants. *Archives of Environmental & Occupational Health*, 57(5), 482-488.
62. Rothenberg, S.J., Schnaas, L., Perroni, E., Hernandez, R.M., Martinez, S., Hernandez, C. (1999c). *cNeurotoxicology and Teratology*, 21, 1-11.
63. Stanek, K., Manton, W., Angle, C., Eskridge, K., Kuehneman, A., Hanson, C. (1998). Lead consumption of 18- to 36-month-old children as determined from duplicate diet collections: Nutrient intakes, blood lead levels, and effects on growth. *Journal of the American Dietetic Association*, 98(2), 155-158.
64. Odland, J.O., Nieboer, E., Romanova, N., Thomassen, Y., Lund, E. (1999). Blood lead and cadmium and birth weight among subarctic and arctic populations of Norway and Russia. *Acta Obstetrica et Gynecologica Scandinavica*, 78, 852-860.
65. Falcón, M., Vinas, P., Luna, A. (2003). Placental lead and outcome of pregnancy. *Toxicology*, 185, 59-66.
66. Wu, M.T., Kelsey, K., Schwartz, J. (2003a). A  $\delta$ -aminolevulinic acid dehydratase (ALAD) polymorphism may modify the relationship of low-level lead exposure to uricemia and renal function: The Normative Aging Study. *Environmental Health Perspectives*, 111(3), 335-340.
67. Schwanitz, G., Gebhart, E., Rott, H.D., Schaller, K.H., Essing, H.G., Lauer, O., Prestele, H. (1975). Chromosome investigations in subjects with occupational lead exposure. *Deutsche Medizinische Wochenschrift*, 100, 1007-1011.
68. Schwanitz, G., Lenhert, G., Gebhart, E. (1970). Chromosome damage after occupational exposure to lead. *Deutsche Medizinische Wochenschrift*, 95, 1636-1641.
69. Forni, A., Camiaghi, G., Sechi, G.C. (1976). Initial occupational exposure to lead: Chromosome and biochemical findings. *Archives of Environmental & Occupational Health*, 31, 73-78.
70. Al-Hakkak, Z.S.H., Hamamy, H.A., Murad, A.M.B., Hussain, A.F. (1986). Chromosome aberrations in workers at a storage battery plant in Iraq. *Mutation Research*, 171, 53-60.
71. Huang, X.P., Feng, Z.Y., Zhai, W.L., Xu, H. (1988b). Chromosomal aberrations and sister chromatid exchanges in workers exposed to lead. *Biomedical and Environmental Sciences*, 1, 382-387.
72. Duydu, Y., Suzen, H.S., Aydin, A., Cander, O., Uysal, H., Isimer, A., Vural, N. (2001). Correlation between lead exposure indicators and sister chromatid exchange (SCE) frequencies in lymphocytes from inorganic lead exposed workers. *Archives of*

- Environmental Contamination and Toxicology*, 41, 241-246.
73. Vaglenov, A., Carbonell, E., Marcos, R. (1998). Biomonitoring of workers exposed to lead. Genotoxic effects, its modulation by polyvitamin treatment and evaluation of induced radioresistance. *Mutation Research*, 418, 79-92.
74. Vaglenov, A., Creus, A., Laltchev, S., Petkova, S., Marcos, R. (2001). Occupational exposure to lead and induction of genetic damage. *Environmental Health Perspectives*, 109(3), 295-298.
75. Dearth, R.K., Hiney, J.K., Srivastava, V., Burdick, S.B., Bratton, G.R., Dees, W.L. (2002). Effects of lead (Pb) exposure during gestation and lactation on female pubertal development in the rat. *Reproductive Toxicology*, 16, 343-352.
76. Grant, L.D., Kimmel, C.A., West, G.L., Martinez-Vargas, C.M., Howard, J.L. (1980). Chronic low-level lead toxicity in the rat. II. Effects on postnatal physical and behavioral development. *Toxicology and Applied Pharmacology*, 56(1), 42-58.
77. Ronis, M.J., Badger, T.M., Shema, S.J., Roberson, P.K., Shaikh, F. (1996). Reproductive toxicity and growth effects in rats exposed to lead at different periods during development. *Toxicology and Applied Pharmacology*, 136, 361-371.
78. Ronis, M.J., Badger, T.M., Shema, S.J., Roberson, P.K., Templer, L., Ringer, D., Thomas, P.E. (1998a). Endocrine mechanisms underlying the growth effects of developmental lead exposure in the rat. *Journal of Toxicological Environmental Health A*, 54(2), 101-120.
79. Ronis, M.J., Gandy, J., Badger, T. (1998b). Endocrine mechanisms underlying reproductive toxicity in the developing rat chronically exposed to dietary lead. *Journal of Toxicological Environmental Health A*, 54(2), 77-99.
80. Ronis, M.J., Aronson, J., Gao, G.G., Hogue, W., Skinner, R.A., Badger, T.M., Lumpkin, C.K. (2001). Skeletal effects of developmental lead exposure in rats. *Toxicological Sciences*, 62, 321-9.
81. Azar, A., Trochimowicz, H.J., Maxfield, M.E. (1973). Review of lead studies in animals carried out at Haskell Laboratory - Two year feeding study and response to hemorrhage study. In Barth, D., Berlin, A., Engle, R., Recht, P. & Smeets, J. (eds) *Environmental Health Aspects of Lead*. Proceedings of an International Symposium, October 1972, Amsterdam, The Netherlands.
82. Koller, L.D., Kerkvliet, N.I., Exon, J.H. (1986). Neoplasia induced in male rats fed lead acetate, ethyl urea and sodium nitrate. *Toxicologic Pathology*, 13, 50-57.
83. Van Esch, G.J. & Kroes R. (1969). The induction of renal tumors by feeding of basic lead acetate to mice and hamsters. *British Journal of Cancer*, 23, 265-271.
84. Waalkes, M.P. Metal carcinogenesis. In: Goyer R.A., Klasassen C.O., Waalkes M.P., editors. *Metal Toxicology*. Academic Press; San Diego: 1995.
85. Steenland, K. & Boffetta, P. (2000). Lead and cancer in humans: where are we now? *American Journal of Industrial Medicine*, 38(3), 295-299.
86. National Toxicology Program (NTP). (2003). *Report on carcinogens background document for lead and lead compounds*. National Toxicology Program. Retrieved from <http://ntp.niehs.nih.gov/ntp/newhomeroc/roc11/Lead-Public.pdf>.
87. Washington State Environmental Protection Agency, Department of Ecology, *Product Testing Database*. Retrieved from <https://fortress.wa.gov/ecy/ptdbpublicreporting/>
88. U.S. Environmental Protection Agency. TRI Toxics Release Inventory Program. TRI Chemicals. Retrieved from <https://www.epa.gov/toxics-release-inventory-tri-program/tri-listed-chemicals>
89. Biomonitoring California (2013). *Chemicals biomonitoring in California: Lead*. California Environmental Contaminant Biomonitoring

- Program. USA: Biomonitoring California.  
Retrieved from  
<https://biomonitoring.ca.gov/chemicals/lead>
90. Health Canada (2013). *Health Canada second report on the human biomonitoring of environmental chemicals in Canada*. Minister of Health, Ottawa, ON. Retrieved from  
[https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/ewh-semt/alt\\_formats/pdf/pubs/contaminants/chms-ecms-cycle2/chms-ecms-cycle2-eng.pdf](https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/ewh-semt/alt_formats/pdf/pubs/contaminants/chms-ecms-cycle2/chms-ecms-cycle2-eng.pdf)
91. Centers for Disease Control and Prevention (CDC) (2015). *Fourth national report on human exposure to environmental chemicals: Updated tables February 2015*. Atlanta, GA. Retrieved from  
<http://www.cdc.gov/exposurereport/>
92. Hazardous Substances Data Bank. (HSDB) (2009). *Lead compounds*. National Library of Medicine. Retrieved from  
<https://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~fftq3M:4>
93. U.S. Environmental Protection Agency, Office of Water, Federal-State Toxicology and Risk Analysis Committee (FSTRAC). Summary of State and Federal Drinking Water Standards and Guidelines (11/93 To Present]. Retrieved from  
<https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=1000314B.TXT>
94. U.S. Environmental Protection Agency (2016) National Ambient Air Quality Standards. U.S. Environmental Protection Agency. Retrieved from  
<https://www.epa.gov/lead-air-pollution/table-historical-lead-pb-national-ambient-air-quality-standards-naaqs>
95. The National Institute for Occupational Safety and Health (NIOSH) (2010). NIOSH Pocket Guide to Chemical Hazards. National Institute for Occupational Safety & Health. DHHS (NIOSH) (Publication No. 2010-168) Retrieved from:  
<http://www.cdc.gov/niosh/npg>
96. Association of Occupational and Environmental Health Clinics (2009). *Medical management guidelines for lead-exposed adults*. Retrieved from:  
[http://www.aoec.org/documents/positions/MMG\\_FINAL.pdf](http://www.aoec.org/documents/positions/MMG_FINAL.pdf)
97. American Conference of Governmental Industrial Hygienists (ACGIH) (2008). Documentation of the Threshold Limit Values and Biological Exposure indices: *Lead and inorganic lead compounds*. 7439-92-1. 7th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists (as cited in HSDB, 2009).
98. Consumer Safety Product Commission (2008) Secs. 8, 9, 86 Stat. 1215-1217, as amended 90 Stat. 506, 122 Stat. 3016, (15 U.S.C. 2057, 2058), Sec. 101, 122 Stat. 3016. Retrieved from  
<https://www.federalregister.gov/document/2008/12/19/E8-30238/ban-of-lead-containing-paint-and-certain-consumer-products-bearing-lead-containing-paint>