

Data Submission Guide for Dispensers

Vermont Prescription Monitoring System

February 2022 Version 2.2



9901 Linn Station Road | Louisville, KY 40223 | bamboohealth.com

Table of Contents

1	Data	Collectic	n and Tracking1
	1.1	Data Co	llection Overview1
	1.2	Data Co	Ilection Requirements1
	1.3	Reporti	ng Requirements2
	1.4	Exempti	ons2
	1.5	Noncon	npliance2
2	Data	Submiss	ion3
	2.1	Timeline	e and Requirements3
	2.2	Upload	Specifications3
3	Acces	ssing Cle	aringhouse4
	3.1	Creating	g Your Account
	3.2	Logging	In to PMP Clearinghouse9
4	Data	Delivery	Methods
	4.1	Secure I	TP
	4.2	Web Po	rtal Upload11
	4.3	Manual	Entry (UCF)
	4.4	Zero Re	ports15
		4.4.1	Submit a Single-Click Zero Report16
		4.4.2	Create a New Zero Report19
5	Data	Complia	nce21
	5.1	File Listi	ngs21
	5.2	UCF List	ings
	5.3	Error Co	prrection
		5.3.1	View Records with Errors
		5.3.2	Error Correction via PMP Clearinghouse26
		5.3.3	Error Correction via File Submission27
6	Email	Reports	
	6.1	File Faile	ed Report
	6.2	File Stat	us Report

Do not copy or distribute without the express written permission of Bamboo Health.

	6.3	Zero Report Confirmation	32
7	Mana	ging Your Upload Account	33
	7.1	Adding Users to Your Upload Account	33
		7.1.1 Changing Another User's Password	34
	7.2	Adding PMPs to Your Upload Account	36
	7.3	Adding SFTP Access to an Upload Account	37
	7.4	Editing Your Upload Account	39
8	Mana	ging Your User Profile	42
	8.1	Editing Your Profile	42
	8.2	Changing Your Password	43
	8.3	Resetting Your Password	44
9	Assist	ance and Support	47
	9.1	Technical Assistance	47
	9.2	Administrative Assistance	47
10	Docu	ment Information	48
	10.1	Disclaimer	48
	10.2	Change Log	48
Ар	pendi>	A: ASAP 4.2b Specifications	49
Ар	pendi>	B: ASAP Zero Report Specifications	61
Ар	pendix	C: SFTP Configuration	63

1 Data Collection and Tracking

1.1 Data Collection Overview

In 2006, the Vermont Legislature authorized the Department of Health to establish "an electronic database and reporting system for monitoring Schedules II, III, and IV controlled substances." This program is known as the Vermont Prescription Monitoring System (VPMS).

The primary goal of the VPMS is to promote the appropriate use of controlled substances for legitimate medical purposes while deterring the misuse, abuse, and diversion of controlled substances.

1.2 Data Collection Requirements

A dispenser is defined as any person who dispenses or engages in dispensing as those terms defined in 26 V.S.A § 2022 (5). Pharmacies and other dispensers shall report each dispensed prescription for a Schedule II, III, or IV controlled substance to the VPMS within 24 hours or one (1) business day after dispensing. This applies to all licensees, irrespective of location or number of prescriptions of controlled substances dispensed. Pharmacies and other dispensers must submit a "zero controlled substances report" within 24 hours or one (1) business day when no controlled substances are dispensed. "Reportable prescriptions" is a term used to refer to all Schedule II, III, and IV controlled substances dispensed from a given pharmacy during the weekly reporting period, except the following:

- A controlled substance administered directly to a patient.
- A controlled substance dispensed by a healthcare provider at a facility licensed by the Vermont Department of Health, provided that the quantity dispensed is limited to an amount adequate to treat the patient for a maximum of 48 hours.
- Veterinarian offices.
- Opioid addiction treatment programs that dispense methadone and buprenorphine.

A dispenser who fails, intentionally or otherwise, to submit prescription monitoring information to VPMS as required shall be referred to the appropriate professional licensing and regulatory agency for sanctions as deemed appropriate by that agency.

All dispensers of controlled substances must meet the reporting requirements set forth by state law in a secure methodology and format. Information about controlled substance dispensing activities must be reported on regular intervals to the VPMS through the authorized data collection vendor, Bamboo Health, Inc.

1.3 Reporting Requirements

Effective June 15, 2017, the State of Vermont requires pharmacies and dispensers to report controlled substance dispensations to the VPMS via PMP Clearinghouse. Dispensations must be reported within 24 HOURS or ONE BUSINESS DAY after dispensing the controlled substance.

The laws and regulations for reporting to the VPMS are continuously subjected to amendments; it is the responsibility of dispensers to be aware of such updates as they are enacted and promulgated.

All dispensers of Schedule II, III, and IV controlled substance prescriptions are required to collect and report their dispensing information. Such reporting without individual authorization by the patient is allowed under HIPAA, 45CFR § 164.512, paragraphs (a) and (d). VPMS is the program authorized to collect this information, and Bamboo Health will be acting as an agent of the Vermont Department of Health in the collection of this information.

Certain elements are required by law to be reported. For complete details on these elements and others of ASAP 4.2b, please refer to <u>Appendix A: ASAP 4.2b</u> <u>Specifications</u>.

1.4 Exemptions

Any Vermont-licensed pharmacies that do not dispense controlled substances but are credentialed to do so must obtain an exemption that releases them from the legal obligation to report to VPMS. The Department may grant an exemption to that dispenser; if so, the exemption shall state the format and frequency with which the dispenser shall submit the required information. Exemptions will be renewed annually between January 1st and 31st of each year, unless the circumstances under which the exemption was granted change.

In order to gain exemption status, pharmacies must submit the online form that can be found here: <u>http://www.healthvermont.gov/alcohol-</u> <u>drugs/professionals/vermont-prescription-monitoring-system-vpms</u>.

1.5 Noncompliance

A dispenser who fails, intentionally or otherwise, to submit prescription monitoring information to VPMS as required shall be referred to the appropriate professional licensing and regulatory agency for sanctions as deemed appropriate by that agency.

2 Data Submission

This chapter provides information and instructions for submitting data to the PMP Clearinghouse repository.

2.1 Timeline and Requirements

- Pharmacies and software vendors can establish submission accounts upon receipt of this guide. See <u>Creating Your Account</u> for more information.
- Beginning June 15, 2017, dispensers are required to transmit their data using PMP Clearinghouse in accordance with the guidelines outlined under <u>Reporting Requirements</u>.
- If a pharmacy does not dispense any controlled substances for the preceding reporting period, it must file a *zero report* for that reporting period or it will be considered noncompliant. See <u>Zero Reports</u> for additional details.

2.2 Upload Specifications

Files should be in the ASAP 4.2b format released in September 2011. The ASAP 4.2b specifications are defined in <u>Appendix A: ASAP 4.2b Specifications</u>. Files for upload should be named in a unique fashion, with a prefix constructed with the date (YYYYMMDD) and a suffix of ".dat". An example file name would be "20220415.dat". All of your upload files will be kept separate from the files of others.

Reports for multiple dispensers/pharmacies can be in the same upload file in any order.

3 Accessing Clearinghouse

This chapter describes how to create your PMP Clearinghouse account and how to log in to the PMP Clearinghouse web portal.

3.1 Creating Your Account

Prior to submitting data, you must create an account. If you are currently registered with the Bamboo Health PMP Clearinghouse system, you *do not* need to register for a new account—you will be able to add Vermont to your existing account for data submissions. If you have an existing PMP Clearinghouse account, please refer to Adding PMPs to Your Upload Account to add PMPs to your account.

Notes:

- Data from multiple pharmacies can be uploaded in the same file. For example, chain pharmacies may send in one file containing controlled substance dispensing information for all their pharmacies throughout the same PMP jurisdiction. Therefore, chains with multiple stores need only to set up one account to upload a file.
- PMP Clearinghouse allows users to submit data through the web portal via manual entry (UCF) or upload of ASAP files. For users who prefer an encrypted transfer method, SFTP access is also available. You may set up your SFTP account during the account creation process.
- If you need to make changes to an existing PMP Clearinghouse upload account, please refer to <u>Managing Your Upload Account</u>.

Perform the following steps to create an account:

 Open an internet browser window and navigate to the PMP Clearinghouse Account Registration page located at <u>https://pmpclearinghouse.net/registrations/new</u>.

rofile Details			* Indicates Required I
Email Address <u>*</u>			
L			
Password		Password confirmation	۱ <u>"*</u>
ersonal Information			
ersonal Information	Middle name	L	ast name <u>*</u>
	Middle name		ast name."
First name	Middle name		ast name <u>*</u>
First name			ast name "

2. Complete your Profile Details.

F	Profile Details	* Indicates Required Field
	Email Address "	
	Password	Password confirmation*

a. Enter your current, valid email address in the Email Address field.

Note: The email address you provide here will act as your username when logging into the PMP Clearinghouse system.

b. Enter a password for your account in the **Password** field, then re-enter it in the **Password Confirmation** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 3. Complete your Personal and Employer information, noting the following:
 - Required fields are marked with a red asterisk (*).

• You may be able to auto-populate your Personal and/or Employer information by entering your (or your employer's) **DEA**, **NPI**, and/or

NCPDP number, then clicking the search icon (^{Ω}). If the number you entered is found, your information will automatically be populated.

First name <u>*</u>	Middle name	Last name <u>*</u>	
Searching for DEA or NPI v	vill autopopulate your informatio	n if found.	
DEA		NPI	
	Q		Q
nployer Information			
Name <u>*</u>			
Address		Address (continued)	
City <u>*</u>	State "*	Postal Code	
		_	
Phone		Fax	
Phone		Fax	
	vill autopopulate your informatio		
	vill autopopulate your informatio		

4. If secure file transfer protocol (SFTP) is required, complete the Data Submission section of the page.

Notes:

- If SFTP access is not required, you do not need to complete the Data Submission section and you may continue to step 5.
- You may add SFTP access to an existing account. Please refer to <u>Adding</u> <u>SFTP Access to an Upload Account</u> for complete instructions.

Data Submission
PMP Clearinghouse users are able to submit data through the web portal via manual entry or upload of ASAP files. Secure FTP (SFTP) access is available, and Real-Time submissions are also available in select states.
Enable SFTP Access
Enable Real-Time Access

a. Click to select the Enable SFTP Access checkbox.

The SFTP access fields are displayed.

a Submission						
PMP Clearinghouse users are able to submit data thro Secure FTP (SFTP) access is available, and Real-Time su	ugh the web portal via manual entry or upload of ASAP files. Ibmissions are also available in select states.					
✓ Enable SFTP Access						
SFTP Username						
SFTP Password						
SFTP Password Confirmation						
Password must include at least 8 characters, including 1 capital letter lowercase letter, and 1 special character (such as !,@,#,\$)	1					
Enable Real-Time Access						

- b. Your SFTP Username is automatically generated using the first five characters of your employer's name + your employer's phone number + @prodpmpsftp. For example, if you entered "Test" as your employer's name and "555-555-5555" as your employer's phone number, your SFTP username would be *test55555555556prodpmpsftp*.
- c. Enter a password for your SFTP account in the **SFTP Password** field, then re-enter it in the **SFTP Password Confirmation** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

This password will be input into the pharmacy software so that submissions can be automated.

Notes:

- This password can be the same as the one previously entered under *Profile.*
- Unlike the Profile password (i.e., your user account password), the SFTP password does not expire.
- The URL to connect via SFTP is stp://sftp.pmpclearinghouse.net.
- Additional details on SFTP configuration can be found in <u>Appendix C:</u> <u>SFTP Configuration</u>.

- 5. In the Submission Destinations section of the page, select the PMP(s) for which you will be submitting data.
- 6. Click Submit.

The request is submitted to the PMP administrator for each of the PMPs you selected for data submission, and the Registration Information Overview page is displayed.

Thank you for registering with PMP Clearinghouse, a service of PMP AWARxE.
A link to verify your email address has been sent. You must confirm your email address before you can login to
PMP Clearinghouse. Your data submission request has been sent to your requested state(s) for processing.
Upon approval, you may begin submitting prescription data.
Profile
Email Address: testuser@bamboohealth.com
Password: ********
DEA Number:
NPI Number:
Full Name:: Test User
Employer
Name: Bamboo Health
DEA Number:
NCPDP Number::
Address: 123 Main St Anywhere KY 40223
Phone: 5555555555
Fax:
Data Acceptance
SFTP Account: SFTP Access? No
Real-Time Account: Real-Time Access? No
Submission Destinations
🔽 Demo State
Continue

7. Click Continue.

The PMP Clearinghouse Login page is displayed; however, you will not be able to log in until your account has been approved. Once the PMP administrator has approved your request, you will receive a welcome email instructing you to confirm your account. Follow the instructions in the email to confirm your account and begin submitting data to PMP AWARxE.

3.2 Logging In to PMP Clearinghouse

1. Open an internet browser window and navigate to the PMP Clearinghouse Login page located at <u>https://pmpclearinghouse.net/users/sign in</u>.

Login	
Email Address	
Password	
Login	
Create an Account	
Help	
Earaat your password?	
Forgot your password? Didn't receive confirmation instructions?	

- 2. Enter the email address you used to create your account in the **Email Address** field.
- 3. Enter your password in the **Password** field.

Note: If you have forgotten your password, have completed your registration but did not receive the account confirmation email, or your account has been locked and you did not receive the email with instructions for unlocking your account, please refer to the links in the Help section of the page. For detailed instructions on resetting your password, refer to <u>Resetting Your Password</u>.

4. Click Login.

The PMP Clearinghouse home page is displayed.

Ρ	le Listings Data File Submissions Status (Last 30 Days) 201 1 e entries Ile 11 State 11 Records 11 Warnings 11 Errors 11 Submitted 14 Status Report No data available in table Source Status Report No data available in table									
	File Listings File Upload									
	File Listings Data File Submissions Status (Last 3)	Data File Submissions Status (Last 30 Days)								
	Show 10 ¢ entries						Advanced Option	s • Search		ø
	File	14 State 14	Records 14	Warnings 11	Errors 11	Submitted	14	Status	Status Report	
	No data available in table									
	Showing 0 to 0 of 0 entries					Advanced Options * Search				
									Previous	Next

4 Data Delivery Methods

This chapter provides information about data delivery methods you can use to upload your reportable drugs reporting data file(s) to PMP Clearinghouse.

For quick reference, you may click the desired hyperlink in the following table to view the step-by-step instructions for your chosen data delivery method:

Delivery Method	Page
Secure FTP	10
Web Portal Upload	11
Manual Entry (UCF)	12
Zero Reports	15

4.1 Secure FTP

If you are submitting data to PMP Clearinghouse using SFTP, you must configure individual sub-folders for the PMP systems to which you are submitting data. These sub-folders must be created in the *homedir/directory* folder, which is where you are directed once authenticated, and **should be named using the PMP abbreviation (e.g., AK, DC, KS, GA, GU, PR, VT, etc.).** Data files not submitted to a PMP sub-folder will be required to have a manual PMP assignment made on the <u>File Listings</u> page. Please refer to <u>PMP Subfolders</u> for additional details on this process.

1. If you do not have a PMP Clearinghouse account, perform the steps in <u>Creating Your Account</u>.

Or

- 2. If you have a PMP Clearinghouse account but have not enabled SFTP access, perform the steps in <u>Adding SFTP Access to an Upload Account</u>.
- 3. Prepare the data file(s) for submission, using the ASAP specifications described in <u>Appendix A: ASAP 4.2b Specifications</u>.
- 4. SFTP the file to <u>sftp://sftp.pmpclearinghouse.net</u>.
- 5. When prompted, enter the username and password you created when setting up the SFTP account.
- 6. Place the file in the appropriate PMP-abbreviated directory.
- 7. You can view the results of the transfer/upload on the Submissions page in PMP Clearinghouse.

Note: If you place the data file in the root directory and not a PMP subfolder, a ⁹ symbol with a mouse over hint of "*Determine PMP*" is displayed on the *File Status* page, and you will be prompted to select a destination PMP to which the data should be sent.

4.2 Web Portal Upload

- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. Prepare the data file(s) for submission, using the ASAP specifications described in <u>Appendix A: ASAP 4.2b Specifications</u>.
- 3. Log in to PMP Clearinghouse.
- 4. From the home page, click the **File Upload** tab.

File Listings 💌 Error Files File Upload									
File Listings Data File Submissions Status (Last 30 Days)									
Show 10 C entries								ø	
Account 11	File 11	State 11	Records 11	Warnings 11	Errors 11	Submitted 14	Status	Status Report	
PillPack	pdmp_OH_20220110082508.DAT	ОН	5			01/10/2022 09:23AM	~	Report	
PillPack	pdmp_NC_20220110082508.DAT	NC	3			01/10/2022 09:22AM	~	Report	
PillPack	pdmp_NJ_20220110082508.DAT	NJ	11			01/10/2022 09:22AM	~	Report	

The File Upload page is displayed.

le Listings	•	File Upload							
File U	File Upload								
Submit	New F	ile For Consolio	lation						
Use this sci	reen to s	submit files to the P	MP system.						
How to Up	load You	ur Files							
2. Click the	e "Uploa mation r	d" button to begin	a file on your local computer the uploading process. nen the upload is finished.						
Select a	PMP		·]						
File Upload	ł:								
Browse	•								
Upload									

- 5. Select the PMP to which you are submitting the file from the drop-down list in the **Select PMP** field.
- 6. Click the **Browse** button, located next to the **File Upload** field, and select the file you created in step 2.
- 7. Click Upload.

A message is displayed prompting you to confirm the submission.



8. Click Upload to continue with the file submission.

Your file is uploaded, and you can view the results of the upload on the File Listings page.

Note: When uploading a file, the file name must be unique. If the file name is not unique, a message is displayed indicating that the file name has already been taken.

4.3 Manual Entry (UCF)

If you do not have an automated record-keeping system capable of producing an electronic report using the ASAP 4.2b format, prescription information may be submitted on the Universal Claim Form (UCF).

You can manually enter your prescription information into the PMP Clearinghouse system using the UCF within the PMP Clearinghouse web portal. This form allows you to enter patient, prescriber, dispenser, and prescription information.

Please refer to <u>Appendix A: ASAP 4.2b Specifications</u> for the complete list of reporting requirements.

- 1. If you do not have an account, perform the steps in Creating Your Account.
- 2. Log in to PMP Clearinghouse.
- 3. Click UCF Submissions.

AP Clearinghouse 🛛 🔂 File Su	ibmissions 📑 UCF Submission	ns 🖬 Zero	Reports Fil	e Upload	
File Listings File Upload	t t				
File Listings Data File Subr	nissi ns Status (Last 30 D.	ays)			
File	11	State	ţţ	Records	
Showing 0 to 0 of 0 entries					

The UCF Listings page is displayed.

UCF Listings Manage Claim Forms New Claim Form							
UCF Listings							
Show 10 C entries				Search:			
Created at	State 14	Warnings 11	Errors 11	Status 11			
01/15/2019 02:13 PM	KS	0	0	×			
01/17/2019 07:38 PM	KS	0	0	~			
01/28/2019 03:51 PM	CR	0	0	×			
01/28/2019 04:04 PM	CR	0	0	¥			
01/28/2019 04:07 PM	CR	0	0	×			
01/28/2019 04:11 PM	CP	0	0	4			

4. Click **New Claim Form**, located at the top of the page. The Create Universal Claim Form page is displayed.

PMP	* Indicates Requir
Pmp	
Select a PMP	*
Patient	
Patient Animal	
First Name	Last Name
Date of Birth <u>*</u>	Gender
MM/DD/YYYY	Unknown
Phone Number	

- 5. Select the PMP to which you are submitting data from the drop-down list in the **Select PMP** field.
- 6. Complete the required fields.

Notes:

- An asterisk (*) indicates a required field.
- *If you are entering a compound*, click the *Compound* checkbox in the Drug Information section of the page, complete the required fields for the first drug ingredient, then click *Add New* to add additional drug

rug Information		
Compound		
NDC Number <u>*</u>		
Quantity		
Units		
	¥	
Remove		
Add New		

Once you have completed all required fields, click Save.
 The Submit Now button is displayed at the top of the page.

Edit Universal Claim Form	
You may submit this form at any time.	
This claim form is not completely processed until submitted. P and edit the form, or click "Submit Now" to process the form.	lease review
Submit Now	
Form has been successfully created.	×

8. Click **Submit Now** to continue with the data submission process.

A message is displayed prompting you to confirm the data submission.

pmpclearinghouse.net says		
Are you sure you are ready to submit?		
	ОК	Cancel

9. Click OK.

Your data will be validated upon submission. If there are any errors on the UCF form, they are displayed at the top of the page.

Edit Universal Claim Form						
You may submit this form at any time.						
his claim form is not completely processed until submitted. Please review nd edit the form, or click "Submit Now" to process the form.						
Submit Now						
Form has errors and was unable to be submitted. $ imes$						
 Drug Segment is invalid 						
 Patient last name can't be blank 						
 Patient first name can't be blank 						
 Date of Birth can't be blank 						
 Pharmacy name can't be blank 						
 Pharmacy address can't be blank 						
 Pharmacy city can't be blank 						
 Pharmacy state can't be blank 						
 Prescriber last name can't be blank 						
 Prescriber first name can't be blank 						
 Pharmacy zip code can't be blank 						
 Claim fill number can't be blank 						
 Claim fill number is not a number 						
 Date written can't be blank 						
• Date filled can't be blank						
 Claim days supply can't be blank 						
 Claim days supply is not a number 						
 Claim authorized refill count can't be blank 						

Note: If there are no errors, you are returned to the Submitted Claim Forms page and your report is listed there.

10. Correct the indicated errors, then repeat steps 7–9.

Once your data has been successfully submitted, your report is listed on the UCF Listings page.

UCF Listings Manage Claim Forms New Claim Form							
UCF Listings							
Show 10 ¢ entries					Search:		
Created at	T1	State	Warnings	Errors 14	Status 14		
01/15/2019 02:13 PM		KS	0	0	~		
01/17/2019 07:38 PM		KS	0	0	~		
01/28/2019 03:51 PM		CR	0	0	×		
01/28/2019 04:04 PM		CR	0	0	×		
01/28/2019 04:07 PM		CR	0	0	×		
01/28/2019 04:11 PM		£R			A		

4.4 Zero Reports

If you have no dispensations to report for the preceding reporting period, you must report this information to the VPMS.

Zero reports are not to be used as coverage for not reporting controlled substances dispensed if there are technical issues uploading a prescription file.

They should only be used to designate that legitimately on that day, no prescriptions were dispensed.

You may submit your zero report through the PMP Clearinghouse web portal by following the steps below or via SFTP using the ASAP Standard for Zero Reports.

For additional details on submitting via SFTP, please refer to <u>Appendix B: ASAP</u> <u>Zero Report Specifications</u>.

You may submit zero reports through the PMP Clearinghouse web portal using one of the following methods:


- Submit a single-click zero report
- <u>Create a new zero report</u>


4.4.1 Submit a Single-Click Zero Report

Single-click zero reporting allows you to create a profile for the pharmacy that includes its identifiers (e.g., DEA, NPI, NCPDP), so you do not have to enter it each time you submit a zero report.

To create a pharmacy profile and begin submitting single-click zero reports:

- 1. If you do not have an account, perform the steps in <u>Creating Your</u> <u>Account</u>.
- 2. Log in to PMP Clearinghouse.
- 3. Click Zero Reports.





Zero Reports Listings Create Zero	Report							
Zero Reports Listings								
5how 25 🜩 entries							Advanced Options Search	
Account	J State	Start Date	End Date ↑↓	NCPDP 11	DEA 11	NPI 🕕	ASAP File	Date Submitted
INTERCOME INFAILURE	AL	01/16/2020	01/16/2020	17 188040	BEATHER	107101-06000		01/16/2020 5:13 PM
Hidiston Plantary Systems	AL	01/16/2020	01/16/2020		Intercoons		an dan 79 digi 1007 kalipan dipangaling Aku 70 (0011 10, Barn da	01/16/2020 5:04 PM

4. Click the **Create Zero Report** tab.

The Create Zero Report page is displayed. *Note that Submit a Single Click Zero Report is selected by default.*

Zero Reports Listings	Create Zero Report					
Create Zero Repo	ort					
● Submit a Single Clicl ◎ Create new Zero Rep						
Create Single Click Zero Below are the pharmacies have to enter it each time	you have configured for single	-click reporting. Settir	ng up pharmacies here will al	low you to create a profi	le for the pharmacy	that includes its identifiers (e.g. DEA, NPI, NCPDP) so you don't
NOTE: The time frame for	"Today" or "Yesterday" is 00:00	-23:59:59 and based u	pon the time zone set for yo	ur account profile at the	time of submission.	
Add New Pharmacy						
	Pharmacy	NCPDP	DEA Number	NPI	Actions	Submit Zero Reports for:
O Demo						

- Any pharmacies you have already configured for single-click zero reporting are displayed at the bottom of the page. Continue to step 10 to submit a zero report for those pharmacies.
- If you have not configured your pharmacy for single-click zero reporting, continue to <u>step 5</u>.
- 5. Click Add New Pharmacy.

The New Pharmacy page is displayed.

Zero Reports Listings Create 2	Zero Report	
	New F	Pharmacy
		PMP 📩
		~
		Pharmacy .
		NCPDP
		DEA Number
		NPI
		Save Cancel

- 6. Select the PMP for which you are submitting a zero report from the drop-down list in the **PMP** field.
- 7. Enter the pharmacy's name in the **Pharmacy** field.
- Populate the NCPDP, DEA Number, and/or NPI fields as required by the PMP you selected in step 6. If any of these fields are required, a red asterisk (*) will be displayed next to that field once you have selected a PMP.
- 9. Click Save.

The pharmacy is saved and will be listed under the drop-down for the selected PMP, which is located at the bottom of the page.

Create Zero Repo	ort						
 Submit a Single Click Create new Zero Rep 							
Create Single Click Zero Below are the pharmacies have to enter it each time	you have configured for sin	gle-click reporting. Setti	ng up pharmacies here will allo	w you to create a p	rofile for the pharmad	cy that includes its identifiers (e.g. DEA, NPI, NC	:PDP) so you don't
NOTE: The time frame for	"Today" or "Yesterday" is 00	:00-23:59:59 and based	upon the time zone set for your	r account profile at I	the time of submissic	n.	
Add New Pharmacy							
	Pharmacy	NCPDP	DEA Number	NPI	Actions	Submit Zero Reports for:	٦
O Demo	Pharmaci	ies configure	ed for single-clic	k zero rep	orting are	listed here	
Vermont	- Harmao	co comgure	a for single one		or any are		

10. Click the plus sign ("+") next to the PMP for which you wish to submit a zero report.

The list of pharmacies you have configured for single-click zero reporting for that PMP is displayed. *Note that this page allows you to submit a zero report for the current date (Today) or the previous day (Yesterday).*

	Pharmacy	License Number NCPDP		DEA Number NPI		Actions	Submit Zero Reports for:
Demo							
	Another Test Pharmacy			8010999995		Edit Delete	Today Yesterday 12/22/2021 12/21/2021
	Bamboo Health Test Pharmacy			B		Edit Delete	Today Yesterday 12/22/2021 12/21/2021

11. Click Today to submit a zero report for the current date;

Or

12. Click **Yesterday** to submit a zero report for the previous date.

Once the report is submitted, the submission is indicated on the screen, and the zero report is displayed on the **Zero Report Listings** tab.

	Pharmacy	License Number NCPDP		DEA Number	NPI	Actions	Submit Zero Reports for:	
Demo								
	Another Test Pharmacy			HIMPERS		Edit Delete	Today Yesterda 12/22/2021 12/21/20	
	Bamboo Health Test Pharmacy			HIMMING		Edit Delete	Submitted Yesterda	

Note: You may edit or delete a pharmacy from this page.

- To edit a pharmacy, click **Edit** to display the Edit Pharmacy page and make any necessary changes. Refer to steps 6–9 for guidance on entering pharmacy information.
- To delete a pharmacy, click **Delete**. You will be prompted to confirm the deletion. Once you confirm the deletion, the pharmacy configuration will be removed.

4.4.2 Create a New Zero Report

- 1. If you do not have an account, perform the steps in <u>Creating Your</u> <u>Account</u>.
- 2. Log in to PMP Clearinghouse.
- 3. Click Zero Reports.

PMP Clearinghouse	ssions 🔋 UCF Submission	is 🖀 Zero Re	eports Fil		
File Listings File Upload					
File Listings Data File Submissi	ions Status (Last 30) a	ays)			
Show 10 🗢 entries					
File	ţţ	State	ţţ	Records	
Showing 0 to 0 of 0 entries					
والمحافظ والمراجعة المراجعة المحافظ والمحافظ والمحافظ والمحافظ والمحافظ والمحافظ والمحافظ والمحافظ والمحاف					

The Zero Report Listings page is displayed.


Zero Reports Listings Create Zero	o Repo	ort								
Zero Reports Listings										
Show 25 ¢ entries Advanced Options * Search										
Account		State 斗	Start Date 11	End Date ⊺↓	NCPDP	DEA 11	NPI 14	ASAP File		Date Submitted
BADE HOME MALIBOR		AL	01/16/2020	01/16/2020	11 1 880 88	B in thus	107103146000			01/16/2020 5:13 PM
Websson (Harman), Systems		AL	01/16/2020	01/16/2020		PERCOON		miles/1045238675	(Epochlangs/Rgi Als, 200401116, Steric dat	01/16/2020 5:04 PM

4. Click the Create Zero Report tab.

The Create Zero Report page is displayed. *Note that Submit a Single Click Zero Report is selected by default.*


Zero Reports Listings	Create Zero Report					
Create Zero Repo	rt					
 Submit a Single Click Create new Zero Report 						
Create Single Click Zero R Below are the pharmacies y have to enter it each time y	ou have configured for single	-click reporting. Setting	g up pharmacies here will allov	v you to create a prof	ile for the pharmacy	that includes its identifiers (e.g. DEA, NPI, NCPDP) so you don't
NOTE: The time frame for " Add New Pharmacy	Today" or "Yesterday" is 00:00	-23:59:59 and based up	on the time zone set for your	account profile at the	time of submission	
	Pharmacy	NCPDP	DEA Number	NPI	Actions	Submit Zero Reports for:
O Demo						

5. Click the button to select Create new Zero Report.



Zero Reports Listings Create Zero Report	
reate Zero Report	
 Submit a Single Click Zero Report Create new Zero Report 	
PMP *	NCPDP
Select a PMP	•
Start date <u>*</u>	DEA Number
mm/dd/yyyy	
End date <u>*</u>	NPI
mm/dd/yyyy	
Submit	

- 6. Select the PMP for which you are submitting a zero report from the drop-down list in the **PMP** field.
- 7. Enter the start date and end date for the zero report in the **Start date** and **End date** fields using the *MM/DD/YYYY* format. You may also select the dates from the calendar that is displayed when you click in these fields.



8. Enter your NCPDP, DEA, and/or NPI numbers, if required by the PMP.

Note: If any of these fields are required by the PMP, they will be marked with a red asterisk (*).

9. Click Submit.

Your zero report is submitted to PMP Clearinghouse and will be displayed on the **Zero Report Listings** tab.

5 Data Compliance

This chapter describes how to view the status of your submitted data files and how to correct errors.

5.1 File Listings

The File Listings page displays information extracted from the data files submitted to PMP Clearinghouse, including the file name, number of records identified within the data file, number of records that contain warnings, number of records that contain errors, and the date and time of submission. The File Listings page is displayed upon logging in to Clearinghouse; you may also click **File Submissions** from the menu at any time to access this page.

You may sort the File Listings page by account name, file name, state, number of records, warning count, error count, and date submitted. You may also click the account name to display the account details.

File Listings	▼ Error Files File Upload							
	js Data File Submissions Status (Last 30 Da	ys)						
how 10 \$	entries		Advanced Options -	Search				
Account 11	File 11	State 11	Records 11	Warnings 11	Errors	Submitted 1	Status	Status Report
DEMO ACCT	AA5555555_20211130.dat	DO	2		1	11/30/2021 02:21PM	0	Report
DEMO ACCT	ZZ5555555_20211130.DAT	DO	2			11/30/2021 02:01PM	~	Report
DEMO ACCT	ZZ5555555_20211123.DAT	DO	2			11/23/2021 03:13PM	~	Report
DEMO ACCT	AA5555555_20211123.dat	DO	2			11/23/2021 02:29PM	✓(test file)	Report
DEMO ACCT	Bad_File_2.dat	DO	0			11/23/2021 02:27PM	A	-
DEMO ACCT	Bad_File.dat	DO	0			11/23/2021 02:26PM	A	-

- The **Status** column, located at the end of each row, displays the file status via color-coded icon. Hovering over the icon will display the status message.
- The Status Report column, located next to the Status column, contains a link to the status report for that file. Please refer to <u>File Status Report</u> for more information on how to read and interpret this report.

If a file contains errors, it will have a • symbol with a mouse over hint of "Pending Dispensation Error" within the status column. You can click the error icon in the Status column to display the Error Correction page, which allows you to view the records containing errors (see <u>View Records</u> for more information). Please refer to <u>Error Correction</u> for instructions on how to correct errors.

If a file is unable to be parsed into the PMP Clearinghouse application, it will have an ^A symbol with a mouse over hint of "ASAP Errors." Clicking the icon will display the detailed error, which indicates what element was missing or malformed. To correct these errors, a new file must be submitted to PMP Clearinghouse. It is not necessary to void a file that failed parsing since it was not successfully submitted to PMP Clearinghouse.

If you submitted a file via SFTP without using a PMP-specific sub-folder, the file will be displayed, and ⁽²⁾ symbol will be displayed in the status column with a mouse over hint of "**Determine PMP.**" Clicking the icon will prompt you to select a destination PMP to which the data file will be transferred.

S	et Dest	inati	on PMP:		3	×			
			m determining d estination pmp ii						
					Cancel			Advanced Options -	Search
N	Records	TV-	Warnings	ħ.	Errors	TU	Submitted	†↓	Status
	0						06/21/2021 07	41PM	Determine PMP
	1						06/21/2021 07	37PM	0

If you submitted a zero report via file upload or SFTP that is malformed or missing information, the file will be displayed, and an exclamation mark icon inside a red triangle will be displayed in the status column. Hovering over the icon will display the "Invalid Zero Report" error. Clicking on the icon will display the detailed error message. To correct these errors, a new zero report must be submitted. Error example:



5.2 UCF Listings

The UCF Listings page displays information about the UCFs submitted to PMP Clearinghouse, including the number of warnings and errors. Click **UCF Submissions** to access this page.

You may sort the UCF Listings page by date created, state, warning count, error count, and status.

JCF Listings									
Show 10 + entries Search:									
Created at	State 11	Warnings 11	Errors 11	Status					
01/28/2019 03:51 PM	CR	0	0	*					
01/28/2019 04:04 PM	CR	0	0	*					
01/28/2019 04:07 PM	CR	0	0	~					
01/28/2019 04:11 PM	CR	0	0	~					

The **Status** column, located at the end of each row, displays the UCF's status. Data entered into the UCF is validated upon submission; therefore, successfully submitted UCFs should not contain errors. However, if you have attempted to submit a UCF with errors and did not immediately correct those errors and submit the record, you have 30 days to make updates to these records in Clearinghouse.

1. To view pending or incomplete submissions, click the **Manage Claim Forms** tab on the UCF Listings page.

UCF Listings Manage Claim Forms New Cla	iim Form									
UCF Listings										
Show 10 0 entries Search:										
Created at	ti.	State 11	Warnings	Errors	Status 11					
01/15/2019 02:13 PM		KS	0	0	~					
01/17/2019 07:38 PM		KS	0	0	~					
01/28/2019 03:51 PM		CR	0	0	~					
01/28/2019 04:04 PM		CR	0	0	~					
01/28/2019 04:07 PM		CR	0	0	~					
01/28/2019 04:11 PM		CR	0		<i>s</i>					

The Pending Claim Forms page is displayed.

UCF Listings Manage Claim Forms	UCF Listings Manage Claim Forms New Claim Form									
Pending Claim Forms - SMITHERMANS PHARMACY UCF FORMS (LAST 30 DAYS) View Submitted Forms										
Show 10 • entries Search:										
Created At	ţ	Created By	L	Last Updated By	:	State 11				
06/10/2019 5:51 PM		rweaver@appriss.com	r	rweaver@appriss.com	,	AK		Edit Delete		
Showing 1 to 1 of 1 entries								Previous 1 Next		

2. Click **Edit** next to the form you wish to update.

Note: If it has been longer than 30 days, the *Edit* option will not be available. You must click *Delete* to delete the record and start over.

The Edit Universal Claim Form page is displayed.

You may submit this form at any tim	ie.
This claim form is not completely pr and edit the form, or click "Submit N	ocessed until submitted. Please review Now" to process the form.
Submit Now	
	* Indicator Doquired Field
Submit Now	* Indicates Required Field
	* Indicates Required Field
PMP	* Indicates Required Field
РМР	* Indicates Required Field

3. Make the necessary corrections or changes, and then click **Submit Now**, located at the top of the page.

A message is displayed prompting you to confirm the data submission.

pmpclearinghouse.net says		
Are you sure you are ready to submit?		
	ОК	Cancel

4. Click OK.

Your data will be validated upon submission. If there are any remaining errors on the UCF form, they are displayed at the top of the page.

Edit Univer	sal Claim Form	
You may submit	this form at any time.	
	s not completely processed until submitted. P n, or click "Submit Now" to process the form.	lease review
 Drug Se 	ors and was unable to be submitted. gment is invalid Birth can't be blank	×

Note: If there are no errors, you are returned to the UCF Listings page and your report is listed there.

- 5. Correct the indicated errors, then repeat steps 3-4.
- 6. Once your data has been successfully submitted, your report is listed on the UCF Listings page.

5.3 Error Correction

5.3.1 View Records with Errors

The Error Correction page displays more information about the records within a selected data file that need correcting, including **Prescription Number**, **Segment Type**, **Warning Count**, and **Error Count**. To access this page, click the "**Pending Dispensation Error**" message in the **Status** column of the <u>File Listings</u> page.

Error Correction Manage And Resolve Submission Issues										
Show 10 e entries Search:										
DEA Number 斗	NCPDP Identifier	Prescription Number	Name 斗	Filled At 斗	Segment Type 斗	Warning Count	Error Count	Action		
	-	2104AB	RED CROSS	2021-01-10	Dispensation	0	2	Correct Void		
		2104AB	RED CROSS	2021-01-10	Patient	0	1	Correct Void		

The **Correct** button, located at the end of each row, allows you to make corrections to the record.

5.3.2 Error Correction via PMP Clearinghouse

Once you click Correct on the Error Correction page, the Errors page is displayed. This page displays detailed information about the records within a selected data file that need correcting, including all the fields contained within the record and the originally submitted value, and allows you to correct those records.

File Listings File Errors Dispensary Errors			
Dispensary Errors Manage And Resolv rescription Number: 0100755 DEA Number: BE9		illed At: 2019-02-13	
Field	Submitted Value	Corrected Value	Messages
National provider identifier	1104923507	1104923507	✓
NCPDP identifier	0068568	0068568	✓
DEA number	BE9432042	BE9432042	Warnings: DEA number warning: DEA number not found in registry.
			✓
Name			Errors: Name value must be present.
Phone number	4017704455	4017704455	×

- The **Corrected Value** column allows you to enter a new value to correct the error.
- The **Message** column displays the relevant error message explaining why the value entered in that field did not pass the validation rules.

For files that failed to parse, the error identified is "best effort" and any information we could not parse is listed as "unparseable" in the file. In this case, you must submit a corrected file.

For example, if a file is submitted without an IS segment, an error message indicating that the IS segment is missing will be displayed. However, you could also receive this error message if the preceding segment was not properly terminated, as at this point the IS segment cannot be parsed from the file.

To correct records:

- 1. Identify the fields that require corrections. Fields containing errors are highlighted in red, as shown in the screenshot above.
- 2. Enter the corrected value in the Corrected Value column.
- 3. Click Submit.

The error is processed through the validation rules.

- a. If the changes pass the validation rules, the record is valid and a message is displayed indicating that the errors have been corrected. The <u>File Listings</u> and <u>Error Correction</u> pages are also updated.
- b. If the changes fail the validation rules, a message is displayed indicating that there was a problem correcting the errors, and the **Message** column is updated with any new error message. Repeat

steps 2–3 until the errors have been corrected and the file can be successfully submitted.

5.3.3 Error Correction via File Submission

The ASAP 4.2b standard requires a pharmacy to select an indicator in the **DSP01** (Reporting Status) field. These indicators allow you to submit new records, revise and resubmit records, and void (delete) erroneous records. These actions are indicated by supplying one of the following values in the **DSP01** field:

- 00 New Record indicates a new record
- **01 Revise** indicates that one or more data elements in a previouslysubmitted record have been revised
- 02 Void indicates that the original record should be removed

6 Email Reports

Email status reports are automatically sent to all users associated with a specific data submitter account. These reports are used to identify errors in files that have been submitted and to confirm zero report submissions. This chapter describes the status reports you may receive via email.

6.1 File Failed Report

You will receive the *File Failed Report* if a submitted file was not able to be parsed and was not processed into PMP Clearinghouse. The report contains a description of the error encountered within the file. In the event of a failed file, a new file should be submitted with the necessary corrections.

Note: Failed files are not parsed into Clearinghouse and do not require a voided ASAP file to remove it from the system.

An example File Failed Report is provided below.

 SUBJ: Vermont ASAP file: fake-test3.txt - Parse Failure

 BODY:

 Error Message

 Failed to decode the value '04' for the bean id 'transactionControlType'.

 Summary:

 * File Name: fake-test3.txt

 * ASAP Version: 4.2b

 * Transaction Control Number: unparseable

- * Transaction Control Type: unparseable
- * Date of Submission: September 19, 2022

NOTE: This file could not be received into the system because the system could not recognize its content as a valid ASAP format. Action is required to resolve the issues and a subsequent file should be submitted. As such the information provided in this report is "best effort" and any information we could not parse is listed as "unparseable" in the fields above.

6.2 File Status Report

The *File Status Report* serves as notification that a data file is currently being parsed by the PMP system.

This report identifies specific records in the submitted data file and returns identifying information about the record, including specific errors identified

during the validation process. It uses fixed-width columns and contains a summary section after the error listings. Each column contains a blank two-digit pad at the end of the data.

Column	Length
DEA	11 (9 + pad)
NCPDP	9 (7 + pad)
NPI	12 (10 + pad)
Prescription	27 (25 + pad)
Filled	10 (8 + pad)
Segment	18 (16 + pad)
Field	18 (16 + pad)
Туре	9 (7 + pad)
Message	Arbitrary

The columns are set to the following lengths:

The *File Status Report* notifies you of the following scenarios:

- **Total records**: The total number of records contained in the submitted data file.
- **Duplicate records**: The number of records that were identified as already existing within the PMP system. Duplicate records are not imported to prevent improper patient information.
- **Records in process**: The number of records remaining to be processed into the system (usually only displays a number if the file has not finished loading at the time the report is sent out).

Note: Records remaining to be processed will continue to be processed even after the status report is sent.

- **Records with errors**: The number of records that contain errors. These errors must be corrected for the record to be imported into the system. If a zero (0) is displayed, there are no errors in the data. Please refer to <u>Error Correction</u> for instructions on correcting errors.
- **Records with warnings**: The number of records that contain warnings. These warnings do not need to be corrected for the record to be imported into the system. If a zero (0) is displayed, there are no warnings in the data.
- **Records imported with warnings**: The number of records with warnings that were imported. If a record contains both warnings and errors, the errors must be corrected to be submitted to the system. Please refer to <u>Error Correction</u> for instructions on correcting errors.
- **Records imported without warnings**: The number of records without warnings that were imported.

Note: The initial File Status Report is sent out two (2) hours after the file has been submitted to the system. Additional reports will be sent out every 24 hours if errors continue to be identified within a submitted data file.

An example *File Status Report* is provided on the following page.

SUBJ: V	ermont	ASAP	ile: fa	ke-test3.txt - Stat	us Report					
BODY: DEA	NCPDI	P NP	I	Prescription	Filled	Segment	Field	Туре	Message	
				618394 1234863 947597 3571995			3 Dispensati 08 Dispensa		fill_number days_supply	G message exampl message example
Summa	2									
* File Na			3.txt							
* ASAP * Transa			Numl	per: 23489504823						
* Transa										
				ember 19, 2022						
* Total I										
* Duplic	ate Reco	ords: #	##							
* In Pro	cess Cou	int: ##	#							
* Record	ds with I	Fror C	ount:	###						
* Impor	ted Reco	ords C	ount:	###						
* Record	ds Impo	rted w	ith W	arning Count: ###	<i>‡</i>					

6.3 Zero Report Confirmation

You will receive a *Zero Report Confirmation* after successfully submitting a zero report to PMP Clearinghouse. This report displays the PMP to which the zero report was submitted, date for the zero report, date the zero report was submitted to PMP Clearinghouse, and date the report was originally created.

An example Zero Report Confirmation is provided below.

SUBJ: ASAP Zero Report: zero_reports_20220301KSMCPS.DAT

BODY:

Summary:

* File Name: zero_reports_20130301KSMCPS.DAT

* PMP Name: Vermont

* Date Range: 2022-03-06 - 2022-03-06

* Submission Date: 2022-03-07

* ASAP Creation Date: 2022-03-06

7 Managing Your Upload Account


The **Account** menu option allows you to manage the information associated with your organization's upload account, including adding users, PMPs, and SFTP access to your account as well as editing your organization's account information.

Note: This chapter contains information for managing the upload account with which your user account is associated. For information about editing and managing your individual user account, including how to change your password, please refer to <u>Managing Your User Profile</u>.

7.1 Adding Users to Your Upload Account

PMP Clearinghouse allows data submitters to add new users to the system who have the same rights and access to submitting data and viewing file status. This practice allows you to create an account to be used for a backup individual.

- 1. Log in to PMP Clearinghouse.
- 2. Click Account.



3. Select **Users** from the **Account** drop-down menu.

The Account Users page is displayed.

Show 10 I entries Search:								
Email 🔶	First Name	Last Name	Organization Name	Phone Number	Admin Name	Admin Email		
ani di continuitanai con	Testy	McTesterton	Test Pharmacy	555-123-5555	Test User	Nythereever Barneticen	Edit Deactivate	
(Admin)	Test	User	Test Pharmacy	555-123-5555	Test User	1994 Marcon colling of Land	Edit	

4. Click **New User**, located in the top right corner of the page.

The New Data Submitter User page is displayed.

Account Informatic	งท
<u>*</u> Email	
<u>*</u> First name	
. <u>*</u> Last name	

- 5. Enter the new data submitter's email address, first name, and last name in the appropriate fields. *Note that all fields are required.*
- 6. Click Submit.

The user is added to the list of data submitters for your organization, and you are returned to the Account Users page.

- 7. Please inform the new user of the account creation.
 - a. The user will receive an email with a link for them to confirm their account.
 - b. Once the account has been confirmed, the user will need to navigate to the PMP Clearinghouse Login page and click **Forgot your password?** to create a password for their account and log in.
 - c. Upon logging in, the user will be able to view all files submitted for your organization's upload account.
- 7.1.1 Changing Another User's Password
 - 1. Log in to PMP Clearinghouse.
 - 2. Click Account.

			II Account	t 🔻 💄 My Profile 👻	😮 He
		Advanced Options	 Search 		0
ţţ	Submitted	†↓	Status	Status Repor	t
				Previous	Next
		A		Previous	INEXL

3. Select **Users** from the **Account** drop-down menu.

The Account Users page is displayed.

Show 10 • entries Search					Search:		
imail	First Name	Last Name 0	Organization Name	Phone Number	Admin Name	Admin Email	
all all confirmations	Testy	McTesterton	Test Pharmacy	555-123-5555	Test User	Hydroner milligradi con	Edit Deactivate
Admin)	Test	User	Test Pharmacy	555-123-5555	Test User	uliyihaanaa mijjigaali con	Edit

4. Click the **Edit** button, located to the right of the user's information. The Edit Data Submitter User page is displayed.

📽 Edit Data Sul	DMITTER USER MANAGE DATA SUBMITTER USERS
Account Information	on
<u>*</u> Email	
* First name	Testy
* Last name	McTesterton
Password	
	leave it blank if you don't want to change it
Password confirmation	
	Submit Cancel

5. Enter a new password for the user in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 6. Click Submit.

The password is changed.

7.2 Adding PMPs to Your Upload Account

If your organization needs to submit data files to an additional PMP that uses PMP AWARxE, you can submit the request through PMP Clearinghouse.

- 1. Log in to PMP Clearinghouse.
- 2. Click Account.

	Advanced Options	Search		C
11 Submitted	†↓	Status	Status Report	

3. Select Multi State Approval from the Account drop-down menu.

The Multi State Approval page is displayed. This page displays all PMPs currently using the PMP AWARxE system as well as your data sharing status with each one.

Please select state PMPs that will receive data from this account. We will not allow data into a state PMP from this account until the appropriate state administrator has approved this account.
Destriction Obstance March 1994
Abby State Status Participating States / Your Approval Status
AL Alabama Pending
AK Alaska Approved
AZ Arizona
AR Arkansas
CO Colorado
CT Connectcut Approved
DO Demo Approved
DC District of Columbia
GA Georgia
HI Hawaii
D Idaho Approved

4. To request to submit data to another PMP, click to select the checkbox next to that PMP.

PMP Clearinghouse automatically saves your changes, and your request is submitted to the PMP administrator for review and approval. Once the request has been approved, the status for that PMP will change from "Pending" to "Approved," and you may begin submitting data to that PMP.

Notes:

- If you are submitting data via SFTP, the file must be located in the proper sub-folder to ensure delivery to the desired PMP.
- To cancel data submission to a PMP, uncheck the box for that PMP. Note that if you need to submit data to that PMP again in the future, you will have to go through the approval process again.

7.3 Adding SFTP Access to an Upload Account

If a registered upload account did not request an SFTP account during the account creation process, you can request one at any time using the **Account** menu option.

- 1. Log in to PMP Clearinghouse.
- 2. Click Account.

		Advanced Options	 Search 	2
ţţ	Submitted	11	Status	Status Report

3. Select SFTP Details.

The SFTP Account page is displayed.



Note: If an SFTP account already exists for the upload account, the username is displayed on the SFTP Account page.

SFTP Account	
SFTP Account Details	
Username: sftptester@preppmpsftp	
Edit	

You cannot change the SFTP account username; however, you can update the password by clicking **Edit**.

4. Click Create.

The Create a New SFTP Account page is displayed.

🖀 SFTP Accour	CREATE A NEW SFTP ACCOUNT
Name	Username of the SFTP account.
Password	
Password confirmation	
	Create Cancel

5. Enter a username for the account in the **Name** field.

Notes:

- The username must contain a minimum of eight (8) characters.
- Once the SFTP account has been created, you cannot change the username.
- Enter a password for the account in the **Password** field, then re-enter it in the **Password confirmation** field. The password requirements are provided below. *Passwords must contain:*
 - At least eight (8) characters
 - One (1) uppercase letter

- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

Once the account has been successfully created, this password will be input into the pharmacy software so that submissions can be automated.

Notes:

- This password can be the same as the one used when the upload account was created.
- Unlike your Profile password (i.e., your user account password), the SFTP password does not expire.
- The URL to connect via SFTP is <u>sftp://sftp.pmpclearinghouse.net</u>.
- Additional details on SFTP configuration can be found in <u>Appendix C:</u> <u>SFTP Configuration</u>.
- 7. Click Create.

The account is created and the username is displayed.

SFTP Account SFTP Account Details
llener het de Commente
Username: sftptester@preppmpsftp
Edit

7.4 Editing Your Upload Account

Note: This function only allows you to edit your organization's upload account. If you need to edit your individual profile information, please refer to <u>Editing Your</u> <u>Profile</u>.

- 1. Log in to PMP Clearinghouse.
- 2. Click Account.

		Advanced Options	 Search 		2
ţ↑	Submitted	†↓	Status	Status Repo	rt

3. Select Account Details.

The Account page is displayed as shown on the following page.

Account Details		
Name: Bamboo Health		
Phone Number: 55555555	55	
Fax Number:		
Allowed submission: True		
Suppress Rx details in em	ailed error reports: False	
Admin Details User Name: QA TESTER		
Email: qa2@gmail.com		
Address: 10401 Linn Statio Louisville KY 40 SFTP Account ID: qa25550	218	
SFIF Account ID. qa25550	Terdapinpsitp	

4. Click Edit.

The Edit Account page is displayed.

Bamboo Health	
Phone number	Fax number
55555555	
 Allowed submission Suppress Rx details in emailed error repo 	rts
Admin Details	
Address	
10401 Linn Station Road#200	
City	Zip code
Louisville	40218
Chata.	
State	

5. Update the information as necessary, then click **Submit**. The account information is updated.

8 Managing Your User Profile

This chapter describes how to manage your individual user profile, including how to edit your profile and manage your password.


Note: This chapter contains information for managing your individual user profile. For information about managing your organization's upload account, including how to add users, please refer to <u>Managing Your Upload Account</u>.

8.1 Editing Your Profile

Note: This function only allows you to edit your individual profile information. If you need to edit the Organization Information, please refer to <u>Editing Your</u> <u>Upload Account</u>.

* Indicates Required Field

- 1. Log in to PMP Clearinghouse.
- 2. Click My Profile.



3. Select **Edit My Profile**. Edit Profile

Profile Details

Last name *
User
Time zone
(GMT-05:00) Eastern Time (US 8 🗢


4. Update your information as necessary, then click **Submit**.

Your changes are saved, and your updated profile is displayed.

8.2 Changing Your Password

Note: Clearinghouse passwords expire every 90 days. You can use this function to proactively change your password before it expires. If your password has already expired, or you have forgotten your password, navigate to the PMP Clearinghouse Login page and click **Forgot your password?** to reset it. Please refer to <u>Resetting Your Password</u> for more information.

- 1. Log in to PMP Clearinghouse.
- 2. Click My Profile.



3. Select Change Password.

- 4. Enter your current password in the Current Password field.
- Enter your new password in the Password field, then re-enter it in the Password confirmation field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter

- One (1) number
- One (1) special character, such as !, @, #, \$, etc.
- 6. Click Update.

Your password is updated, and you will use it the next time you log in to PMP Clearinghouse.

8.3 Resetting Your Password

If you have forgotten your password or your password has expired, perform the following steps to reset it.

1. Open an internet browser window and navigate to the PMP Clearinghouse Login page located at <u>https://pmpclearinghouse.net/users/sign in</u>.

Email A	ddress
Passwo	rd
	Login
	Create an Account
Help	
-	your password?
	our password? eceive confirmation instructions?
Diantin	eceive commutation instructions?

2. Click the **Forgot your password?** link, located in the Help section of the page. The Forgot your password page is displayed.

rd instructions

- 3. Enter the email address associated with your user account, then click **Send me** reset password instructions.
- 4. Once you receive the reset password email, click the **Change my password** link within the email.

The Change your password page is displayed.

Change your pass	word
New password	
Confirm your new password	
	Change my password

5. Enter your new password in the **New password** field, then re-enter it in the **Confirm your new password** field. The password requirements are provided below.

Passwords must contain:

- At least eight (8) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) number
- One (1) special character, such as !, @, #, \$, etc.

6. Click Change my password.

Your password is changed, and you can now use it to log in to PMP Clearinghouse.

9 Assistance and Support

9.1 Technical Assistance

If you need additional help with any of the procedures outlined in this guide, you can:

- Contact Bamboo Health at 888-461-8628;
 OR
- Create a support request at the following URL: <u>https://pmpclearinghouse.zendesk.com/hc/en-us/</u>

Technical assistance is available Monday through Friday from 8:00 a.m.–8:00 p.m. EST.

9.2 Administrative Assistance

If you have non-technical questions regarding the VPMS, please contact the VPMS Program Manager at:

Vermont Prescription Monitoring System Vermont Department of Health 108 Cherry Street, P.O. Box 70 Burlington, VT 05402-0070

Phone: 1-802-652-4147 E-mail: <u>ahs.vdhvpms@vermont.gov</u>

10 Document Information

10.1 Disclaimer

Bamboo Health has made every effort to ensure the accuracy of the information in this document at the time of printing. However, information contained within this document is subject to change.

10.2 Change Log

Version	Date	Chapter/Section	Change Made
1.0	03/21/2017	N/A	N/A; initial publication
1.1	04/06/2017	Appendix A	Added verbiage to DSP15, PRE04, and "O" code
		4/Data Delivery Methods	Removed data submission via physical media as a data delivery method
1.2	04/18/2017	4.1/Secure FTP	Removed space between "homedir/directory"
2.0	12/17/2018	Global	Updated to current Appriss document template
		1.4/Exemptions	Updated the link to the form to request exemption status
2.1	04/14/2020	Global	Updated screenshots to reflect updated user interface (note that this is only a cosmetic change; no functionality changes are included)
		4.4/Zero Reports	Separated into two sections (Submit a Single-Click Zero Report and Create a New Zero Report) to reflect the addition of the single-click zero report submission functionality
		4.4.1/Submit a Single-Click Zero Report	Added new section with instructions for submitting a single-click zero report
		5.2/UCF Listings	Added clarification on correcting UCF errors
2.2	02/04/2022	Global	Updated guide to reflect Bamboo Health branding
		Global	Updated guide from ASAP 4.2 Specifications to ASAP 4.2b Specifications

Appendix A: ASAP 4.2b Specifications

The information on the following pages contains the definitions for the specific contents required of uploaded records in the American Society for Automation in Pharmacy (ASAP) format to comply with the VPMS requirements.

The following elements are used in each upload file:

- Segment Identifier indicates the beginning of a new segment, for example, PHA.
- **Data Delimiter** character used to separate segments and the data elements within a segment, for example, an asterisk (*).

Each completed field should be followed by an asterisk, and each blank field should contain a single asterisk.

If the last field in the segment is blank, it should contain an asterisk and a tilde (~).

• Segment Terminator – character used to mark the end of a segment, for example, the tilde (~).

Note: Field TH09 in the Transaction Header segment contains a built-in segment terminator. Since TH09 also signifies the end of the segment, it should contain two tildes (~~).

- Requirement
 - R = Required Submission by VPMS
 - N = Not required but accepted if submitted
 - S = Situational Submission
 - O = Optional Submission (not required but preferred)
- Accepted Data Type
 - AN (Alphanumeric) = An alphanumeric field that can accept both numbers and characters.
 - N (Numeric) = A numeric field is a character format, without a decimal point included.
 - D (Decimal) = This is a numeric field in character format, with a decimal point included.
 - DT (Date) = All dates submitted must be submitted in CCYYMMDD format.

Note: For more information, contact the American Society for Automation in Pharmacy for the full Implementation Guide for the ASAP Standard for Prescription-Monitoring Programs. This guide includes field lengths, acceptable attributes, and examples.

Segment Element I	D Element Name	Requirement
TH: Transaction Heade	r (required)	
	art of a transaction. It also assigns the data element separator, segr	nent
terminator, and contro	l number.	
TH01	Version/Release Number	R
	Code uniquely identifying the transaction.	
	Format = x.x	
TH02	Transaction Control Number	R
	Sender assigned code uniquely identifying a transaction.	
тноз	Transaction Type	N
	Identifies the purpose of initiating the transaction.	
	01 Send/Request Transaction	
	• 02 Acknowledgement (used in Response only)	
	• 03 Error Receiving (used in Response only)	
	• 04 Void (used to void a specific Rx in a real-time	
	transmission or an entire batch that has been transmitted)	
TH04	Response ID	Ν
	Contains the Transaction Control Number of a transaction that	
	initiated the transaction. Required in response transaction only.	
TH05	Creation Date	R
	Date the transaction was created.	
	Format: CCYYMMDD.	
TH06	Creation Time	R
	Time the transaction was created. Format: HHMMSS or HHMM.	
TH07	File Type	R
	• P = Production	
	• T = Test	
TH08	Routing Number	N
	Reserved for real-time transmissions that go through a	
	network switch to indicate, if necessary, the specific PMP the	
	transaction should be routed to.	
TH09	Segment Terminator Character	R
	Sets the actual value of the data segment terminator for the	
	entire transaction.	
IS: Information Source	(required)	
Used to convey the name	me and identification numbers of the entity supplying the informat	ion.
IS01	Unique Information Source ID	R
	Reference number or identification number.	
	(Example: phone number)	

Segment	Element ID	Element Name	Requirement
	IS02	Information Source Entity Name	R
		Entity name of the Information Source.	
	IS03	Message	N
		Free-form text message.	
PHA: Pharm	nacy Header (I	required)	
Used to ide	entify the pha	rmacy or the dispensing prescriber.	
	equired that i	information be provided in at least one of the following fields: PH	A01, PHA02, or
PHA03.		1	[
	PHA01	National Provider Identifier (NPI)	R
		Identifier assigned to the pharmacy by CMS.	
	PHA02	NCPDP/NABP Provider ID	N
		Identifier assigned to pharmacy by the National Council for Prescription Drug Programs.	
	PHA03	DEA Number	R
		Identifier assigned to the pharmacy by the Drug Enforcement	
		Administration.	
	PHA04	Pharmacy Name	N
		Free-form name of the pharmacy.	
	PHA05	Address Information – 1	N
		Free-form text for address information.	
	PHA06	Address Information – 2	N
		Free-form text for address information.	
	PHA07	City Address	N
		Free-form text for city name.	
	PHA08	State Address	N
		U.S. Postal Service state code.	
	PHA09	ZIP Code Address	N
		U.S. Postal Service ZIP Code.	
	PHA10	Phone Number	R
		Complete phone number including area code. Do not include	
		hyphens.	
	PHA11	Contact Name	S(AN)
		Free-form name.	
	PHA12	Chain Site ID	0
		Store number assigned by the chain to the pharmacy location.	
		Used when the PMP needs to identify the specific pharmacy	
		from which information is required.	

Segment	Element ID	Element Name	Requirement
	PHA13	Pharmacy's Permit Number/License Number	S(AN)
		Helps to identify the sending pharmacy.	
PAT: Patien	t Information	(required)	
Used to rep	port the patier	nt's name and basic information as contained in the pharmacy re-	cord.
	PAT01	ID Qualifier of Patient Identifier	Ν
		Code identifying the jurisdiction that issues the ID in PAT03.	
	PAT02	ID Qualifier	0
		Code to identify the type of ID in PAT03. If PAT02 is used, PAT03 is required.	
		O1 Military ID	
		02 State Issued ID	
		03 Unique System ID	
		• 04 Permanent Resident Card (Green Card)	
		05 Passport ID	
		06 Driver's License ID	
		• 08 Tribal ID	
		• 99 Other (agreed upon ID)	
	PAT03	ID of Patient	0
		Identification number for the patient as indicated in PAT02.	
		An example would be the driver's license number.	
	PAT04	ID Qualifier of Additional Patient Identifier	N
		Code identifying the jurisdiction that issues the ID in PAT06.	
		Used if the PMP requires such identification.	
	PAT05	Additional Patient ID Qualifier	Ν
		Code to identify the type of ID in PAT06 if the PMP requires a	
		second identifier. If PAT05 is used, PAT06 is required.	
		• 01 Military ID	
		02 State Issued ID	
		03 Unique System ID	
		04 Permanent Resident Card	
		05 Passport ID	
		 06 Driver's License ID 08 Tribal ID 	
		99 Other (agreed upon ID)	
	PAT06	Additional ID	N
		Identification that might be required by the PMP to further	
		identify the individual. An example might be that in PAT03 driver's license is required and in PAT06 Social Security number	
		is also required.	

Segment	Element ID	Element Name	Requirement
	PAT07	Last Name	R
		Patient's last name.	
	PAT08	First Name	R
		Patient's first name.	
	PAT09	Middle Name	S
		Patient's middle name or initial if available.	
	PAT10	Name Prefix	Ν
		Patient's name prefix such as Mr. or Dr.	
	PAT11	Name Suffix	S
		Patient's name suffix such as <i>Jr</i> . or <i>the III</i> .	
	PAT12	Address Information – 1	R
		Free-form text for street address information.	
	PAT13	Address Information – 2	S
		Free-form text for additional address information.	
	PAT14	City Address	R
		Free-form text for city name.	
	PAT15	State Address	R
		U.S. Postal Service state code	
		<i>Note:</i> Field has been sized to handle international patients not	
	DATIC	residing in the U.S.	
	PAT16	ZIP Code Address U.S. Postal Service ZIP code.	R
		Populate with zeros if patient address is outside the U.S.	
	PAT17	Phone Number	R
		Complete phone number including area code.	ĸ
		<i>Note: Do not include hyphens in the number. If the patient</i>	
		does not have a phone number, enter 99999999999.	
	PAT18	Date of Birth	R
		Date patient was born.	
		Format: CCYYMMDD	
	PAT19	Gender Code	R
		Code indicating the sex of the patient.	
		F Female	
		M Male	
		U Unknown	

Segment	Element ID	Element Name	Requirement
	PAT20	Species Code	R
		Used if required by the PMP to differentiate a prescription for	
		an individual from one prescribed for an animal.	
		• 01 Human	
		02 Veterinary Patient	
	PAT21	Patient Location Code	N
		Code indicating where patient is located when receiving	
		pharmacy services.	
		• 01 Home	
		02 Intermediary Care	
		03 Nursing Home	
		04 Long-Term/Extended Care	
		• 05 Rest Home	
		06 Boarding Home	
		07 Skilled-Care Facility	
		08 Sub-Acute Care Facility	
		09 Acute Care Facility	
		10 Outpatient	
		• 11 Hospice	
		• 98 Unknown	
		• 99 Other	
	PAT22	Country of Non-U.S. Resident	N
		Used when the patient's address is a foreign country and PAT12 through PAT16 are left blank.	
	PAT23	Name of Animal	N
		Used if required by the PMP for prescriptions written by a	
		veterinarian and the pharmacist has access to this information at the time of dispensing the prescription.	
DSP: Disp	ensing Record	(required)	
-	-	c components of a dispensing of a given prescription order inclu	ding the date
and quan	-		
	DSP01	Reporting Status	R
		DSP01 requires one of the following codes, and an empty or	
		blank field no longer indicates a new prescription transaction:	
		• 00 New Record (indicates a new prescription dispensing transaction)	
		• 01 Revise (indicates that one or more data element values in a previously submitted transaction are being revised)	
		• 02 Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as invalid or to be ignored)	

Segment	Element ID	Element Name	Requirement
	DSP02	Prescription Number	R
		Serial number assigned to the prescription by the pharmacy.	
	DSP03	Date Written	R
		Date the prescription was written (authorized).	
		Format: CCYYMMDD	
	DSP04	Refills Authorized	R
		The number of refills authorized by the prescriber.	
	DSP05	Date Filled	R
		Date prescription was filled.	
		Format: CCYYMMDD	
	DSP06	Refill Number	R
		Number of the fill of the prescription.	
		0 indicates New Rx; 01-99 is the refill number.	
	DSP07	Product ID Qualifier	R
		Used to identify the type of product ID contained in DSP08.	
		• 01 NDC	
		06 Compound	
	DSP08	Product ID	R
		Full product identification as indicated in DSP07, including	
		leading zeros without punctuation. If compound is indicated in DSP07, use <i>99999</i> as the first 5	
		characters; CDI then becomes required.	
	DSP09	Quantity Dispensed	R
		Number of metric units dispensed in metric decimal format.	
		Example: 2.5	
		Note: For compounds show the first quantity in CDI04.	
	DSP10	Days' Supply	R
		Estimated number of days the medication will last.	
	DSP11	Drug Dosage Units Code	R
		Identifies the unit of measure for the quantity dispensed in	
		DSP09.	
		• 01 Each	
		• 02 Milliliters (ml)	
		• 03 Grams (gm)	

Segment	Element ID	Element Name	Requirement
	DSP12	 Transmission Form of Rx Origin Code Code indicating how the pharmacy received the prescription. 01 Written Prescription 02 Telephone Prescription 03 Telephone Emergency Prescription 04 Fax Prescription 05 Electronic Prescription 99 Other 	R
	DSP13	 Partial Fill Indicator Used when the quantity in DSP 09 is less than the metric quantity per dispensing authorized by the prescriber. This dispensing activity is often referred to as a split filling. 00 Not a Partial Fill 01 First Partial Fill Note: For additional fills per prescription, increment by 1. So, the second partial fill would be reported as 02, up to a maximum of 99. 	R
	DSP14	Pharmacist National Provider Identifier (NPI) Identifier assigned to the pharmacist by CMS. This number can be used to identify the pharmacist dispensing the medication.	N
	DSP15	Pharmacist State License Number This data element can be used to identify the pharmacist dispensing the medication. Assigned to the pharmacist by the State Licensing Board. Report as 10 digits, no punctuation. Format: 1234567890	0
	DSP16	 Classification Code for Payment Type Code identifying the type of payment (i.e., how it was paid for). 01 Private Pay (cash, charge, credit card) 02 Medicaid 03 Medicare 04 Commercial Insurance 05 Military Installations and VA 06 Workers' Compensation 07 Indian Nations 99 Other 	R
	DSP17	Date Sold This field is used to determine the date the prescription left the pharmacy, not the date it was filled, if the dates differ. Format: YYYYMMDD	R(DT)

Segment	Element ID	Element Name	Requirement
	DSP18	RxNorm Product Qualifier	Ν
		RxNorm Code that is populated in the DRU-010-09 field in the	
		SCRIPT transaction.	
		01 Semantic Clinical Drug (SCD)02 Semantic Branded Drug (SBD)	
		 02 Semantic Branded Drug (SbD) 03 Generic Package (GPCK) 	
		 04 Branded Package (BPCK) 	
	DSP19	RxNorm Code	N
		Used for electronic prescriptions to capture the prescribed	
		drug product identification.	
	DSP20	Electronic Prescription Reference Number	Ν
		This field should be populated with the Initiator Reference Number from field UIB-030-01 in the SCRIPT transaction.	
	DSP21	Electronic Prescription Order Number	s
		This field will be populated with the Initiator Control Reference from field UIH-030-01 in the SCRIPT standard.	
	DSP22	Quantity Prescribed	S(N)
		This field adds clarity to the value reported in DSP13, Partial Fill Indicator.	
	ber Informatio	on (required) criber of the prescription.	
	PRE01	National Provider Identifier (NPI)	0
		Identifier assigned to the prescriber by CMS.	-
	PRE02	DEA Number	R
		Identifying number assigned to a prescriber or an institution by the Drug Enforcement Administration (DEA).	
	PRE03	DEA Number Suffix	S
		Identifying number assigned to a prescriber by an institution when the institution's number is used as the DEA number.	
	PRE04	Prescriber State License Number	0
		Identification assigned to the prescriber by the State Licensing Board.	
		Report as 10 digits, no punctuation. Format: 1234567890	
	PRE05	Last Name	Ν
		Prescriber's last name.	
	PRE06	First Name	Ν
		Prescriber's first name.	
	PRE07	Middle Name	Ν
		Prescriber's middle name or initial.	

Segment	Element ID	Element Name	Requirement
	PRE08	Phone Number	Ν
		Complete phone number including area code. Do not include hyphens.	
	PRE09	XDEA Number	S(AN)
		This field is in addition to Treatment Type in the DSP segment. This gives PDMPs the option to require the XDEA Number (NADEAN) in the PRE segment.	
CDI: Compo	und Drug Ing	gredient Detail (situational)	
a PMP repo drug, then t	rting drug. If his would be	quired when medication dispensed is a compound and one of th more than one ingredient is for a prescription monitoring progra incremented by one for each compound ingredient being report C of DSP08 must be 99999999999.	im reporting
	CDI01	Compound Drug Ingredient Sequence Number First reportable ingredient is 1; each additional reportable ingredient is incremented by 1.	S
	CD102	Product ID QualifierCode to identify the type of product ID contained in CDI03.01 NDC	S
	CD103	Product ID Full product identification as indicated in CDI02, including leading zeros without punctuation.	S
	CDI04	Compound Ingredient Quantity Metric decimal quantity of the ingredient identified in CDI03. Example: 2.5	S
	CD105	 Compound Drug Dosage Units Code Identifies the unit of measure for the quantity dispensed in CDI04. 01 Each (used to report as package) 02 Milliliters (ml) (for liters, adjust to the decimal milliliter equivalent) 03 Grams (gm) (for milligrams, adjust to the decimal gram equivalent) 	S
AIR: Additio	nal Informati	on Reporting (situational)	
dropping of	f or picking u	serialized Rx pads are used, the PMP requires information on the up the prescription, or for data elements not included in other de	-
Note: If this	segment is u	sed, at least one of the data elements (fields) will be required.	
	AIR01	State Issuing Rx Serial Number U.S.P.S. code of state that issued serialized prescription blank. This is required if AIR02 is used.	Ν

	ID Element Name	Require
AIR02	State Issued Rx Serial Number	1
	Number assigned to state issued serialized prescription blank.	
AIR03	Issuing Jurisdiction	I
	Code identifying the jurisdiction that issues the ID in AIR04. Used if required by the PMP and the value in AIR04 is 02 or 06.	
AIR04	ID Qualifier of Person Dropping Off or Picking Up Rx	
	Used to identify the type of ID contained in AIR05 for person	
	dropping off or picking up the prescription.	
	01 Military ID	
	02 State Issued ID	
	03 Unique System ID	
	• 04 Permanent Resident Card (Green Card)	
	05 Passport ID	
	06 Driver's License ID	
	• 08 Tribal ID	
	99 Other (agreed upon ID)	
AIR05	ID of Person Dropping Off or Picking Up Rx	
	ID number of patient or person picking up or dropping off the	
	prescription.	
AIR06	Relationship of Person Dropping Off or Picking Up Rx	
	Code indicating the relationship of the person.	
	01 Patient 02 Parent (Learnhing	
	02 Parent/Legal Guardian 03 Spource	
	03 Spouse04 Caregiver	
	 99 Other 	
AIR07		
AINU7	Last Name of Person Dropping Off or Picking Up Rx Last name of person picking up the prescription.	
	First Name of Person Dropping Off or Picking Up Rx	
AIR08	First name of person picking up the prescription.	
AIR09	Last Name or Initials of Pharmacist	I
	Last name or initials of pharmacist dispensing the medication.	
AIR10	First Name of Pharmacist	I
	First name of pharmacist dispensing the medication.	
AIDIAA	Dropping Off/Picking Up Identifier Qualifier	
AIR11		
AIRTT	Additional qualifier for the ID contained in AIR05	
AIKTT	 Additional qualifier for the ID contained in AIR05 01 Person Dropping Off 02 Person Picking Up 	

Segment	Element ID	Element Name	Requirement
TP: Pharmad	y Trailer (req	uired)	
	-	of data for a given pharmacy and provide the count of the total i I for the pharmacy, including the PHA and TP segment.	number of
	TP01	Detail Segment Count	R
		Number of detail segments included for the pharmacy including the pharmacy header (PHA) and the pharmacy trailer (TP) segments.	
TT: Transact	ion Trailer (re	quired)	•
	icate the end the transactic	of the transaction and provide the count of the total number of on.	segments
	TT01	Transaction Control Number	R
		Identifying control number that must be unique.	
		Assigned by the originator of the transaction.	
		Must match the number in TH02.	
	TT02	Segment Count	R
		Total number of segments included in the transaction including the header and trailer segments.	

Appendix B: ASAP Zero Report Specifications

The following table contains the required definitions for submitting zero reports via SFTP or manual upload to the VPMS. It lists the **Segment** and **Element ID** with pre-populated data to be used as an example for constructing a zero report. For more details regarding these Segment or Elements IDs, or for details on reporting actual dispensations, please refer to <u>Appendix A: ASAP 4.2b Specifications</u>.

Segment	Element ID	Element Name	Requirement
TH: Transa	ction Header (req	uired)	
	TH01	4.2b	R
	TH02	123456	R
	TH05	20220101	R
	ТН06	223000	R
	ТН07	Р	R
	ТН09		R
IS: Informa	tion Source (requ	ired)	
	IS01	7705555555	R
	IS02	PHARMACY NAME	R
	IS03	Date Range of Report	R
	1505	#YYYYMMDD#-#YYYYMMDD#	
PHA: Pharr	nacy Header (requ	uired)	
	PHA03	ZZ1234567	R
PAT: Patier	nt Information (red	quired)	
	PAT07	REPORT	R
	PAT08	ZERO	R
DSP: Dispe	nsing Record (req	uired)	
	DSP05	20220101	R
PRE: Prescr	iber Information ((required; can be null as follows: PRE******\)	
CDI: Comp	ound Drug Ingred	lient Detail	
AIR: Additi	onal Information	Reporting	
TP: Pharma	acy Trailer (require	ed)	
	TP01	7	R
TT: Transac	tion Trailer (requi	red)	
	TT01	123456	R

TT02 10 R

Sample Zero Report

The following example illustrates a zero report using the above values.

TH*4.2b*123456*01**20220108*223000*P**\\ IS*7705555555*PHARMACY NAME*#20220101#-#20220107#\ PHA*** ZZ1234567\ PAT*****REPORT*ZERO*******\ DSP****20220108*****\ PRE*\ CDI*\ AIR*\ TP*7\ TT*123456*10\

Appendix C: SFTP Configuration

This appendix describes the SFTP configurations required to upload your data to PMP Clearinghouse.

Note: Submitting data via SFTP requires that you have an existing PMP Clearinghouse account with SFTP access.

- If you need to create a PMP Clearinghouse account, please refer to <u>Creating Your</u> <u>Account</u>. You will be able to set up your SFTP account during the account creation process.
- If you have an existing PMP Clearinghouse account but do not have SFTP access, please refer to <u>Adding SFTP Access to an Upload Account</u>.

SFTP Connection Details

Hostname: sftp.pmpclearinghouse.net

Bamboo Health recommends that you use the hostname when configuring the connection rather than the IP address, as the IP address is subject to change.

Port: 22

Note: The port will always be 22.

- Credentials: Your SFTP account credentials (username and password) can be found within the PMP Clearinghouse website. To locate your credentials, <u>log in to PMP</u> <u>Clearinghouse</u>, then click *Account > SFTP Details > Edit*.
- Your username cannot be modified; however, you can update your password.

Note: Your current SFTP password cannot be seen or recovered. If you have forgotten or lost it, you will need to create a new one. For more information on changing the SFTP password, please refer to <u>Adding SFTP Access to an Upload</u> <u>Account</u>.

• Once you have established SFTP access, you can test the SFTP connection, but you will not be able to submit data to a PMP until your account has been approved by the PMP administrator.

PMP Subfolders

PMP Clearinghouse is the data repository for numerous PMPs. As such, data submitted via SFTP must be placed in the appropriate folder for the PMP for which you are submitting data so that it can be properly imported to that PMP database. The creation of subfolders must be done outside of the PMP Clearinghouse website using third-party software, such as an SSH client or a command line utility. Files placed in the root/home directory of the SFTP server will not be imported, as this will cause the dispensing entity to appear as noncompliant/delinquent.

Your pharmacy software will need to be configured to place files in the appropriate PMP folder when submitting. You may need to contact your software vendor for additional assistance with this process.

NOTE: Capitalization of the abbreviated PMP folders' names has no bearing on whether or not Clearinghouse processes the files; however, some pharmacy systems, especially *nix-based systems, will require that the exact case is used when specifying the target folder.

There are two methods by which to create PMP subfolders for SFTP submissions:


- 1. Via SSH client (e.g., WinSCP, FileZilla, etc.)
 - a. Log in to your SFTP account.
 - b. Create the required directories under /homedir.

Host: User Status: Come Command: Trust: Command: Trust: Command: Trust: Command: Trust: Command: Response: Status: Conce Status: Conce Status: Calcula Command: Is Status: Calcula Command: Is Status: Calcula Command: Mitme Command: Mitme Computer Computer Computer	rname: If the second se	?assword: 54.243.86.239 22 ver	Port: port pass user host	t = sftp.pmpcl			
Host: User Status: Come Command: Trust: Command: Trust: Command: Trust: Command: Trust: Command: Response: Status: Conce Status: Conce Status: Calcula Command: Is Status: Calcula Command: Is Status: Calcula Command: Mitme Command: Mitme Computer Computer Computer	rame: Figure 143.86.238 starter apprisstest&proup eeftp@ new Hostkey: Once cted to 54.243.86.238 ving directory listing tt directory is: "/homedir" directory /homedir ating timezone offset of serv "p" 20413	2assword: 54.243.86.238 - 22 Yer	port pass user host	:= 22 sword = your ; name = xxxx(:= sftp.pmpcl	password @prodpmpsftp		
tatus: Conequination of the second status: Configuration of the second status: Control status: Control status: Control status: Control status: Control status: Control status: Listing status: Listing status: Listing status: Calcula status: Timezz status: Directo	ting to 54.243.86.238 startes appriste starte program effp@ new Hostkey: Once ted to 54.243.86.238 ving directory listing at directory listing directory /homedir directory /homedir ating timezone offset of serv "p" 20413	54.243.86.230 ⁴ -22 /er	port pass user host	:= 22 sword = your ; name = xxxx(:= sftp.pmpcl	password @prodpmpsftp		
kesponse: f25fp Command: open " Command: Trust r Command: Trust r Command: Trust r Command: Pass: " Status: Context Status: Context Command: pwd kesponse: Curren Command: Is status: Listing Status: Listing Status: Calcule Command: mtime kesponse: 139412 status: Directo Local site: \ Computer Computer	startes apprisste scoproup, estipo new Hostkey: Once et al. 243.86.238 ving directory listing at directory listing directory /homedir directory /homedir ating timezone offset of serv "p" 20413	/er	pass user host	sword = your ; 'name = xxxx(: = sftp.pmpcl	@prodpmpsftp		
Command: open " Command: Trust f Command: Pass: " Status: Retriev Command: pvd Exeponse: Curren Command: Is Status: Calcula Command: Is Status: Calcula Command: Is Status: Calcula Command: Is Status: Directo Command: Directo Command: Is Status: Directo Command: Computer	appristest@proup.esfp@ new Hostkey: Once test to 54.243.86.238 ving directory listing tt directory is: "/homedir" directory /homedir ding timezone offset of serv "ID" 20413 one offsets: Server: 0 secon	/er	pass user host	sword = your ; 'name = xxxx(: = sftp.pmpcl	@prodpmpsftp		
Command: Trust r Command: Pass: Connec Status: Connec Status: Retriev Command: pwd Response: Curren Command: Is status: Listing Status: Calcula Command: mtime Response: 139412 Status: Timezo Status: Directo Local state: \ Computer C: Computer	new Hostkey: Once cted to 54.243.86.238 ing directory listing at directory is: "/homedir" directory /homedir ating timezone offset of serv "D" 20413 one offsets: Server: 0 secon	/er	pass user host	sword = your ; 'name = xxxx(: = sftp.pmpcl	@prodpmpsftp		
Command: Pass: 1 Status: Connet Status: Retriev Command: pvd Status: Curren Command: Is Status: Calcula Status: Calcula Command: Is Status: Timezo Status: Timezo Status: Directo Local site: \ Computer C: Computer C:	cted to 54.243.86.238 ving directory listing it directory is: "/homedir" directory /homedir directory /homedir ding timezone offset of serv "D" 20413 one offsets: Server: 0 secon one offsets: Server: 0 secon		user host	name = xxxx(@prodpmpsftp		
istus: Conner istus: Cenner command: pwd lesponse: Curren command: Is istus: Listing istus: Calcula command: mtime lesponse: 139412 istus: Timezz istus: Directo Local site: \ Computer Grift Computer	cted to 54.243.86.238 ving directory listing at directory is: "/homedir" directory /homedir directory /homedir ating timezone offset of serv "D" 20413 one offsets: Server: 0 secor		host	t = sftp.pmpcl			
Itatus: Retriev Command: pvd Response: Curren Command: Is Istus: Listing Itatus: Calcule Command: mtime Response: 139412 Itatus: Timezz Itatus: Directo Local site: \ Computer C: Computer	ving directory listing at directory is: "/homedir" directory /homedir ating timezone offset of serv "D0" 20413 one offsets: Server: 0 secon				learinghouse.net		
Command: pwd Response: Curren Status: Listing Status: Calcula Command: mtime Response: 139412 Status: Directo Local site: \ Computer C: Computer	ht directory is: "/homedir" directory /homedir ating timezone offset of serv "ID" 20413 one offsets: Server: 0 secon						
tesponse: Curren Command: Is istus: Listing istus: Calcula command: mtime tesponse: 139412 istatus: Timezc tatus: Directo Local site: \ Computer C: Computer	directory /homedir ating timezone offset of serv "ID" 20413 one offsets: Server: 0 secon		. Difference: -:	14400 seconds.			
Command: Is Status: Listing Status: Calcula Command: mtTime Lesponse: 139412 status: Timez; Status: Directo Local site: \ Computer C: Computer	directory /homedir ating timezone offset of serv "ID" 20413 one offsets: Server: 0 secon		. Difference: -:	14400 seconds.			
Istus: Calcule Command: mtime Response: 139412 Istus: Timezo Istatus: Directo	ating timezone offset of serv "ID" 20413 one offsets: Server: 0 secor		. Difference: -:	14400 seconds.			
Command: mtime Response: 139412 Status: Timezo Status: Directo	"ID ["] 20413 one offsets: Server: 0 secor		. Difference: -:	14400 seconds.			
tesponse: 139412 status: Timezc Directo Local site: \ Computer Griffic C:	20413 one offsets: Server: 0 secor	nds. Local: -14400 seconds.	. Difference: -:	14400 seconds.			
Local site: \ Local site: \ Computer C:	one offsets: Server: 0 secor	nds. Local: -14400 seconds.	. Difference: -	14400 seconds.			
Local site: \ Computer		nds. Local: -14400 seconds.	. Difference: -	14400 seconds.			
Local site: \ Computer C:	ory listing successful						
ia-s Computer ia-≪ C:							
ia-s Computer ia-≪ C:							
Computer			-	Remote site:	(homodic		
i⊨-¶ C:			(i)		/nomedi		
- 0			*	⊟- 12 /	Right click on homedir >	create directory	
			=	🗄 🕕 🗼 ho	Omedia	create anectory	
😐 🥌 D:			=		🚸 Download		
i (\\fs\apps)				1	🖌 🖌 Add to gueue		
				Filename	lý stad to gadad	Filesize	Filetype
🖶 🛫 K: (\\fs\vine)			*		Create directory	- HOULD	metype
Filename		Filesize	e Filetyp 🔺				
		11100120		ID ID	Delete		File folder
			Netwoi ≡		Rename		
			Networ				
R: (\\prodcsamba01.prod	d.appriss.com/prepfsnr)		Netwo		Copy URL(s) to clipboard		
Q: (\\prodcsamba01.prod			Netwo		File Attributes		
P Alprodesamba01 proc	d appriss com\prodfspr)		Networ	1			
10 directories				1 directory			
Server/Local file	Direction Remote	file Siz	ze Priority	Status			
Queued files Failed transfer	rs Successful transfers						

2. Via command prompt

- a. Log in to your SFTP account using command prompt.
- b. Type "**mkdir**" followed by a space and then the PMP abbreviation you are using (e.g., *mkdir PR*).

NOTE: The PMP folder must be titled with the two-letter abbreviation as specified above.




Public (SSH/RSA) Key Authentication


PMP Clearinghouse supports SSH key authentication. The generation of the key is outside the scope of this document; however, general guidelines about the key, along with how to import/load it, are provided below.

Note: PGP Encryption is not supported.

- Supported Key Types:
- SSH-2 RSA 2048 bit length
- Unsupported Key Types:
- SSH-1 RSA
- SSH-2 DSA
- **Correct Public Key Format:** If opened in a text editor, the key should look like the screenshot below.



• Incorrect Public Key Format: If opened in a text editor, the key SHOULD NOT look like the screenshot below.



• Once the key has been generated, it should be named "authorized_keys".

Notes:

- There is no file extension.
- There is an underscore between the words authorized and keys.
- A *.ssh* subfolder needs to be created in the SFTP account's home directory. The "*authorized_keys*" file must be placed in the *.ssh* folder. The creation of this folder follows the same process as creating a PMP subfolder. Please refer to <u>PMP</u> <u>Subfolders</u> for steps on creating subfolders.