

دليل اختبار متابعة فيروس كورونا المستجد (كوفيد-19)

استخدم هذا الدليل للتعرف على الخطوات التالية الواجب اتخاذها بعد الحصول على نتيجة اختبار أولية، استنادًا إلى ما إذا كان لديك أعراض أم لا ونوع الاختبار (مستضد أو بي سي آر). يسري هذا التوجيه بغض النظر عن حصولك على اللقاح من عدمه أو إذا ما كنت قد حصلت على اللقاح في إحدى العيادات أو في المنزل (تسمى أيضًا بالاختبارات الذاتية). يجب إبلاغ إدارة الصحة بنتائج الاختبارات المنزلية من خلال تعبئة [هذا النموذج عبر الإنترنت](#). يستمر هذا الجدول في الصفحة التالية. يمكنك العثور على معلومات أكثر تفصيلاً:

- لمصابي فيروس كورونا المستجد (كوفيد-19) بشأن العزل وإخطار المخالطين على healthvermont.gov/covid19positive
- للمخالطين بشأن الحجر الصحي والاختبارات على healthvermont.gov/aboutclosecontact.

الخطوات النهائية	نتائج اختبار بي سي آر للمتابعة	الخطوات التالية	نتيجة الاختبار الأولية	اختبار بي سي آر
	لا حاجة إلى اختبار بي سي آر للمتابعة.	لا شيء أو، إذا كنت مخالطًا وتخضع للحجر الصحي، فعليك مواصلة اتباع توجيه الحجر الصحي .	سلبية بدون أعراض	
	لا حاجة إلى اختبار بي سي آر للمتابعة.	عليك البقاء في المنزل إلى أن تختفي الأعراض. إذا كنت مخالطًا وتخضع للحجر الصحي، فعليك مواصلة اتباع توجيه الحجر الصحي .	سلبية مع أعراض	
	لا يوصى بإجراء اختبار بي سي آر للمتابعة. لا ينهي اختبار بي سي آر للمتابعة السلبي الذي يتم إجراؤه أثناء فترة العزل من الخضوع للعزل. اتبع إرشادات إنهاء العزل على الرابط healthvermont.gov/covid19positive	يتم التعامل مع الحالة على أنها إيجابية. يتم الخضوع للعزل وإخطار المخالطين	إيجابية مع أعراض أو بدونها	

نتيجة الاختبار الأولية	الخطوات التالية	نتائج اختبار بي سي آر للمتابعة	الخطوات النهائية
اختبار المستضد	سلبية بدون أعراض	لا شيء أو، إذا كنت مخالطاً وتخضع للحجر الصحي، فعليك مواصلة اتباع توجيه الحجر الصحي .	لا حاجة إلى اختبار بي سي آر للمتابعة.
	إيجابية مع أعراض أو بدونها	يتم التعامل مع الحالة على أنها إيجابية. يتم الخضوع للعزل وإخطار المخالطين.	لا حاجة إلى اختبار بي سي آر للمتابعة. ملاحظة: ينبغي على الأشخاص الذين يعيشون في مجموعات سكنية اتباع إرشادات إضافية لاختبار المستضد . المصدر: إرشادات لاختبار المستضد، مراكز السيطرة على الأمراض والوقاية منها
اختبار المستضد	سلبية مع أعراض	اخضع لاختبار بي سي آر للمتابعة. إذا كنت مخالطاً وتخضع للحجر الصحي، فعليك مواصلة اتباع توجيه الحجر الصحي .	لكن، إذا تم إجراء اختبار بي سي آر في غضون 48 ساعة من الاختبار الأولي وكانت النتيجة سلبية... إذا كنت مخالطاً وتخضع للحجر الصحي، فعليك مواصلة اتباع توجيه الحجر الصحي .
	سلبية مع أعراض	إذا كانت نتيجة اختبار بي سي آر إيجابية... إذا كنت مخالطاً وتخضع للحجر الصحي، فعليك مواصلة اتباع توجيه الحجر الصحي .	يتم الخضوع للعزل وإخطار المخالطين. إذا تم إجراء اختبار بي سي آر في غضون 48 ساعة من الاختبار الأولي وكانت النتيجة إيجابية... يتم الخضوع للعزل وإخطار المخالطين.

COVID-19 Follow-up Testing Guide

Use this guide for next steps to take after receiving an initial test result, based on whether or not you have symptoms and type of test (antigen or PCR). This guidance applies regardless of your vaccination status or if the test you took was completed in person at a clinic or at home (also called self-tests). At-home test results should be reported to the Health Department by completing [this online form](#). The chart continues on the next page. Find more detailed information:

- for people with COVID-19 about isolating and notifying close contacts at healthvermont.gov/covid19positive
- for close contacts about quarantine and testing at healthvermont.gov/aboutclosecontact.

	Initial Test Result	Next Steps	Results from Follow Up PCR	Final Steps
PCR Test	Negative without symptoms	None Or, if you are a close contact and in quarantine, continue following the quarantine guidance .	A follow up PCR is not needed.	
	Negative with symptoms	Stay home until symptoms resolve. If you are a close contact and in quarantine, continue following the quarantine guidance .	A follow up PCR is not needed.	
	Positive with or without symptoms	Treat as a positive. Isolate and notify close contacts	A follow up PCR is not recommended. A follow up negative PCR test during your isolation period does not end isolation. Follow the	

COVID-19 Testing Decision Chart

	Initial Test Result	Next Steps	Results from Follow Up PCR	Final Steps
			guidance for ending isolation at healthvermont.gov/covid19positive	
Antigen Test	Negative without symptoms	None Or, if you are a close contact and in quarantine, continue following the quarantine guidance .	A follow up PCR is not needed.	
	Antigen Test	Treat as a positive. Isolate and notify close contacts.	A follow up PCR is not needed. Note: People in group living settings should follow additional guidance for antigen testing . Source: Guidance for Antigen Testing, CDC	
However, if a PCR was done within 48 hours of the initial test and the result is negative...			Stay home until symptoms resolve. If you are a close contact and in quarantine, continue following the quarantine guidance .	
If a PCR was done within 48 hours of the initial test and the result is positive...			Isolate and notify close contacts.	
	Negative with symptoms	Get a follow up PCR test.	If PCR is positive...	Isolate and notify close contacts.

COVID-19 Testing Decision Chart

	Initial Test Result	Next Steps	Results from Follow Up PCR	Final Steps
		If you are a close contact and in quarantine, continue following the quarantine guidance .	If PCR is negative...	Stay home until symptoms resolve. If you are a close contact and in quarantine, continue following the quarantine guidance .