

# Weekly Summary of Vermont COVID-19 Data

Reflecting cases identified between  
March 5 – November 11, 2020



Date published: November 13, 2020. This summary will be updated every Friday.



# Common Terms and Data Sources

This document contains information about people who have tested positive for COVID-19 in Vermont. You will find data presented in a few different ways throughout this document:

- **Count:** the number of people who have tested positive for COVID-19 (overall or in a particular group)
- **Rate:** the number of people who have tested positive for COVID-19 in a particular group, divided by the total number of people in that group. Using rates allows for more direct comparisons between groups.
- **Growth rate:** a measure of the percent change in COVID-19 cases over time; this tells us how quickly or slowly the disease is spreading in Vermont
- **Week:** for the purposes of this document, “this week” is defined as November 4 through November 11.

For geographic information, please see the [COVID-19 Data Dashboard](#) or [Town Map](#). For more information on data sources, please see our [Data Notes](#) document.

## Please Note:

- On October 1, the denominators used to calculate rates by race and ethnicity were switched over from 2018 American Community Survey estimates to 2019 Vermont Department of Health estimates based on Census data. This change was made to be more consistent with how the Health Department typically calculates rates. The relatively large change in rates for some racial groups in the October 2, 2020 Weekly Summary is due to this change in methodology.

# Table of Contents

Click on a box below to jump to that section

[Overview of COVID-19 in Vermont](#)

[Case Demographics](#)

[Clinical Course](#)

[Outbreaks](#)

[Syndromic Surveillance](#)


[Weekly Spotlight](#)

# COVID-19 in Vermont

An overview of our number of cases and laboratory testing to date.


# Total Number of Cases in Vermont: 2,651

150




# Most counties continue to see new cases.


Growth over time by county (n=2,651)




# Percent of positive COVID-19 tests may indicate how prevalent the disease is in the population.



## Percent Positive to Date



## Percent Positive This Week (November 4 – November 11)




<b>6,699</b> People Tested this Week	<b>21,241</b> Tests this Week
<b>197,619</b> People Tested to Date	<b>456,037</b> Tests to Date

Vermont Department of Health

\*Not a stable estimate due to small numbers. There were 8 total tests and 1 was positive.

The **number of people tested** reflects the number of individual people who have had confirmatory testing for COVID-19 in Vermont. Each person is only counted once. The **number of tests** reflects the number of specimens that have had confirmatory tests for COVID-19 in Vermont. This number may include multiple specimens for one person, the same person tested multiple times, etc. **Percent positive** is the number of laboratory confirmed COVID-19 specimens divided by the total number of specimens (updated 11/6/20). None of these numbers include serology or antigen testing.

## The proportion of people tested for COVID-19 in Vermont varies across age groups.



## More **females** are tested than **males** for COVID-19.



**56%** of people tested for COVID-19 are **female**.





**44%** of people tested for COVID-19 are **male**.





**White Vermonters represent the majority of people tested in Vermont for COVID-19. Vermonters with other race have the highest rate of testing.**

Rates per 100 Vermonters




**Non-Hispanic Vermonters represent the majority of people tested in Vermont for COVID-19. Hispanic Vermonters have the higher rate of testing.**

Rates per 100 Vermonters



## Contact tracers speak with both **confirmed cases** and their **close contacts** each week.



**65**

Number of contact tracers trained

**188**

Cases interviewed last week

November 1 – November 7

**611**

Contacts named last week

November 1 – November 7

**3**

Average number of contacts per case\*

\*Since April 1

The number of confirmed cases may not match the number of cases interviewed. There is not always clean overlap between the week in which a case is confirmed and in which that case is interviewed (i.e., a case confirmed on Saturday afternoon may not be interviewed until Sunday morning).

## In the last two weeks (from October 25 to November 7):




**96%**

Of cases were interviewed within 24 hours



**87%**

Of cases provided their close contacts



**49%**

Of contacts were tested within 14 days of exposure



**12%**


Of contacts became a case

# Case Demographics

Who has been impacted by COVID-19 in Vermont?


**Rates of COVID-19 are highest among Vermonters 20-29 and 80 years and older.**

Rate per 10,000 Vermonters




**Females and males have similar rates of COVID-19.**

Rate per 10,000 Vermonters





**There are differences in age and sex of Vermonters with COVID-19.**

Rates of COVID-19 by Age Group for Females and Males per 10,000 Vermonters





**White Vermonters represent the majority of COVID-19 cases. African American Vermonters have the highest rate.**

Rate per 10,000 Vermonters



**Non-Hispanic Vermonters represent the majority of COVID-19 cases. Hispanic Vermonters have the higher rate.**

Rate per 10,000 Vermonters



**Other Race** includes people who identify as two or more races, or a race other than white, Asian, African American or Black, and American Indian or Alaskan Native. Race is unknown in 7% of cases (n = 183) and ethnicity is unknown in 12% of cases (n = 307). \* Value suppressed due to small numbers.

# Approximately 47% of people\* with COVID-19 have a pre-existing condition.

\*of the 2,119 people that the Health Department has pre-existing condition data for.


Condition	Count	Percentage
Heart Disease	183	9%
Chronic Lung Disease (includes asthma and COPD)	255	12%
Chronic Liver Disease	13	1%
Chronic Kidney Disease	43	2%
Current/Former Smoker	338	16%
Diabetes	154	7%
Immunocompromised Condition	57	3%
Neurologic Condition/Intellectual Disability	51	2%
Other Chronic Condition**	393	19%
Pregnant	18	1%

**40% of people with a pre-existing condition have two or more conditions.**

\*\*Not mutually exclusive, includes things like arthritis, thyroid conditions, multiple free text entries.


The Health Department has information about pre-existing conditions in 80% (2,119) of 2,651 total COVID-19 cases.

**Prevalence of select conditions in COVID-19 patients and Vermont adults.**




Data Source: Cardiovascular disease and diabetes, BRFSS 2018 annual report. Chronic lung disease, 3-4-50 Community profile (2016-2017 BRFSS).

**Likelihood of having a pre-existing condition is approximately equal between female and male COVID-19 patients.**




**COVID-19 patients with pre-existing conditions tend to be older than those without pre-existing conditions.**




\* Value suppressed due to small numbers.

**A higher percentage of COVID-19 patients with pre-existing conditions have been hospitalized than those without pre-existing conditions.**





## Number of **New Health Care Worker** and **All Cases** by Day




**1 in 8** Vermonters with COVID-19 are health care workers.




**Health care workers** with COVID-19 tend to be younger than non-health care workers with COVID-19.


**75% of health care workers with COVID-19 are female.**



**30% of health care workers with COVID-19 are associated with an outbreak.**




The Health Department has information about healthcare worker status in 93% (2,314) of 2,651 total COVID-19 cases.  
Vermont Department of Health



\* Value suppressed due to small numbers.

**White Vermonters represent the majority of health care workers with COVID-19.**




\* Value suppressed due to small numbers.

**Most health care workers with COVID-19 are not hospitalized.**




There are no reported deaths among health care workers.

**Most health care workers with COVID-19 have symptoms.**




Sign or Symptom among Health Care Workers with COVID-19	Percent of Symptomatic Cases
Cough	68%
Fatigue	64%
Headache	62%
Loss of Smell or Taste	51%
Muscle Pain	50%
Runny nose	45%
Chills	40%
Fever	38%

# New and Cumulative Cases of Vermont Children (Age 19 and Younger) with COVID-19




**Older children have a higher rate of COVID-19 compared to younger children.**

Rate per 10,000 Vermonters 0-19 years old




**Male and female children have similar rates of COVID-19.**

Rate per 10,000 Vermonters 0 to 19 years old




**Among children with COVID-19, Black, Indigenous and people of color represent 32% of cases.**




**Among children with COVID-19, Black or African Americans have the highest rate.**

Rate per 10,000 Vermonters 0 to 19 years.



Sign or Symptom	Percent of Children with Symptom
Headache	48%
Fatigue	44%
Runny nose	42%
Cough	41%
Sore throat	33%
Loss of smell or taste	29%
Muscle pain	27%
Fever	25%

The percent of COVID-19 cases with **no symptoms** is higher among children. Less than half (36%) of cases among children had **no symptoms** reported.




**5 days**  
Average illness duration among children

**65% of children with COVID-19 had known contact with somebody else who had COVID-19.**

**There are no currently reported cases of multi-system inflammatory syndrome, hospitalizations, or deaths among Vermont's children with COVID-19.**

**38% of children with COVID-19 were part of an outbreak.**


The number of **children tested** for COVID-19 and the number of **children who tested positive** have increased over time.




Total tests represents the total number of children tested. Please note that <1% individuals tested are missing age. They are excluded from these analyses.

32,937 children have been tested for COVID-19.

Percent of tests positive among **children** is similar to **adults**.




Percent of tests positive among **younger children** is similar to **older children**.



# Clinical Course

What symptoms have Vermonters experienced? How many have been hospitalized? How many have died?

**The day symptoms start is important to know when people with COVID-19 become infectious.**



Note: Date of symptom onset is not always known.

**11 days**  
Average illness duration

**70%**  
Cases with symptoms

Sign or Symptom	Percent of Symptomatic Cases
Fatigue	64%
Cough	63%
Headache	55%
Muscle Pain	48%
Felt Feverish	44%
Loss of Smell/Taste	43%
Runny Nose	42%
Fever	39%



**Most Vermonters with COVID-19 are not hospitalized.**




**13%**  
Of those hospitalized  
were on a ventilator

**33%**  
Of those hospitalized  
were in the ICU

**9 days**  
Average hospital stay  
(range: 0-43 days)


**Vermonters 80 years and older are more likely to be hospitalized for COVID-19.**

Rate per 10,000 Vermonters



**White Vermonters represent a majority of hospitalized COVID-19 cases.**


Rate per 10,000 Vermonters



Please note 7 hospitalized persons are missing race information.  
\*Values suppressed due to small numbers.

**Vermonters 80 years and older have higher rates of COVID-19 death than other age groups.**

Rate per 10,000 Vermonters




**Males and females have similar rates of COVID-19 death.**

Rate per 10,000 Vermonters




**Most COVID-19 deaths occurred in an inpatient hospital setting or a long-term care facility.**



**White Vermonters represent a majority of COVID-19 deaths.**

**Death rates by race are similar.**

Rate per 10,000 Vermonters



Note: No deaths have identified as Hispanic or Latino.

# Outbreaks

How is COVID-19 impacting group settings?

# Outbreaks can occur in many types of places. Here is what outbreak means in these places:

## Community Settings

3 or more COVID-19 cases involving more than one family or household where the cases:

- have an illness start date or positive test collection date within 14 days, and
- are linked through contact or location, and
- are not linked to another outbreak, and
- there is no other more likely source of exposure.

**Resolved** when no new COVID-19 positive tests or people with COVID-like illness occur after 28 days from the last positive test or illness start date (whichever is later).

## Educational Settings

2 or more COVID-19 cases among children/students or teachers/staff with known connections in the educational setting, and the cases:

- have an illness start date or a positive test collection date within 14 days, and
- Do not live together or have close contact with each other in another setting, and
- there is no other more likely source of exposure.

**Resolved** when no new COVID-19 positive tests or people with COVID-like illness occur after 28 days from the last known exposure to the school.

## Congregate Care or Living Settings\*

One resident or staff member with COVID-19, and one or more residents or staff with respiratory illness who have had contact with each other.

**or**

Two or more facility residents and/or staff with an illness start or positive test collection date within 14 days.

\*Examples include long-term care and other residential care facilities, correctional facilities and homeless shelters.


**Resolved** when no new COVID-19 positive tests occur after 28 days from the last positive test or illness start date (whichever is later).

## Workplaces

2 or more COVID-19 cases among employees at the same workplace, and the cases:

- had contact with each other in the workplace, and
- an illness start or positive test collection date within 14 days, and
- do not live together or have close contact with each other in another setting, and
- there is no other more likely source of exposure.

**Resolved** when no new COVID-19 positive tests or people with COVID-like illness occur after 28 days from the last known exposure to the workplace.





27% of people testing positive for COVID-19 are associated with an outbreak



# Outbreaks

16 Active

33 Resolved\*

\*See previous page for definitions of resolved outbreaks.

## Congregate Care & Living



**163**  
cases among residents



**84**  
cases among facility staff

## Schools and Child Care



**17**  
cases among children and staff

## Workplace



**91**  
cases among employees

## Community




**349**  
cases

Source: Vermont Department of Health  
Reflects confirmed data as of 11/11/2020


## Vermont COVID-19 Cases Associated with an **Outbreak** Over Time

180





## Vermont COVID-19 Deaths Associated with an **Outbreak** Over Time

4



Source: Vermont Department of Health  
Reflects confirmed data as of 11/11/2020

**While only 27% of all people testing positive for COVID-19 are associated with an outbreak, more than half of COVID-19-related deaths occur in outbreak settings.**



Values in these charts are rounded to the nearest whole number and therefore may not always add to 100% due to error introduced in rounding.

Source: Vermont Department of Health  
Reflects confirmed data as of 11/11/2020

Note: Examples of a health setting include long term care or assisted living facilities, therapeutic treatment centers, and behavioral health institutions. Examples of a non-health setting include correctional facilities, senior housing communities, businesses, and homeless shelters. Vermont has not experienced an outbreak in all health and non-health settings.

The percentage of **males** with COVID-19 that are associated with an outbreak is slightly higher than the percentage of **females** with COVID-19 that are associated with an outbreak.





**25%** of **females** with COVID-19 are associated with an outbreak.



**28%** of **males** with COVID-19 are associated with an outbreak.

In outbreak settings, **males** with COVID-19 are more likely to be associated with non-health settings than health settings.




Values in these charts are rounded to the nearest whole number and therefore may not always add to 100% due to error introduced in rounding. Percentages by outbreak type are rounded to the whole number, but combined totals take into account the full percentages.

Source: Vermont Department of Health  
Reflects case counts as of 11/11/2020

Note: Examples of a health setting include long-term care or assisted living facilities, therapeutic treatment centers, and behavioral health institutions. Examples of a non-health setting include correctional facilities, senior housing communities, businesses, and homeless shelters. Vermont has not experienced an outbreak in all health and non-health settings.



# Percent of People Testing Positive for COVID-19 by Outbreak Status and Age



Source: Vermont Department of Health  
Reflects case counts as of 11/11/2020


Note: Examples of a health setting include long-term care or assisted living facilities, therapeutic treatment centers, and behavioral health institutions. Examples of a non-health setting include correctional facilities, senior housing communities, businesses, and homeless shelters. Vermont has not experienced an outbreak in all health and non-health settings.

# **Syndromic Surveillance**

What we can learn from emergency room and urgent care centers?

## The percent of emergent care visits for COVID-19-like illness has increased slightly since late October\*.

Syndromic surveillance from 13 of 14 Vermont hospitals and 2 urgent care centers. Monitoring this data acts as an early indicator of potential spikes of COVID-19 in the community.



Interpret with caution, there is a chance for over or underestimation given the lag in reporting.

COVID-19-like illness diagnosis is determined using the patient's chief complaint and/or discharge diagnosis.

COVID-19-like illness is the presence of a fever with the addition of shortness of breath, difficulty breathing, or cough.


COVID-19-like illness excludes patients with an influenza discharge diagnosis.

\*As of late October we are no longer receiving syndromic surveillance data from UVMHC due to network issues. Due to the fact that we present percentages here (not raw counts) the interpretation of the data remains the same.

# Weekly Spotlight: Travel Reported Among Cases

This section focuses on cases who report they have traveled, whether to or from Vermont, up to 14 days before symptoms started (or if they had no symptoms, the date they were tested).

**Travel is not necessarily the source of infection in cases who report travel. However, travel can increase a person's risk of getting COVID-19. All non-essential travel to and from Vermont requires quarantine. Learn more about [travel and quarantine](#).**





## Learn more about COVID-19 in Vermont:

**Web:** [www.healthvermont.gov/COVID-19](http://www.healthvermont.gov/COVID-19)

**Email:** [AHS.VDHPublicCommunication@vermont.gov](mailto:AHS.VDHPublicCommunication@vermont.gov)

**See more data:** [Weekly Data Summaries](#)