2019 VERMONT YOUTH RISK BEHAVIOR SURVEY REPORT

HARTFORD SD



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

We would especially like to thank the students and schools in Hartford SD who participated in the 2019 YRBS.

This report includes the results for the following schools:

High Schools

HARTFORD HIGH SCHOOL

The Vermont Department of Health would like to acknowledge the work and effort of all the schools, teachers and students who participate in the Youth Risk Behavior Survey each year.

Copies of the questionnaires, state-wide reports, data briefs, and additional sub-state reports are available online.

Visit the Vermont Department of Health YRBS website at: https://www.healthvermont.gov/yrbs



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

Middle Schools

HARTFORD MEMORIAL MIDDLE SCHOOL

Table of Contents

About the YRBS	4
Methodology	
How Accurate are the Results?	5
Populations in Focus	5
Using the YRBS Results	
Understanding and Interpreting the Results	7
Key Terms and Statistical Differences Used in the Report	
High School Results	8
Demographics	
Violence and Unintentional Injuries	
Mental Health	
Lifetime Substance Use	
Past 30 Day Substance Use	18
Other Substance Use Related Topics	
Perceptions of Substance Use	
Sexual Health	
Weight, Physical Activity, and Nutrition	28
Social Determinants of Health	
Youth Assets and Other Protective Factors	
Middle School Results	
Demographics	
Violence and Unintentional Injuries	
Mental Health	
Lifetime Substance Use	
Past 30 Day Substance Use	46
Other Substance Use Related Topics	
Perceptions of Substance Use	
Sexual Health	
Physical Activity, and Nutrition	
Social Determinants of Health	
Youth Assets and Other Protective Factors	



Δ

2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

About the YRBS

The Youth Risk Behavior Survey (YRBS) is a national school-based survey that monitors the health-risk behaviors that contribute to the leading causes of death and disability among youth and young adults. These include:

- Behaviors that contribute to unintentional injuries
- Violence
- Alcohol and other drug use
- Tobacco use
- Unhealthy dietary behaviors
- Inadequate physical activity
- Sexual health behaviors related to pregnancy and STDs

The YRBS also measures other high priority health-related behaviors and protective factors. These include:

- Prevalence of obesity
- Attitudes and perceptions related to substance use
- Food and housing insecurity
- Youth assets
- Academic achievement
- Sexual Orientation and gender identity

In Vermont, the YRBS has been conducted during the spring semester of odd years since 1993.

Methodology

The Department of Health works with the Agency of Education and the CDC to conduct two separate surveys: a high school survey of students in grades 9 through 12, and a middle school survey of middle school students in grades 6 through 8. These surveys are conducted as a census at all public schools and select independent schools across the state.

The middle school and high school surveys differ slightly. The shorter middle school survey focuses more on lifetime behaviors and includes questions on fighting, bullying, suicidality, substance use, attitudes and perceptions about substance use, sexual activity, nutrition, physical activity, youth assets, and other factors related to health equity. The high school survey includes questions on these topics as well as more in-depth questions on current behaviors as well as self-reported height and weight, driving behaviors, and other drugs used.

Student participation in the YRBS is anonymous and voluntary.

In addition, to protect students anonymity, data is suppressed when less than 50 students respond to a question or less than 5 students answer a question in a particular way.



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

How Accurate are the Results?

Numerous precautions are taken to ensure the reliability and validity of the results. The Centers for Disease Control and Prevention (CDC) runs over 100 consistency checks on the data to exclude careless, invalid, or logically inconsistent answers. These internal reliability checks help identify the small percentage of students who falsify their answers. These precautions can reduce some sources of error, but not all.

The CDC also weights data, a mathematical procedure that makes data representative of the population from which it was drawn. Only states with an overall response rate of at least 60% are weighted based on gender, grade, and race/ethnicity.

Information about the methodology of the national, state, and large urban school district YRBS has been described elsewhere and can be found online from the CDCs Healthy Youth-DASH website at: https://www.cdc.gov/healthyyouth/data/yrbs/methods

Other information including "Do students tell the truth" is available on the Vermont Department of Health YRBS webpage at: https://www.healthvermont.gov/yrbs

Populations in Focus

Adverse health outcomes and behaviors experienced by specific populations are not intrinsic to youth themselves and are often instead due to social, economic and environmental inequities. The Vermont Department of Health acknowledges that these inequities can have a greater impact than individual choices. To identify disparities and help tell the complex story of youth across Vermont, health-related factors and behaviors experienced by the following specific populations are noted throughout the statewide report:

- Sex (biological)
- Grade
- Race, Ethnicity
- Sexual Orientation / Gender Identity



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

Using the YRBS Results

Engaging students, schools, and communities

The YRBS can detect changes in risk behaviors over time and identify differences among ages, grades, and genders. With these data, school and community organizations can focus prevention efforts and determine whether school policies and community programs are having the intended effect on student behaviors.

Think of the YRBS as a tool for starting discussions, for educating the community, for planning and evaluating programs, and for comparing Vermont students with other students nationwide.

<u>Start the Conversation:</u> Use the YRBS to begin a conversation with teens about the personal choices they make or about the health of their community. Ask them if the results accurately reflect what they see happening around them. How do they explain the results? From their perspective, what is or is not working? How would they promote healthy behaviors?

Increase Awareness: The YRBS provides an opportunity to break through "denial" and make community members aware of the risks that their young people face. It can also dispel myths and correct misinformation about the "average teenager." The YRBS can accentuate the positive and celebrate the fact that many students are abstaining from behaviors that endanger their health and their ability to succeed. <u>Plan and Evaluate Programs</u>: The YRBS can serve as the basis of a community needs assessment. It can help identify strengths and weaknesses in communities and can inform strategies to address those weaknesses.

<u>Remember to Look at the Positive Side:</u> In most cases, the majority of adolescents are NOT engaging in risky behaviors. Although most of the charts examine the prevalence of risk behaviors, please do not forget about the percentage of adolescents who are NOT engaging in these behaviors.

Participate in Getting to 'Y': Getting to Y provides an opportunity for students to take a lead in bringing meaning to their own Youth Risk Behavior Survey data and taking steps to strengthen their school and community based on their findings. Schools and districts across the state form teams to analyze local level data, identify areas of strength and concern, and create a preliminary action plan. Through the Getting to 'Y' program, students attend a training day where they learn tools and strategies to examine data, explore root causes, and create next action steps. In addition, teams plan and host a community dialogue event to share their executive summary with the school and community.

For more information on upcoming Getting to Y trainings, newsletters, and resources visit Getting to Y at http://www.upforlearning.org/initiatives/getting-to-y



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

Understanding and Interpreting the Results

The results in this report are weighted by gender, grade, and race/ethnicity in order to compensate for absenteeism and incomplete surveys. The weighting allows the results to be fully representative of middle school students in grades six through eight (middle school survey) and high school students grades nine through twelve (high school survey). Weighting permits us to draw inferences about the school-based student population in Vermont.

Throughout this report, statistically significant differences are noted. Statistical significance is calculated by comparing the 95% confidence intervals of two or more values. If the confidence intervals overlap, the percentages are not different. In other words, the two groups are not statistically different from one another. If the confidence intervals do not overlap, there is a statistical difference between the two groups.

A 95% confidence interval is a range of values and can vary due to the size of a particular population or how consistently students responded to an item. Sometimes, when comparing the responses of two or more groups, the difference between the overall percentages may look very different, but the two numbers are not statistically different. Other times, the two values may be very close but differ statistically.

While this report notes statistical differences, we encourage you to consider meaningful difference: does the disparity merit a targeted intervention, show a real change in health, or otherwise mean something important to the community (statistics aside).

Key Terms and Statistical Differences Used in the Report

Each table includes a note about any statistical differences between the overall Vermont and Hartford SD prevalence rates.

Throughout this report you will see the following key terms and statistical notations.

Key Terms

- . = Too few students to report
- VT = All students in Vermont
- SU or SD = All students in Hartford SD



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

2019 VERMONT YOUTH RISK BEHAVIOR SURVEY REPORT

HIGH SCHOOL RESULTS



https://www.healthvermont.gov/yrbs

2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

Hartford SD High School Results

Demographics

Grade	VT	SD
9th grade	25	28
10th grade	25	27
11th grade	25	22
12th grade	25	23

Sex	νт	SD
Female	48	41
Male	52	59



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Demographics

Sexual Orientation / Gender Identity	VT	SD
Lesbian, Gay, Bisexual, or Transgender	14	13
Heterosexual / Cisgender	86	87

Race	∨т	SD
Students of Color	16	8
White, non-Hispanic	84	92



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Violence and Unintentional Injuries

Physical Violence	νт	SD	Statistical Differences
Were in a physical fight, past year	18	10	SU/SD is lower than VT
Carried a weapon on school property, past 30 days	5	3	SU/SD is lower than VT
Were threatened or injured with a weapon on school property, past 30 days	7	3	SU/SD is lower than VT
Did not go to school because they felt unsafe at school or on their way to or from school, past 30 days	6	6	

Bullying	۷т	SD	Statistical Differences
Were electronically bullied	16	13	SU/SD is lower than VT
Were bullied, past 30 days	17	15	
Bullied someone, past 30 days	10	8	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Violence and Unintentional Injuries

Sexual and Dating Violence	νт	SD	Statistical Differences
Report someone has ever done sexual things to them that they did not want	18	16	
Experienced physical dating violence	8	5	SU/SD is lower than VT
Reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times, past year	28	20	SU/SD is lower than VT
Have sent or received a revealing or sexual photo of someone using social media, email, or texting on their smartphone, computer, iPad or other tablet, past 30 days	27	21	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Violence and Unintentional Injuries

Motor Vehicle Safety	۷т	SD	Statistical Differences
Rode with a driver who had been drinking alcohol, past 30 days	17	12	SU/SD is lower than VT
Rode in a car or other vehicle driven by someone who had been using marijuana, past 30 days	23	11	SU/SD is lower than VT

Motor Vehicle Safety, Among Students Who Drive	٧т	SD	Statistical Differences
Texted or e-mailed while driving a car or other vehicle, past 30 days	35	28	SU/SD is lower than VT
Drove a car or other vehicle when they had been drinking alcohol, past 30 days	6	3	SU/SD is lower than VT
Drove a car or other vehicle when they had been using marijuana, past 30 days	15	6	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Violence and Unintentional Injuries

Unintentional Injuries & Prevention	٧т	SD	Statistical Differences
Rarely or never wore a helmet when skiing or snowboarding, past year	11	5	SU/SD is lower than VT
Had a concussion from playing a sport or being physically active, past year	18	11	SU/SD is lower than VT
Had a sunburn, past year	73	70	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Mental Health

Mental Health	• VT	SD	Statistical Differences
Did something to purposely hurt themselves without wanting to die, past year	19	13	SU/SD is lower than VT
Felt sad or hopeless, past year	31	27	SU/SD is lower than VT
Made a plan about how they would attempt suicide, past year	13	10	SU/SD is lower than VT
Attempted suicide, past year	7	6	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Lifetime Substance Use

Tobacco, Alcohol, or Marijuana Use Before Age 13	٧т	SD	Statistical Differences
First tried cigarette smoking before age 13 years	7	4	SU/SD is lower than VT
Drank alcohol before age 13	13	10	SU/SD is lower than VT
Tried marijuana for the first time before age 13 years	6	3	SU/SD is lower than VT

Lifetime Substance Use - Alcohol, Marijuana, & Tobacco	∨т	SD	Statistical Differences
Ever tried cigarette smoking	22	14	SU/SD is lower than VT
Ever used an electronic vapor product	50	37	SU/SD is lower than VT
Ever used a flavored tobacco product	27	19	SU/SD is lower than VT
Ever drank alcohol	55	44	SU/SD is lower than VT
Ever used marijuana	40	27	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Lifetime Substance Use

Lifetime Substance Use - Prescription Drug Misuse	۷т	SD	Statistical Differences
Ever used a prescription drug	12	10	
Ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it	9	8	
Have taken prescription stimulants without a doctor's prescription or differently than how a doctor told them to use it one or more times	7	5	SU/SD is lower than VT

Lifetime Substance Use - Other Drug Use	VT	SD	Statistical Differences
Ever used cocaine	4		Too few students
Ever used inhalants	7	4	SU/SD is lower than VT
Ever used heroin	2		Too few students
Ever used methamphetamines	2		Too few students

. = Too few students to report



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Past 30 Day Substance Use

Past 30 Day Tobacco Use	۷т	SD	Statistical Differences
Currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products	28	16	SU/SD is lower than VT
Currently smoked cigarettes or cigars or used smokeless tobacco	10	6	SU/SD is lower than VT
Tried to quit using all tobacco products, past year	44	49	

Past 30 Day Tobacco Use	VT	SD	Statistical Differences
Currently smoked cigarettes	7	3	SU/SD is lower than VT
Currently used an electronic vapor product	26	15	SU/SD is lower than VT
Currently used smokeless tobacco	3	4	
Currently smoked cigars	6	3	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Past 30 Day Substance Use

Past 30 Day Alcohol and Other Drug Use	۷т	SD	Statistical Differences
Currently drank alcohol	31	20	SU/SD is lower than VT
Currently were binge drinking	15	9	SU/SD is lower than VT
Currently used marijuana	27	13	SU/SD is lower than VT
Currently took any prescription medication without a doctor's prescription or differently than how a doctor told them to use it	5	2	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Other Substance Use Related Topics

Substance Use Exposure and Prevention	۷т	SD	Statistical Differences
Were asked by a doctor, dentist, or nurse if they smoked, past year	61	59	
Most of the time or always see ads for cigarettes or other tobacco products	50	53	

Substance Use on School Property	۷т	SD	Statistical Differences
Attended school under the influence of alcohol or other illegal drugs, past year	15	7	SU/SD is lower than VT
Were offered, sold, or given an illegal drug on school property, past year	19	12	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Perceptions of Substance Use

Perceptions of Substance Use - Peer Use	۷т	SD	Statistical Differences
Think it is wrong or very wrong for someone their age to use electronic vapor products	56	69	SU/SD is higher than VT
Think it is wrong or very wrong for someone their age to drink alcohol	53	59	SU/SD is higher than VT
Think it is wrong or very wrong for someone their age to use marijuana	51	65	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Perceptions of Substance Use

Perceptions of Substance Use - Parental Beliefs	۷т	SD	Statistical Differences
Responded that their parents or guardians feel it would be wrong or very wrong for the student to use electronic vapor products	84	89	SU/SD is higher than VT
Responded that their parents or guardians feel it would be wrong or very wrong for the student to drink alcohol	69	75	SU/SD is higher than VT
Responded that their parents or guardians feel it would be wrong or very wrong for the student to use marijuana	75	85	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Perceptions of Substance Use

Perceptions of Substance Use - Ease of Access	٧т	SD	Statistical Differences
Say if they wanted to get electronic vapor products, it would be sort of easy or very easy for them to get some	73	67	SU/SD is lower than VT
Say if they wanted to get alcohol, it would be sort of easy or very easy for them to get some	67	62	SU/SD is lower than VT
Say if they wanted to get marijuana, it would be sort of easy or very easy for them to get some	62	50	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Perceptions of Substance Use

Perceptions of Substance Use - Harm	٧т	SD	Statistical Differences
Think people greatly risk harming themselves (physically or in other ways) if they use electronic vapor products regularly	29	37	SU/SD is higher than VT
Think people greatly risk harming themselves (physically or in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice each weekend	39	45	SU/SD is higher than VT
Think people greatly risk harming themselves (physically or in other ways) if they use marijuana regularly	23	30	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

Hartford SD High School Results

Sexual Health

HIV and STD Testing	٧т	SD	Statistical Differences
Were ever tested for human immunodeficiency virus (HIV)	13	12	
Were ever tested for a sexually transmitted disease (STD)	11	10	

Sexual Activity	٧т	SD	Statistical Differences
Ever had sexual intercourse	40	39	
Had sexual intercourse for the first time before age 13 years	3		Too few students
Had sexual intercourse with four or more persons during their life	9	4	SU/SD is lower than VT
Were currently sexually active	31	30	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Sexual Health

Sexual Activity Among Students Who Had Sexual Intercourse During the Previous Three Months

Prescription Birth Control Use, Among Sexually Active Students	νт	SD	Statistical Differences
Used birth control pills before last sexual intercourse, among sexually active students	32	32	
Used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing), among sexually active students	4		Too few students
Used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon)	19	20	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Sexual Health

Sexual Activity Among Students Who Had Sexual Intercourse During the Previous Three Months

Condom & Birth Control Use, Among Sexually Active Students	νт	SD	Statistical Differences
Used a condom during last sexual intercourse, among sexually active students	54	72	SU/SD is higher than VT
Used birth control pills; an IUD or implant; or a shot, patch, or birth control ring	56	54	
Used both a condom during last sexual intercourse and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse	21	31	SU/SD is higher than VT
Did not use any method to prevent pregnancy	6		Too few students



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Weight, Physical Activity, and Nutrition

Weight and Weight Perceptions	∣∨т	SD	Statistical Differences
Were obese	13	19	SU/SD is higher than VT
Were overweight	14	16	
Described themselves as slightly or very overweight	31	32	
Were trying to lose weight	43	44	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Weight, Physical Activity, and Nutrition

Physical Activity	νт	SD	Statistical Differences
Did not participate in at least 60 minutes of physical activity on at least 1 day	14	13	
Were physically active at least 60 minutes per day on all 7 days	22	22	
Were physically active at least 60 minutes per day on 5 or more days, past week	46	46	
Played video or computer games or used a computer 3 or more hours per day	48	44	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Weight, Physical Activity, and Nutrition

Physical Activity at School	νт	SD	Statistical Differences
Report they participate in physical activity or other short breaks during class at least 1x per week	62	62	
Report they participate in physical activity or other short breaks during class, every day	23	28	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Weight, Physical Activity, and Nutrition

Soda and Sugar-Sweetened Beverage Consumption	νт	SD	Statistical Differences
Did not drink any soda or sugar-sweetened beverages, past week	23	26	SU/SD is higher than VT
Drank a can, bottle, or glass of a sugar-sweetened beverage, past week	18	19	
Drank soda or sugar-sweetened beverages 2+ times per day, past week	10	9	
Drank soda or sugar-sweetened beverages 3+ times per day, past week	5	3	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Weight, Physical Activity, and Nutrition

Water Consumption, Past Week	۷т	SD	Statistical Differences
Drank one or more glasses per day of water	79	78	
Drank two or more glasses per day of water	70	69	
Drank three or more glasses per day of water	54	52	

Fruit and Vegetable Consumption	۷т	SD	Statistical Differences
Ate 5+ fruits/vegetables every day, past week	21	17	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Weight, Physical Activity, and Nutrition

Fruit Consumption, Past Week	νт	SD	Statistical Differences
Did not eat fruit or drink 100% fruit juices	6	8	SU/SD is higher than VT
Ate fruit or drank 100% fruit juices one or more times per day	62	59	
Ate fruit or drank 100% fruit juices two or more times per day	31	29	

Vegetable Consumption, Past Week	٧т	SD	Statistical Differences
Did not eat vegetables	5	5	
Ate vegetables one or more times per day	72	70	
Ate vegetables two or more times per day	37	30	SU/SD is lower than VT
Ate vegetables three or more times per day	19	15	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Weight, Physical Activity, and Nutrition

Breakfast Consumption	۷т	SD	Statistical Differences
Did not eat breakfast, past week	11	15	SU/SD is higher than VT
Ate breakfast on at least 5 days, past week	54	47	SU/SD is lower than VT
Ate breakfast on all 7 days	37	31	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Social Determinants of Health

Social Determinants of Health	۷т	SD	Statistical Differences
Have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned	4	3	
Most of the time or always went hungry because there was not enough food in their home, past 30 days	2		Too few students
Have a physical disability, emotional problems, or learning disability	30	35	SU/SD is higher than VT

Social Determinants of Health	٧т	SD	Statistical Differences
Described their grades in school as mostly A's or B's	78	84	SU/SD is higher than VT
Report they are most likely to attend a 4-year college or university, a community college, or technical school after high school	76	74	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Youth Assets and Other Protective Factors

Protective Factors - Family	٧т	SD	Statistical Differences
Did not eat dinner at home with parents, past week	9	9	
Ate dinner at home with parent at least 2x, past week	86	86	
Ate dinner at home with at least one of their parents or other adult family member on 4+ days, past week	75	75	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD High School Results

Youth Assets and Other Protective Factors

Protective Factors - School Connectedness	۷т	SD	Statistical Differences
Reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	78	88	SU/SD is higher than VT
Strongly agree or agree that their school has clear rules and consequences for behavior	56	64	SU/SD is higher than VT
Do not participate in any afterschool activities	34	34	
Spend 10 or more hours participating in afterschool activities	24	22	

Protective Factors - Community	νт	SD	Statistical Differences
Strongly agree or agree that in their community they feel like they matter to people	58	64	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY REPORT

MIDDLE SCHOOL RESULTS



https://www.healthvermont.gov/yrbs

2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

Hartford SD Middle School Results

Demographics

Grade	VT	SD
6th grade	24	32
7th grade	38	37
8th grade	38	31

Sex	∨т	SD
Female	49	50
Male	51	50



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Demographics

Sexual Orientation / Gender Identity	VT	SD
Lesbian, Gay, Bisexual, or Transgender	11	15
Heterosexual / Cisgender	89	85

Race	∨т	SD
Students of Color	19	17
White, non-Hispanic	81	83



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Violence and Unintentional Injuries

Violence	۷т	SD	Statistical Differences
Were ever in a physical fight	41	38	SU/SD is lower than VT
Did not go to school because they felt they would be unsafe at school or on their way to or from school, past 30 days	9	12	SU/SD is higher than VT
Report someone has ever done sexual things to them that they did not want	10	9	

Bullying	٧т	SD	Statistical Differences
Were ever bullied on school property	45	45	
Were ever electronically bullied	24	25	
Were bullied, past 30 days	24	22	
Bullied someone, past 30 days	9	7	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Violence and Unintentional Injuries

Unintentional Injuries & Prevention	٧т	SD	Statistical Differences
Rarely or never wear a bicycle helmet	33	46	SU/SD is higher than VT
Had a concussion from playing a sport or being physically active, past year	19	22	SU/SD is higher than VT
Rarely or never wear a helmet when skiing or snowboarding	6	3	SU/SD is lower than VT
Had a sunburn, past year	66	61	SU/SD is lower than VT

Motor Vehicle Safety	۷т	SD	Statistical Differences
Rarely or never wear a seat belt	85	89	SU/SD is higher than VT
Ever rode with a driver who had been drinking alcohol	20	19	
Have ever ridden in a car driven by someone who had been using marijuana	10	10	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Mental Health

Mental Health	٧т	SD	Statistical Differences
Ever seriously thought about killing themselves	18	27	SU/SD is higher than VT
Ever made a plan about how they would kill themselves	12	16	SU/SD is higher than VT
Ever tried to kill themselves	6	10	SU/SD is higher than VT
Have ever done something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, past year	18	25	SU/SD is higher than VT
Felt sad or hopeless, past year	23	28	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Lifetime Substance Use

Lifetime Substance Use	۷т	SD	Statistical Differences
Ever tried a cigarette	7	7	
Ever tried a flavored tobacco product	8	5	SU/SD is lower than VT
Ever used an electronic vapor product	16	16	
Ever drank alcohol	20	21	
Ever used marijuana	7	6	
Have ever taken a prescription drug without a doctor's prescription or differently than how a doctor told them to use it	6	8	SU/SD is higher than VT
Ever used inhalants	5	4	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Lifetime Substance Use

Substance Use Before Age 11	۷т	SD	Statistical Differences
Tried cigarette smoking for the first time before age 11 years	3	2	
Drank alcohol for the first time before age 11 years	9	8	
Tried marijuana for the first time before age 11 years	1	1	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Past 30 Day Substance Use

Past 30 Day Tobacco Use	νт	SD	Statistical Differences
Currently smoked cigarettes or cigars or used smokeless tobacco	2	1	SU/SD is lower than VT
Currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products	9	8	
Currently smoked cigarettes	2	1	
Currently used an electronic vapor product	8	8	
Currently used smokeless tobacco	1	1	
Currently smoked cigars	1	1	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Past 30 Day Substance Use

Past 30 Day Alcohol and Other Substance Use	٧т	SD	Statistical Differences
Currently drank alcohol	7	6	
Binge drank, past 30 days	2	1	SU/SD is lower than VT
Currently used marijuana	5	4	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Other Substance Use Related Topics

Tobacco Use Exposure & Prevention	νт	SD	Statistical Differences
Were asked by a doctor, dentist, or nurse if they smoked	33	26	SU/SD is lower than VT
Most of the time or always see ads for cigarettes or other tobacco products	46	53	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Perceptions of Substance Use

Perceptions of Peer Use as Wrong or Very Wrong	νт	SD	Statistical Differences
Think it is wrong or very wrong for someone their age to use electronic vapor products	84	86	SU/SD is higher than VT

Believe Parents Would Think It Is Wrong or Very Wrong to Use	νт	SD	Statistical Differences
Responded that their parents or guardians feel it would be wrong or very wrong for the student to use electronic vapor products	92	94	SU/SD is higher than VT
Responded that their parents or guardians feel it would be wrong or very wrong for the student to drink alcohol	87	90	SU/SD is higher than VT
Responded that their parents or guardians feel it would be wrong or very wrong for the student to use marijuana	92	94	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Perceptions of Substance Use

Believe People Greatly Risk Harm from Substance Use	νт	SD	Statistical Differences
Think people greatly risk harming themselves (physically or in other ways) if they use electronic vapor products regularly	45	48	SU/SD is higher than VT
Think people greatly risk harming themselves (physically or in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice each weekend	45	48	
Think people greatly risk harming themselves (physically or in other ways) if they use marijuana regularly	49	53	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Perceptions of Substance Use

Think it is Easy or Very Easy to Access	۷т	SD	Statistical Differences
Say if they wanted to get electronic vapor products, it would be sort of easy or very easy for them to get some	29	25	SU/SD is lower than VT
Say if they wanted to get alcohol, it would be sort of easy or very easy for them to get some	40	37	SU/SD is lower than VT
Say if they wanted to get marijuana, it would be sort of easy or very easy for them to get some	19	13	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY

Hartford SD Middle School Results

Sexual Health

Sexual Activity & Condom Use	۷т	SD	Statistical Differences
Ever had sexual intercourse	5	3	SU/SD is lower than VT
Used a condom during last sexual intercourse, among those who have has sexual intercourse	58	54	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Physical Activity, and Nutrition

Physical Activity: 60 min per day	۷т	SD	Statistical Differences
Did not participate in at least 60 minutes of physical activity on at least 1 day, past week	9	12	SU/SD is higher than VT
Were physically active at least 60 minutes per day on 5 or more days, past week	56	47	SU/SD is lower than VT
Were physically active at least 60 minutes per day on all 7 days, past week	30	24	SU/SD is lower than VT

Physical Inactivity, Average School Day	νт	SD	Statistical Differences
Watch television 1 hour or less per day	58	56	
Watch television 3 or more hours per day	22	26	SU/SD is higher than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Physical Activity, and Nutrition

Physical Inactivity, Average School Day	νт	SD	Statistical Differences
Play video or computer games or used a computer 1 hour or less per day	42	41	
Play video or computer games or used a computer 3 or more hours per day	41	39	

Physical Activity at School	٧т	SD	Statistical Differences
Participate in physical activity or other short breaks during class at least once a week	80	73	SU/SD is lower than VT
Participate in physical activity or other short breaks during class everyday	36	35	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Physical Activity, and Nutrition

Walk or Bike To/From School	۷т	SD	Statistical Differences
Walk or ride a bike to school at least once a week when weather permits	26	14	SU/SD is lower than VT
Walk or ride their bike to school every day when weather permits	11	6	SU/SD is lower than VT

Sport Team Participation	νт	SD	Statistical Differences
Play on at least one sports team, past year	72	63	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Physical Activity, and Nutrition

Water Consumption, Past Week	۷т	SD	Statistical Differences
Drank one or more glasses per day of water, past week	78	75	SU/SD is lower than VT
Drank two or more glasses per day of water, past week	71	67	SU/SD is lower than VT
Drank three or more glasses per day of water, past week	56	51	SU/SD is lower than VT

Breakfast Consumption	νт	SD	Statistical Differences
Did not eat breakfast, past week	9	15	SU/SD is higher than VT
Ate breakfast on 5 or more days, past week	64	55	SU/SD is lower than VT
Ate breakfast on all 7 days, past week	46	36	SU/SD is lower than VT



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Social Determinants of Health

Social Determinants of Health	۷т	SD	Statistical Differences
Described their grades in school as mostly A's or B's	66	76	SU/SD is higher than VT
Reported in their home people most of the time or always speak a language other than English	6	4	SU/SD is lower than VT
Most of the time or always went hungry because there was not enough food in their home, past 30 days	3	2	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Youth Assets and Other Protective Factors

Family Engagement	۷т	SD	Statistical Differences
Did not eat dinner at home with at least one of their parents or other adult family member, past week	6	5	
Ate dinner at home with at least one of their parents or other adult family member on four or more days, past week	85	85	
Ate dinner at home with at least one of their parents or other adult family member on two or more days, past week	92	94	SU/SD is higher than VT
Ate dinner at home with at least one of their parents or other adult family member every day, past week	61	60	



2019 VERMONT YOUTH RISK BEHAVIOR SURVEY Hartford SD Middle School Results

Youth Assets and Other Protective Factors

School Connectedness	٧т	SD	Statistical Differences
Have at least one teacher or other adult in their school that they can talk to if they have a problem	72	78	SU/SD is higher than VT
Strongly agree or agree that their school has clear rules and consequences for behavior	64	65	

Community Connectedness	∣∨т	SD	Statistical Differences
Strongly agree or agree that in their community they feel like they matter to people	59	56	

