


Timeframe: 10/30/2022 - 11/05/2022

- The Influenza-like Illness (ILI) activity level is minimal in Vermont.
 For a description of national influenza activity levels, please <u>click here</u>.
- In Vermont, the age distribution of patient visits with an influenza-like illness (ILI) reported by ILINet sentinel providers was less concentrated among patients 0-24 than in previous weeks. ILI visits by ages 65 and higher increased from 2% of ILI visits in MMWR week 43 to 10% this reporting period.
- Nationally, seasonal flu activity has been increasing in recent weeks, varying by region. The southeast and south-central areas of the country are reporting the highest levels of activity followed by the Mid-Atlantic and the south-central West Coast regions.
- COVID-19 and other respiratory illnesses are also being spread during this flu season. Vaccination and respiratory illness prevention strategies are recommended. Follow these links for up-to-date <u>Vermont</u> and <u>national</u> COVID-19 data.

Syndromic Surveillance



Vermont Emergency Room and Urgent Care Visits for Influenza-like Illness or Diagnosed Influenza

*The definition of Influenza-like Illness (ILI) was updated in September 2021 to no longer exclude patients with another diagnosed non-influenza illness. The 2021-22 season's ILI data are not directly comparable to previous seasons due to this change. 11/11/2022

Data provided in this report are preliminary and will be updated as additional data are received.


Illness Definitions

Influenza-like Illness (ILI): determined using the patient's chief complaint and/or discharge diagnosis. ILI is the presence of a fever equal to or exceeding 100°F with the addition of cough or sore throat. As of 2021, the ILI definition no longer excludes patients with another diagnosed non-influenza illness.

Influenza (Flu): determined by the patient's chief complaint of a fever with the addition of cough or sore throat and a discharge diagnosis of influenza.

ILINet Sentinel Provider Data

This surveillance data is based upon reports submitted by ILINet, a nationwide group of medical offices that act as influenza sentinels. Sentinel providers report the number of patients with an influenza-like illness (ILI) seen by their practices each week.



Age Distribution of Patients with an Influenza-like Illness

Laboratory Data

The **Health Department Lab** performs surveillance subtype testing to determine the type of flu, for example H3, H1N1, etc. This information helps determine the circulating virus strains, not the spread of flu virus.


Type and Subtype	This week: 10/30/22-11/05/22	Season so far: 10/02/22-11/05/22
Flu A H3	0	1
Flu A H1N1	0	0
Flu B	0	0

The National Respiratory and Enteric Virus Surveillance System (NREVSS) collects data on the number of PCR flu tests performed by participating Vermont labs and how many were positive. This helps determine flu activity in the community.

1.36% of PCR tests run this week were positive, an increase compared to 0.74% the previous week. During the 2022-23 season, 0.88% of flu PCR tests reported through NREVSS have been positive. Positive results reported through NREVSS this season have been influenza A.

Reported Outbreaks

Institutional outbreaks of flu or influenza-like illness (excluding respiratory illnesses not caused by influenza viruses, e.g. COVID-19) are reportable to the Health Department.



Number of Influenza-like Illness and Influenza Lab Confirmed Outbreaks, 10/30/2022 – 11/05/2022

For more information: Hilary Fannin hilary.fannin@vermont.gov